

Hey Jealousy -- Gin Blossoms

Bass: Harley Benton P/J, 5-string, passive. Full board.

1992 alt-rock/power-pop from *New Miserable Experience*, ~116 BPM.

Bill Leen's part here isn't a melodic showcase -- it's a steady, punchy rock pulse holding down the bottom while those chiming 12-strings do the jangle.

Straightforward roots-and-fifths, driven by feel more than by fancy movement.

The song has a clean dynamic arc: verses sit back a little, more relaxed.

The chorus ("And I don't want to know if you are lonely...") is the hook -- bigger, brighter, more forward.

That's the CTL split.

CTL off = verse. CTL on = chorus.

GP-5 settings

Module order: NR -> PRE -> DST -> AMP -> CAB -> EQ -> MOD -> DLY -> RVB.

NR -- Gate

- THRE: 18
- Always on, low threshold. Clean signal, not much to gate.

PRE -- Micro Boost -- On CTL

- Gain: 55
- CTL off: bypassed (verse). CTL on: engaged (chorus).
- Verse stays laid-back and unforced. Chorus gets a clean push so the bass sits forward with the hook instead of getting buried under the guitars.

DST -- Off

- Not used. The amp's own gain carries the drive character this song needs -- stacking a pedal on top would just get muddy.

AMP/CAB -- NAM SnapTone, slot 57: GrittySVT (always on)

- Built from the `SVT PUSHED (SVT-CL)` NAM and the Apg810 IR, combined into one snaptone.
- Real Ampeg SVT-CL pushed into grit, into the Apg810 8x10 IR.
- Jangly 90s rock with a gritty low end. Pushed SVT.
- Gain: 48, VOL: 55, Bass: 52, Middle: 58, Treble: 60
- Gain 48: a little under default. This part wants less push than the other GrittySVT patches.
- Bass 52: a touch more low end.
- Middle 58: more midrange.
- Treble 60: more top end.
- VOL 55: the level Michael set for this snaptone in the 2026-10-02 VOL audit. Trim here if the patch jumps in level against your others.
- Same in both CTL states. AMP and CAB are off in the `.prst`, so nothing stacks on the capture. The N->S block calls slot 57 directly.

EQ -- Bass EQ 1

- 33Hz: +2
- 150Hz: +1
- 600Hz: -2
- 2kHz: +5
- 8kHz: +2
- VOL: 55
- Always on, same for both CTL states.
- Slight low-mid scoop at 600Hz keeps things from getting boxy against the jangly guitars. 2kHz and 8kHz boosts add the pick-attack presence this power-pop tone wants -- bright and cutting, not buried.

MOD -- Off

- No modulation. This bass part is dry and direct -- a chorus/vibe here would just soften the attack this song needs.

DLY -- Off

- Not used.

RVB -- Room -- On CTL

- Mix: 20, Decay: 35, Trail: On
- CTL off: bypassed (verse). CTL on: engaged (chorus).
- Verse stays tight and dry. Chorus gets a touch of room to swell with the hook -- same "lift together" logic as the PRE boost, both kick in on the same footswitch press.

CTL summary

- **CTL Off -- Verse.** No boost, dry. Bass sits back, holds the pocket.
- **CTL On -- Chorus.** Boost engaged, light room reverb swells in. Bass pushes forward with the hook.
- Engage CTL right as the chorus hits, disengage back into the next verse.

Full pedalboard (signal chain order)

1. Flamma FS-08 Octave -- Bypassed

- Footswitch off. No octave layering -- this part is a straight rock pulse, not a texture piece.

2. Donner Ultimate Comp -- Engaged

- COMP: 42
- TONE: 65
- LEVEL: 60
- Mode: TREBLE
- Moderate compression evens out the pick attack driving this song's energy.
- TREBLE mode keeps that attack audible and bright before it hits the NAM's own drive stage -- important since the NAM adds some low-end girth that could otherwise dull the pick transient.

3. Donner Stylish Fuzz -- Bypassed

- Footswitch off. No fuzz -- this song's bass grit comes from the GrittySVT snaptone's own grit, not a stompbox fuzz wall.

4. Joyo Tidal Wave -- Bypassed

- Footswitch off, Drive/Blend not engaged. Stacking another preamp/drive stage on top of the NAM would overdo the grit for a pop-rock tune this bright and clean-driven.

5. Joyo Narcissus -- Bypassed

- Footswitch off. No chorus -- matches the MOD-off call on the GP-5. This bass stays dry and direct throughout.

6. Valeton GP-5 -- see settings above.