

Thrive -- Casting Crowns

Bass: Harley Benton P/J, 5-string, passive. Full board.

Part of a 5-song worship set. The board ahead of the GP-5 is fixed across all 5 songs -- see "Full Pedalboard" below. Only this GP-5 patch changes song to song.

CCM pop-rock, not straight congregational worship -- Casting Crowns' Thrive sits at 115 BPM in F#, driving and radio-ready with a big lift into the chorus. The bass needs a punchy, present pop-rock pocket in the verse and a bigger, more driven push in the chorus, same split as Unstoppable God but with a tighter, more pop-rock voicing instead of an arena-worship one.

GP-5 Settings

Module order: NR -> PRE -> DST -> AMP -> CAB -> EQ -> MOD -> DLY -> RVB

NR -- Gate

- THRE: 25
- Always on.

PRE -- COMP4 (Keeley C4 4-knob Compressor)

- Sustain: 50, Attack: 35, VOL: 58, Clip: 30
- Always on, both CTL states. Keeps the driving 8th-note pop-rock pulse tight and consistent whether the chorus drive is engaged or not -- this is rhythmic glue, not part of the verse/chorus split.

DST -- Bass OD

- Gain: 55, Blend: 50, VOL: 60, Bass: 55, Treble: 62
- **CTL switch.** Off = bypassed, On = engaged.
- Off (verse) stays clean and punchy. On (chorus) adds real drive -- Blend at 50 keeps half the clean signal underneath so the low end doesn't get swallowed, Treble at 62 gives it the edge to sit with the bigger guitars/drums in the chorus.

AMP/CAB -- NAM SnapTone, slot 59: WorshipSVT (always on)

- Built from the `SVT CLEAN PUSHED (SVT-CL)` NAM and the Ampeg SVT Bright Beta52 IR, combined into one snaptone.
- Real Ampeg SVT-CL on the clean-pushed setting, into a bright, Beta 52-miked SVT 4x10 IR.
- Driving CCM rock. Pushed SVT with a bright 4x10 edge.
- Gain: 60, VOL: 55, Bass: 55, Middle: 58, Treble: 58
- Gain 60: noticeably over default. This part wants more push than the other WorshipSVT patches.
- Bass 55: a touch more low end.
- Middle 58: more midrange.
- Treble 58: more top end.
- VOL 55: the level Michael set for this snaptone in the 2026-10-02 VOL audit. Trim here if the patch jumps in level against your others.
- Same in both CTL states. AMP and CAB are off in the `.prst`, so nothing stacks on the capture. The N->S

block calls slot 59 directly.

EQ -- Bass EQ 2

- 50Hz: +4, 120Hz: 0, 400Hz: -3, 800Hz: +5, 4.5kHz: +5, VOL: 52
- Always on, both states. Low end for foundation, low-mids cleared out, upper-mid and top pushed for presence -- a tight, cutting pop-rock curve rather than a warm/round one.

MOD -- Off

Not used. This is a driving, rhythmic part -- no modulation needed.

DLY -- Off

Not used.

RVB -- Off

Not used, both states. Keeps the bass dry and upfront in a busy pop-rock mix.

CTL Summary (GP-5)

- **CTL Off -- Verse (default load state):** Bass OD bypassed. Clean, punchy, tight pop-rock pocket.
- **CTL On -- Chorus:** Bass OD engaged. Bigger, more driven push for the chorus lift, while COMP4/snapstone/EQ stay constant underneath so the tone grows instead of lurching.

Full Pedalboard -- Fixed For This Set

This patch is one of 5 built for one worship set (Unstoppable God, Giving It All to You, Your Love Changes Everything, The Bread Has Been Broken, Thrive). Every pedal ahead of the GP-5 is dialed in once and left untouched for the whole set -- only the GP-5 patch changes between songs. Don't touch these knobs between songs; that's the point.

1. Flamma FS-08 Octave -- Bypassed, entire set.

All four octave knobs at 0, Dry at 100, so nothing surprises you if the footswitch gets bumped. None of these five songs call for octave layering.

2. Donner Ultimate Comp -- Engaged, entire set.

- COMP: 42
- TONE: 50
- LEVEL: 55
- Mode: NORMAL

First in the chain -- evens out finger-attack dynamics before anything else touches the signal. Moderate COMP glues the sound together across a set that spans near-silence (Bread) to full push (this song, Unstoppable God) without squashing quiet sections. NORMAL mode stays neutral -- voicing is handled per-song downstream.

3. Donner Stylish Fuzz -- Bypassed, entire set.

No fuzz texture anywhere in this set. True bypass throughout.

4. Joyo Tidal Wave -- Engaged, entire set.

- Drive: 25

- Blend: 35
- Presence: 55
- Level: 55
- Treble: 55, Middle: 58, Bass: 55
- Mid-Frequency toggle: 500Hz
- Bass-Shift toggle: 80Hz (tight, keeps a full band mix from turning to mud)
- Cab-Sim (DI out): On
- Ground Lift: Off (only flip on if a specific room throws hum)

The constant foundation stage for the whole set. Drive is low and Blend under half -- this adds harmonic warmth and preamp glue, not an audible overdrive. Also feeds a consistent DI signal to FOH all night, cab-sim engaged. Actual tone character per song comes from the GP-5 patch downstream, not from this pedal.

5. Joyo Narcissus -- Bypassed, entire set.

This song's GP-5 patch runs no modulation, so this pedal stays out of the way, same as every other song. True bypass throughout.

6. Valeton GP-5 -- as detailed above.

Footswitch Choreography

- **Verses:** GP-5 CTL off. Comp and Tidal Wave running underneath the whole time, unchanged.
- **Chorus:** GP-5 CTL on. Step off again heading back into the next verse.