One -- Metallica

Bass: Harley Benton P/J, 5-string, passive. Full board.
From *...And Justice for All* (1988). Base tempo ~85 BPM for the intro/verses; the outro "machine gun" section roughly doubles that feel.
This is one of the most dynamically extreme songs in the catalog to patch for -- a quiet, clean-toned intro and verses (that famous ambient/clean-arpeggio build) giving way to the all-out thrash assault of the tremolo-picked "machine gun" riff and solo section. One widely-documented bit of trivia worth knowing going in: Jason Newsted's bass on this album was mixed extremely low, a point of long-running dispute in the band. Doesn't change how to build the patch, but it's why "One" isn't a song people typically think of as a bass showcase the way "Hysteria" or "Cliffs of Dover" are.

Three sounds (updated 2026-10-12 to use a board stomp):
- Clean intro and verses: CTL off, Tidal Wave drive off.
- Distorted choruses: CTL off, Tidal Wave drive on.
- Heavy back half ("Darkness imprisoning me", machine-gun riff, solos, outro): CTL on, Tidal Wave drive off.

GP-5 settings

Module order: NR -> PRE -> DST -> AMP -> CAB -> EQ -> MOD -> DLY -> RVB.

NR -- Gate
- THRE: 25
- Always on. Moderate threshold -- needs to stay clean and quiet for the intro but also handle the outro's distortion without flubbing the fast tremolo picking.

PRE -- Micro Boost -- On CTL
- Gain: 55
- CTL off: bypassed (verse/intro). CTL on: engaged (outro).
- Adds extra push on top of the DST engagement below for the full-throttle machine-gun section.

DST -- SM Dist (Boss DS-1) -- On CTL
- Gain: 70, Tone: 60, VOL: 65
- CTL off: bypassed (verse/intro -- amp alone, clean-to-edge). CTL on: engaged (outro).
- This is the module doing the heavy lifting for the transformation. DS-1's hard clipping gives a tight, aggressive edge rather than a loose fuzz wall -- important for staying articulate through the fast tremolo-picked riff instead of turning to noise.

AMP/CAB -- NAM SnapTone, slot 57: GrittySVT (always on)
- Built from the `SVT PUSHED (SVT-CL)` NAM and the Apg810 IR, combined into one snaptone.
- Real Ampeg SVT-CL pushed into grit, into the Apg810 8x10 IR.
- Late-80s thrash bass wants grit. A pushed SVT gets there on a real bass amp.
- Gain: 42, VOL: 55, Bass: 55, Middle: 55, Treble: 50
- Gain 42: noticeably under default. This part wants less push than the other GrittySVT patches.

- Bass 55: a touch more low end.
- Middle 55: a touch more midrange.
- Treble 50: flat.
- VOL 55: the level Michael set for this snaptone in the 2026-10-02 VOL audit. Trim here if the patch jumps in level against your others.
- Same in both CTL states. AMP and CAB are off in the `.prst`, so nothing stacks on the capture. The N->S block calls slot 57 directly.

EQ -- Bass EQ 1

- 33Hz: +3, 150Hz: 0, 600Hz: +2, 2kHz: +3, 8kHz: +1, VOL: 55
- Always on, same for both CTL states.
- +3 at 2kHz is the important one here -- that's what keeps the machine-gun tremolo picking articulate and readable instead of dissolving into a wash once the DST kicks in. +2 at 600Hz adds a bit of midrange growl for when the distortion engages, without making the clean intro sound boxy.

MOD -- Off

- No modulation. Direct, dry thrash metal tone.

DLY -- Off

- Not used.

RVB -- Room -- On CTL (inverted)

- Mix: 20, Decay: 35, Trail: On
- CTL off: engaged (verse/intro). CTL on: bypassed (outro).
- Inverted on purpose -- the clean intro and verses have some natural ambience to them, so a touch of room fits there. The machine-gun outro needs to stay completely tight and dry, right in the pocket with the drums, so the reverb drops out the instant CTL engages.

Sounds and switching

On CTL: PRE (Micro Boost), DST (SM Dist), RVB (Room, inverted). Board stomp: Joyo Tidal Wave drive.

- **Sound 1 -- Clean intro/verse.** CTL off, Tidal Wave drive off. Clean-to-edge pushed SVT, a touch of room. The restrained opening build.
- **Sound 2 -- Chorus.** CTL off, Tidal Wave drive **on**. Mid-gain grit from the Tidal Wave's blended drive. Heavier than the verse, nowhere near the back half.
- **Sound 3 -- Heavy back half.** CTL **on**, Tidal Wave drive off. SM Dist + Micro Boost, Room drops out. Tight, dry and aggressive for the machine-gun riff and solos.

Section map:

- Intro and verse 1: sound 1.
- Chorus 1 ("Hold my breath as I wish for death..."): stomp Tidal Wave drive on. Sound 2.
- Verse 2: stomp it off. Sound 1.
- Chorus 2: Tidal Wave drive on. Sound 2.
- "Darkness imprisoning me" to the end: CTL on and Tidal Wave drive off in the same move. Sound 3. No

need to switch back, since the song stays heavy from there.

Why the Tidal Wave drive comes off for sound 3: stacked into the DS-1, its drive turns the fast tremolo picking to mush. The SM Dist alone keeps it articulate.

Before this update, the choruses fell into the clean CTL-off sound. On the record they're distorted.

Full pedalboard (signal chain order)

1. Flamma FS-08 Octave -- Bypassed

- Footswitch off. This part needs clarity for the fast tremolo picking, not layered octaves.

2. Donner Ultimate Comp -- Engaged

- COMP: 45
- TONE: 55
- LEVEL: 58
- Mode: TREBLE
- Moderate compression -- enough to keep the picking consistent without squashing the dynamic contrast that's the whole point of this song. TREBLE mode keeps attack alive through the fast machine-gun section.

3. Donner Stylish Fuzz -- Bypassed

- Footswitch off. A fuzz's looser, wall-of-noise character works against a riff that needs to stay tight and articulate at high speed -- the GP-5's own SM Dist is the better tool here.

4. Joyo Tidal Wave -- Engaged (preamp/EQ) all song. Drive footswitch on for the choruses only

- Drive: 30
- Blend: 55
- Presence: 60
- Level: 60
- Treble: 55
- Middle: 55
- Bass: 55
- Mid-Frequency: 1000Hz
- Bass-Shift: 80Hz
- Cab-Sim (DI out): Off
- Ground Lift: Off
- Adds body and presence feeding into the amp. Bass-Shift at 80Hz keeps things tight -- critical for the machine-gun section to stay defined instead of turning to mud at speed.
- The footswitch toggles only the drive section. The preamp and EQ stay active all song.
- Drive footswitch on for the two choruses (sound 2). Drive 30 with Blend 55 is a mid-gain grit that keeps half the clean fundamental. Off for the verses and for the heavy back half (see "Sounds and switching").

5. Joyo Narcissus -- Bypassed

- Footswitch off. No chorus -- matches the MOD-off call on the GP-5. Direct, dry metal tone throughout.

6. Valeton GP-5 -- see settings above.