

Proud Mary -- Ike & Tina Turner

Bass: Harley Benton P/J, 5-string, passive. Full board.

From *Workin' Together* (1971). ~117 BPM for the main groove -- but this arrangement is famous for something more dramatic than most patches in this set: it isn't just a dynamic swing, it's a genuine tempo and feel change. "We never do anything nice and easy" -- a slow, sultry, spoken-intro section gives way to the full-speed "nice and rough" groove that carries the rest of the song.

CTL off = the slow, sultry "nice and easy" intro. CTL on = the fast, driving "nice and rough" groove (most of the song).

GP-5 settings

Module order: NR -> PRE -> DST -> AMP -> CAB -> EQ -> MOD -> DLY -> RVB.

NR -- Gate

- THRE: 15
- Always on. Low-moderate threshold -- clean, classic soul/funk tone, minimal grit.

PRE -- Micro Boost -- On CTL

- Gain: 50
- CTL off: bypassed (slow intro). CTL on: engaged (fast groove).
- The intro stays sultry and understated. Once the song kicks into full speed, the boost helps this part carry the same energy as the horns and the Ikettes.

DST -- Off

- No drive. Classic soul/funk bass tone -- clean, warm, present, not distorted.

AMP -- Classic Bass (Ampeg SVT)

- Gain: 35, Bass: 58, Middle: 58, MidFreq: 800Hz, Treble: 54, VOL: 66
- Always on, same for both CTL states.
- MidFreq at 800Hz (rather than the warmer 450Hz used on a pure ballad build) gives this real attack and definition -- this same setting has to serve both the sultry slow intro and the fast, syncopated funk groove, and the funk section especially needs that bite to cut through horns and driving drums.

CAB -- User IR 1 (Apg115)

- VOL: 60
- Always on, same for both CTL states.
- Ampeg Heritage B-15 -- the quintessential Motown/soul-era bass voicing, and genuinely the era-correct amp for this exact record. Works for both halves of the song: warm and sultry for the intro, girthy and present for the fast groove.

EQ -- Bass EQ 1

- 33Hz: +3, 150Hz: 0, 600Hz: +2, 2kHz: +4, 8kHz: +2, VOL: 55
- Always on, same for both CTL states.

- +4 at 2kHz is the key band here -- this keeps the syncopated funk picking articulate and readable once the song hits full speed. +2 at 600Hz adds some classic soul snap.

MOD -- Off

- No modulation. Clean, classic soul/funk tone throughout.

DLY -- Off

- Not used.

RVB -- Room -- On CTL (inverted)

- Mix: 20, Decay: 30, Trail: On
- CTL off: engaged (slow intro). CTL on: bypassed (fast groove).
- Inverted on purpose -- the slow, sultry intro gets a touch of natural room to match its more spacious, held-back feel. The fast groove needs to lock in tight and dry with the drums and horns, so the reverb drops out the instant the song hits full speed.

CAB IR -- Apg115 (Slot 1)

- Ampeg Heritage B-15, confirmed loaded on User IR slot 1. The classic Motown/soul-era bass amp voicing -- a direct, era-correct match for this record.
- Encoded directly into the `.prst` as a real, active CAB reference (`User IR 1`) -- no manual loading needed for this one.

CTL summary

- **CTL Off -- Slow intro.** Sultry, spacious, held back -- "nice and easy."
- **CTL On -- Fast groove.** Boost engages, room drops out -- tight, driving, present -- "nice and rough," and where the song stays for the rest of its runtime.
- Engage CTL right as the song explodes into full speed, and leave it on through to the end -- there's no going back to the slow feel once this song commits to the groove.

Full pedalboard (signal chain order)

1. Flamma FS-08 Octave -- Bypassed

- Footswitch off. No octave layering needed for this classic soul/funk part.

2. Donner Ultimate Comp -- Engaged

- COMP: 52
- TONE: 55
- LEVEL: 58
- Mode: TREBLE
- Firm compression keeps the funky, syncopated groove locked and consistent. TREBLE mode keeps the funk pop/attack alive and audible.

3. Donner Stylish Fuzz -- Bypassed

- Footswitch off. No fuzz anywhere in this patch -- classic soul/funk stays clean.

4. Joyo Tidal Wave -- Engaged

- Drive: 15
- Blend: 30
- Presence: 58
- Level: 58
- Treble: 55
- Middle: 56
- Bass: 56
- Mid-Frequency: 500Hz
- Bass-Shift: 80Hz
- Cab-Sim (DI out): Off
- Ground Lift: Off
- Adds presence and body feeding the amp. Bass-Shift at 80Hz favors the tight articulation the fast funk groove needs, at some cost to the slow intro's fullness -- a worthwhile tradeoff since the fast section is where this song lives for the majority of its runtime.

5. Joyo Narcissus -- Bypassed

- Footswitch off. No chorus -- matches the MOD-off call on the GP-5. Clean, classic soul/funk tone throughout.

6. Valeton GP-5 -- see settings above.