Click Click Boom -- Saliva

Type: Song
Instrument: Stratocaster (HSS)
Full Board: Yes
Board Option: White Tape (rebuilt 2026-10-16)
BPM: 100

The song

"Click Click Boom" (*Every Six Seconds*, 2001).
Post-grunge/nu-metal crossover, not full-on scoop-mid metal.
Verse riff is tight, syncopated, palm-muted, low-string driven.
Chorus and solo open up -- more gain, more sustain, bigger and wetter.
Two distinct jobs for this patch: choke the riff down tight, then let the lead breathe.

CTL Off = verse/main rhythm riff.
CTL On = chorus/solo lead tone.

GP-5 settings

Module order: NR, PRE, DST, AMP, CAB, EQ, MOD, DLY, RVB.

NR -- Gate (always on)
- THRE: 38

Palm-muted low-string riffing at this gain level needs a real gate or the noise floor gets ugly between hits. 38 is enough to snap the mutes silent without chopping sustain on held chords.

PRE -- off
Not used. The Donner Ultimate Comp on the board ahead of the GP-5 is already handling dynamics duty. Stacking a second compressor in the chain just squashes twice for no gain.

DST -- Super OD (CTL)
- Gain: 50, Tone: 62, VOL: 68
- CTL Off = off, CTL On = on

This is the lead kick. Boss SD-1-style asymmetrical clipping pushed into the Rectifier snaptone adds extra saturation and -- more importantly -- extra output volume, so the solo actually sits on top of the mix instead of getting buried under the rhythm section. Off for the verse riff so it stays tight and doesn't mush out the palm mutes.

AMP/CAB -- NAM SnapTone, slot 76: ModernRect (always on)
- Built from the `4. MESA DUAL RECTIFIER 2025 | RHYTHM #4` NAM and the V30 LR 4FB 4x12 SM57 0.75in 0.0in 7603 (Mesa V30) IR, combined into one snaptone.
- Real 2025 Mesa Dual Rectifier on a heavy rhythm setting, into a Mesa 4x12 V30 IR.

- Heavy, tight, modern nu-metal. Rectifier rhythm into V30s.
- Gain: 50, VOL: 40, Bass: 55, Middle: 68, Treble: 62
- Gain 50: the capture as built.
- Bass 55: a touch more low end.
- Middle 68: more midrange.
- Treble 62: more top end.
- VOL 40: the level Michael set for this snaptone in the 2026-10-01 VOL audit. Trim here if the patch jumps in level against your others.
- Same in both CTL states. AMP and CAB are off in the `.prst`, so nothing stacks on the capture. The N->S block calls slot 76 directly.

EQ -- Guitar EQ 2 (always on)

- 100Hz: 0, 500Hz: +5, 1kHz: +8, 3kHz: +3, 6kHz: -6, VOL: 52

Boost at 500Hz/1kHz fattens the riff's mid-punch and keeps single-note lead lines from thinning out. -6 at 6kHz reins in fizz from the high-gain Rectifier snaptone without killing pick attack. Runs the same in both CTL states.

MOD -- off

Not used on the GP-5. The Joyo Narcissus on the board is carrying the (very light) chorus duty for this patch -- no reason to run two modulation sources and risk mud. See "Full Pedalboard" below.

DLY -- off (moved to the White Tape, 2026-10-16)

The lead slap now lives on the Donner White Tape after the GP-5 (see Full Pedalboard). Before, the GP-5's Analog delay sat on CTL, so every chorus strum got the same 300ms slap as the solo. A slap at that mix smears big open chords. On its own footswitch, the delay goes on for the solo only. The chorus stays big and dry.

RVB -- Room (CTL)

- Mix: 25, Decay: 35, Trail: On
- CTL Off = off, CTL On = on

Small room wash opens the lead tone up just enough to feel bigger without going ambient/shoegaze on you. Off for rhythm -- the riff needs to stay dry and in-your-face, reverb would just wash out the attack.

CTL summary

- **CTL Off (verse/rhythm):** NR + ModernRect snaptone + EQ only. Dry, tight, mid-forward crunch built for palm-muted riffing.
- **CTL On (chorus):** adds DST (Super OD boost) + RVB (Room wash). Louder, more sustain, more air -- a bigger chorus strum over the same amp voicing, no repeats.
- **Solo:** CTL On + White Tape on. The chorus sound plus a 300ms slap behind the lead.
- Modules on CTL: DST, RVB. One CTL slot is free.

Section map

- **Verse:** CTL off, White Tape off.
- **Chorus:** CTL on, White Tape off.
- **Solo:** CTL on, stomp the White Tape on.
- **Back to the verse:** CTL off, White Tape off. Hit both on the same beat.

Full Pedalboard

Signal chain order: Flamma FS-08 Octave -> Donner Ultimate Comp -> Donner Stylish Fuzz -> Joyo King of Kings -> Joyo Narcissus -> Valeton GP-5 -> Donner White Tape.
Board Option = White Tape, so the Joyo American Sound is off the board for this build.

Flamma FS-08 Octave -- bypassed

- All octave knobs (-2OCT, -OCT, +OCT, +2OCT) at 0, Dry at 100
- Footswitch: off, never engaged for this song

No octave texture anywhere in "Click Click Boom" -- this stays fully out of the signal path.

Donner Ultimate Comp -- engaged always

- COMP: 45, TONE: 55, LEVEL: 55, Mode: NORMAL

Light-to-moderate squeeze evens out pick attack across the palm-muted riff before it hits the fuzz/OD/amp gain stages. NORMAL mode -- the Rectifier snaptone downstream is already bright enough, don't need TREBLE mode stacking more top end on top of that.

Donner Stylish Fuzz -- bypassed

No fuzz texture in this song. Leave off; footswitch never engaged for this patch.

Joyo King of Kings -- Left channel engaged always, Right channel bypassed

- Left: Volume 55, Gain 35, Tone 55, Clipping toggle: softer/asymmetric position, Feedback toggle: standard position
- Right: off, footswitch not engaged

Left channel run low-gain as a subtle always-on push into the front of the Rectifier snaptone -- classic "boost into a cranked amp" move, adds extra grind and touch-sensitivity to both CTL states without changing the amp's core voicing. Right channel stays in reserve -- if you want the outro or final chorus even bigger live, stack it in manually (separate footswitch from GP-5 CTL), but it's not part of the baseline patch.

Joyo Narcissus -- engaged always

- Mode: Vintage, Width: 30, Depth: 20, Rate: 25

Light chorus sheen underneath the whole patch, vintage mode kept subtle per the general light-touch MOD rule -- this is the patch's only modulation source since the GP-5's own MOD module is off. Runs the same in both CTL states; it's texture, not a rhythm/lead differentiator.

Valeton GP-5

See GP-5 settings above.

Donner White Tape -- solo only

- Top row (left channel) only. Mono rig, bottom row unused.
- Level: ~10 o'clock. About the old Mix 28: the slap sits behind the lead, not level with it.
- Time: 300ms target, about 10 o'clock. 300ms is an eighth note at 100 BPM. No tap tempo, so dial it in against the track.
- Feedback: ~9 o'clock. Two or three repeats, no wash.
- Footswitch: on for the solo, off for everything else.

- It sits after the GP-5's Room reverb, so the repeats carry a little room with them. That's fine at this Level.
- Clock positions assume a linear Time taper across the 25-1000ms sweep. Trust the ear over the number.