My Maria (Rhythm Guitar) -- Brooks & Dunn

From *Borderline* (1996). About 96 BPM, est.
A cover of B.W. Stevenson's 1973 hit. Ronnie Dunn's falsetto hook drives it, over a loping mid-tempo groove.
The rhythm guitar is a warm clean-to-edge strum with some push. Tele-style fills and a solo sit on top.
Built from the song's overall sound. I haven't verified the exact guitars and amps on the record.
Instrument: Stratocaster (HSS). Position 2 (bridge+middle) for the rhythm. Bridge humbucker for the solo.
Full board, Stratocaster (HSS). Board Option: White Tape (rebuilt 2026-10-16).

Module chain

NR -- Gate, always on.
THRE: 18.
Catches single-coil hum when you stop. Set low so strums ring out.

PRE -- COMP (Ross), always on.
Sustain: 35, VOL: 55.
Light Ross squash evens out the strum. Nashville rhythm is always a little compressed.

DST -- Green OD (TS-808), on CTL.
Gain: 32, Tone: 58, VOL: 68.
The lead push. Gain 32 pushes the clean Deluxe into a singing solo tone. VOL 68 adds about +3dB.

AMP/CAB -- NAM SnapTone, slot 62: NashClean (always on)
- Built from the `CLEANEST - Fender Deluxe Reverb 1965 [Hyper Accuracy]` NAM and the Origin Effects Brown Deluxe 1x12 Medium Mix IR, combined into one snaptone.
- Real 1965 Fender Deluxe Reverb at its cleanest setting, into the Origin Effects Brown Deluxe 1x12.
- Clean country-rock rhythm. Cleanest Deluxe. The OD on CTL adds the hair.
- Gain: 54, VOL: 75, Bass: 48, Middle: 52, Treble: 58
- Gain 54: a little over default. This part wants more push than the other NashClean patches.
- Bass 48: low end pulled back a little.
- Middle 52: a touch more midrange.
- Treble 58: more top end.
- VOL 75: the level Michael set for this snaptone in the 2026-10-01 VOL audit. Trim here if the patch jumps in level against your others.
- Same in both CTL states. AMP and CAB are off in the `.prst`, so nothing stacks on the capture. The N->S block calls slot 62 directly.

EQ -- Guitar EQ 2, always on.
100Hz: -2, 500Hz: 0, 1kHz: +1, 3kHz: +1, 6kHz: -2, VOL: 50.
Low cut clears room for the bass. A small 1kHz and 3kHz lift for presence. -2 at 6kHz removes string zing.

MOD -- off. No modulation. The groove stays dry and punchy.

DLY -- Analog, on CTL.
Mix: 15, Time: 340ms, F.Back: 18, Trail: on.
About an eighth note at 96 BPM. A short, dark tail behind the solo.

RVB -- Spring, always on.
Mix: 16, Decay: 35, Trail: on.
A little Fender spring for air.

CTL footswitch

On CTL: DST (Green OD), DLY (Analog).

- **CTL off** -- Rhythm. Compressed, clean Deluxe for the verse and chorus strum. This is the resting state the patch loads into.
- **CTL on** -- Lead. Green OD plus analog repeats for the fills and the solo.

Engage CTL for the solo. Drop back when Ronnie comes in.

Sounds

- **Rhythm** (default). CTL off, White Tape off. Verse and chorus strum.
- **Clean fills.** CTL off, White Tape on. The Tele-style fills and turnaround licks: clean, snappy, one slap behind each note. That's the Nashville chicken-pickin' sound.
- **Solo.** CTL on, White Tape off. Green OD plus the GP-5's eighth-note Analog delay.
- Section map: rhythm under the vocal, White Tape on for the fills between lines and the turnarounds, CTL on for the solo. Step off both before the vocal comes back.

Full pedalboard (signal chain order)

Flamma FS-08 Octave -> Donner Ultimate Comp -> Donner Stylish Fuzz -> Joyo King of Kings -> Joyo Narcissus -> Valeton GP-5 -> Donner White Tape.
Board Option = White Tape, so the Joyo American Sound is off the board for this build.
Rebuilt from GP-5-only on 2026-10-16. The GP-5 settings didn't change, and every pedal except the White Tape stays bypassed. Played without the board, the patch sounds exactly as before.

1. Flamma FS-08 Octave -- bypassed
- -2OCT: 0, -OCT: 0, +OCT: 0, +2OCT: 0, Dry: 100
- Footswitch off all song.

2. Donner Ultimate Comp -- bypassed
- Footswitch off all song. The GP-5's PRE compressor already does this job.

3. Donner Stylish Fuzz -- bypassed
- Footswitch off all song.

4. Joyo King of Kings -- both channels bypassed

- Left: off. Right: off.
- The GP-5's Green OD on CTL is all the push this song wants.

5. Joyo Narcissus -- bypassed

- Footswitch off all song. Matches the MOD-off call.

6. Valeton GP-5 -- see settings above.

7. Donner White Tape -- tape slap, for the fills and turnarounds.

- Top row (left channel) only. Mono rig, bottom row unused.
- Level: ~10:30. A clearly audible single echo, still behind the dry note.
- Time: ~120ms target, just past 8 o'clock. Slapback range.
- Feedback: fully counterclockwise. One repeat.
- This is the shared slap setting (same as Syndicate, Click Click Boom, Everyday Blues, My Maria, Somebody Like You, Neon Moon). Any of these can share a set without touching the knobs.
- Footswitch: on for the clean fills and turnaround licks (CTL off). Off for the strum and the solo.
- Why: the fills used to need CTL, which brought in the OD and the eighth-note delay. A clean slap is the more country fill sound, and it leaves CTL for the solo.
- It sits after the GP-5's Spring, so the slap repeats a little spring with it.
- The clock positions assume the Time knob sweeps 25-1000ms evenly. Set the slap by ear: it should thicken the note, not answer it.

Note on the full board vs. the `.prst`

The `.prst` file only encodes the GP-5's own 9 modules. The board settings above are not and cannot be part of that file. They're set by hand on the board, and documented here so the full patch can be rebuilt.