Somebody Like You (Rhythm Guitar) -- Keith Urban

From *Golden Road* (2002). About 120 BPM, est.
Upbeat country-pop. A bright, driving, percussive rhythm, then Urban's hot, twangy lead breaks.
The famous intro riff is Urban's ganjo, a six-string banjo. The GP-5 can't make a banjo. This patch gets the brightest, most percussive Strat version of it.
Built from the song's overall sound. I haven't verified the exact amps on the record.
Instrument: Stratocaster (HSS). Position 2 (bridge + middle) for the rhythm and the intro riff. Bridge humbucker for the leads.
Full board, Stratocaster (HSS). Board Option: White Tape (rebuilt 2026-10-16).

Module chain

NR -- Gate, always on.
THRE: 18.
Light. Tight stops on the driving rhythm.

PRE -- COMP4 (Keeley C4), always on.
Sustain: 55, Attack: 40, Clip: 40, VOL: 56.
Country-pop needs squash. It makes the fast picked figures snap and evens out the banjo-style intro on a Strat.

DST -- Green OD (TS-808), on CTL.
Gain: 35, Tone: 60, VOL: 66.
The lead push. A TS into an edge-of-breakup Deluxe gives the hot, mid-forward twang of a modern country solo. Tone 60 keeps it bright.

AMP/CAB -- NAM SnapTone, slot 63: EdgyTwang (always on)

- Built from the `EDGY - Fender Deluxe Reverb 1965 [Hyper Accuracy]` NAM and the Origin Effects Brown Deluxe 1x12 Medium Mix IR, combined into one snaptone.
- Real 1965 Deluxe Reverb at the edge of breakup, into the Brown Deluxe 1x12.
- Twang with a little hair. Exactly the country-pop rhythm voice.
- Gain: 48, VOL: 70, Bass: 46, Middle: 52, Treble: 58
- Gain 48: just under the capture, so the rhythm stays crisp.
- Bass 46: tighter lows for a fast song.
- Middle 52: a small lift.
- Treble 58: more snap and sparkle.
- VOL 70: the level Michael set for this snaptone in the 2026-10-01 VOL audit. Trim here if the patch jumps in level against your others.
- Same in both CTL states. AMP and CAB are off in the `.prst`, so nothing stacks on the capture. The N->S block calls slot 63 directly.

EQ -- Guitar EQ 2, always on.
100Hz: -3, 500Hz: -1, 1kHz: +1, 3kHz: +2, 6kHz: 0, VOL: 50.

Tight lows and a 3kHz lift for pick attack.

MOD -- off.

DLY -- Analog, on CTL.
Mix: 18, Time: 375ms, Feedback: 20, Trail: on.
A dotted eighth at 120 BPM. Fills the space around the lead breaks.

RVB -- Spring, always on.
Mix: 12, Decay: 30, Trail: on.
A dash of Fender spring.

CTL footswitch

On CTL: DST (Green OD), DLY (Analog).

- **CTL off** -- Rhythm. Bright, compressed, edge-of-breakup Deluxe for the driving rhythm and the intro riff. This is the resting state the patch loads into.
- **CTL on** -- Lead. TS-pushed Deluxe plus dotted-eighth delay for the solos.

Engage CTL for the lead breaks. Drop back for the rhythm.

Sounds

- **Rhythm** (default). CTL off, White Tape off. The driving strum.
- **Ganjo riff and picked fills.** CTL off, White Tape on. The slap doubles each picked note, filling in the rolling density of the banjo figure that a single Strat line lacks. Same for the picked fills between vocal lines.
- **Lead break.** CTL on, White Tape off. Green OD plus the GP-5's dotted-eighth delay.
- **Hot break.** CTL on, White Tape on. Slap plus dotted eighth for the fastest, most percussive breaks. Busy, so use it for one break, not all of them.
- Section map: White Tape on for the intro riff, off when the strum starts. Back on for the riff's returns and picked fills. CTL on for each lead break.

Full pedalboard (signal chain order)

Flamma FS-08 Octave -> Donner Ultimate Comp -> Donner Stylish Fuzz -> Joyo King of Kings -> Joyo Narcissus -> Valeton GP-5 -> Donner White Tape.
Board Option = White Tape, so the Joyo American Sound is off the board for this build.
Rebuilt from GP-5-only on 2026-10-16. The GP-5 settings didn't change, and every pedal except the White Tape stays bypassed. Played without the board, the patch sounds exactly as before.

1. Flamma FS-08 Octave -- bypassed

- -2OCT: 0, -OCT: 0, +OCT: 0, +2OCT: 0, Dry: 100
- Footswitch off all song.

2. Donner Ultimate Comp -- bypassed

- Footswitch off all song. The GP-5's PRE compressor already does this job.

3. Donner Stylish Fuzz -- bypassed

- Footswitch off all song.

4. Joyo King of Kings -- both channels bypassed

- Left: off. Right: off.
- The GP-5's Green OD on CTL is all the push this song wants.

5. Joyo Narcissus -- bypassed

- Footswitch off all song. Matches the MOD-off call.

6. Valeton GP-5 -- see settings above.

7. Donner White Tape -- tape slap, for the intro riff and picked fills.

- Top row (left channel) only. Mono rig, bottom row unused.
- Level: ~10:30. A clearly audible single echo, still behind the dry note.
- Time: ~120ms target, just past 8 o'clock. Slapback range.
- Feedback: fully counterclockwise. One repeat.
- This is the shared slap setting (same as Syndicate, Click Click Boom, Everyday Blues, My Maria, Somebody Like You, Neon Moon). Any of these can share a set without touching the knobs.
- Footswitch: on for the ganjo-style intro riff and the picked fills (CTL off). Off for the strum. Optional on top of CTL for a hot break.
- Why: the riff and fills are fast, percussive picking. The GP-5's dotted eighth would smear them. A single short slap thickens them and keeps every note clear.
- It sits after the GP-5's Spring, so the slap repeats a little spring with it.
- The clock positions assume the Time knob sweeps 25-1000ms evenly. Set the slap by ear: it should thicken the note, not answer it.

Note on the full board vs. the `.prst`

The `.prst` file only encodes the GP-5's own 9 modules. The board settings above are not and cannot be part of that file. They're set by hand on the board, and documented here so the full patch can be rebuilt.