

MAXIMUM SAVINGS, MAXIMUM SAFETY

INTRODUCING

ALL NEW RED 80



Colored LCD
Cluster



Safe LFP
Battery



Keyless Start with
Premium Keyfob



Front Disc
Brake

3Y/30,000 KMs BATTERY WARRANTY



No License
Required



No Registration
Required



Dual Tone
Sporty Colors




80 km* Range
on a Single Charge

TAKING CARE OF YOUR REO-80 FOREWORD

Dear User,
Congratulations on purchasing the Ampere REO 80 Electric Scooter and joining our growing numbers of quality-conscious EV customers with a love for the environment. We take great pride in the quality and workmanship that goes into every Ampere vehicle. We hope you will too.

This Owner's Manual explains how to operate your new Ampere Electric Vehicle. Please read the instructions carefully and familiarise yourself with the operating mechanism, controls and maintenance requirements. This will help you get the best out of your Ampere EV and assure a safe, trouble-free ride.

All the information and specifications provided in this Manual are correct at the time of printing.
However, as a result of Ampere's continual product improvement process, Ampere reserves the right to make changes at any time, without any prior notice.



INTRODUCTION

Electric Vehicles (EVs) are gaining a strong following across the country. With lower maintenance and running costs as compared to a conventional petrol vehicles; EVs also offer the added benefits of reduced carbon footprint and zero emission. Established in 2008, Ampere has the firm backing of a lineage of 164+ years of Greaves.

With an extensive authorized dealer network across 350+ locations, you have the Ampere assurance wherever you go. Ampere's range of trendy and cost-effective EVs has taken the world of e-mobility by storm. With 17 years of EV experience under our belt, we make Everyday Mobility exciting.

**17 YEARS**

OF ELECTRIC VEHICLES EXPERIENCE

3.8+*

BILLION ELECTRIC KILOMETRES

**59,00,000+***

EQUIVALENT TO PLANTING TREES

**3,20,000+***

HAPPY CUSTOMERS & GROWING

**840,00,000+***

LITRES OF PETROL SAVED

*As on June 2025



NEAR YOU, WITH YOU, ALWAYS

PAN INDIA SERVICE
TOUCHPOINTS



ROADSIDE ASSISTANCE



Upto 3 Years/ 30,000Km warranty for Battery*

1 Year or 10,000km warranty for Charger, MCU,
DC-DC Converter and Hub Motor



PROFESSIONAL EXPERTISE

COMPANY - TRAINED TECHNICIANS
AT ALL DEALERSHIPS



TOLL-FREE SUPPORT

FOR IMMEDIATE
QUERIES
080-45560 700



PROMPT & RELIABLE SERVICE

*T&C Apply

CONTENTS:

Introducing your Reo 80

Overview 5

Main Technical Parameters & Specifications 7

Vehicle care Guide


Customer Usage Tips 8

Warranty Policy 9

Vehicle Maintenance Schedule 10

Introducing your Reo 80 | Overview

VEHICLE AND PARTS DIAGRAM



Introducing your Reo 80 | Overview

VEHICLE AND PARTS DIAGRAM




SPECIFICATIONS

REO 80

Top Speed @100% SOC (Kmph)	25
Reverse Speed	Yes
EV Range (Km/C)	80*
Detachable Battery	Yes
Battery (kWh)	1.44
Battery Type	LFP
Full Charge Time (hrs)	5hours 30min
Motor power (watts)	250
Drive Type	BLDC Hub
Tyre Size	F&R: 10"
Wheel Type	Alloy
Brakes (Front)	Disk
Brakes (Rear)	Drum
Suspension (Front)	Telescopic
Console	LCD
Wheelbase (mm)	1370
Head Lamps	LED
Tail Lamps	LED


Available colours:



Front Disk Brake



Colored LCD Cluster



Keyless Start with
Premium KeyFob



Safe LFP Battery



Customer Usage Tips:-

Battery level indication in cluster

- While running Battery bars can fluctuate- can go up & down; which is normal behaviour
- To get the current battery status- stop the vehicle for 1 minute; then battery bar will show the correct indication.
- After stopping for 1 minute and Red Bar alone is showing- Battery needs immediate charging.

Charging Guidelines:

- Monitor charging status using the charger indicator on the charger.
- Charging is complete only when the charger shows a cut-off indication.
- The vehicle cluster may display full bars while charging; refer to the charger indication for actual status.
- Charge to 100% once a week to maintain battery calibration.
- Even though Ampere chargers have an auto-cutoff feature, it is recommended to unplug the charger from the AC mains after full charge or cutoff.

Tyre Pressure

Front 27 Psi

Rear 30 Psi

REO 80 Key Fob Features



Unlock

Ignition ON

Lock

Unlock Button: To unlock from Anti-Theft lock
To turnoff the vehicle, without key

Ignition ON Button : Press 2 times the button to switch ON the vehicle, without the key

Lock Button : To activate Anti- Theft mode, press the lock button.
If Anti-Theft alarm raise , press any key to cutoff the alarm.

Note: If vehicle is in lock condition through keyfob, and if somebody try to move the vehicle, the motor will go to anti-theft mode and vehicle cannot be driven.

Component	Life Cycle from Date of Purchase	Warranty Eligibility & Replacement Condition
Battery**	3 Years or 30,000 Kms whichever is earlier	Eligibility: BMS Failure, Manufacturing Defect (based on GEMPL analysis). A capacity reduction >60% of rated capacity. No Warranty in case of defects occurred on account of charge related issues i.e. Over Voltage, Over Current, Voltage fluctuation, Non-recommended charger, Extended charging cycle, Electrical circuit ground issue, Charging Socket looseness, Charging Plug Pin burnt cases, etc.

**For Battery, degradation of 10–12% in capacity will occur per year.

Component	Life Cycle from Date of Purchase	Warranty Eligibility & Replacement Condition
Motor, Controller, Charger & DC to DC Converter	1 Year or 10,000 Kms whichever is earlier	Defective part will be serviced

Remarks:

- For claimed components during the warranty period, dealers/distributors should offer Battery Inspection reports based on which GEMPL will take steps to replace/repair or provide other options.
- In all cases, the warranty is applicable from the date of sale to the original purchaser.
- GEMPL warrants that it will either repair or replace any Ampere-supplied part that is found defective in material or workmanship, under normal usage conditions.
- During the warranty period, if any item/component is replaced, the warranty period will be from the date of sale/purchase and not from the date of replacement.

*Water Ingress in battery/ Motor due to vehicle usage in flooded or waterlogged areas will not cover under warranty

	Paid Service				
	1000	5000	10000	15000	20000
Kilometers	1 Month	6 Months	12 Months	18 Months	24 Months
Period from the date of sale					
Swing - arm bolt tightness	I & A	I & A	I & A	I & A	I & A
Side stand pivot		C, L & A	C, L & A	C, L & A	C, L & A
Main stand Pivot		C, L & A	C, L & A	C, L & A	C, L & A
Steering operation	I & A; L If required	I & A; L If required	I & A; L If required	I & A; L If required	I & A; L If required
Front axle nut tightness	I & S	I & S	I & S	I & S	I & S
Tyre pressure front & rear at cold condition	I & S	I & S	I & S	I & S	I & S
Brake cam & pivot pin - rear	I & L	I & L	I & L	I & L	I & L
Brake shoe wear - rear	I, C/R	I, C/R	I, C/R	I, C/R	I, C/R
Rear brake cable free play	I & A	I & A	I & A	I & A	I & A
Brake rear free play	A	A	A	A	A
Brake pad wear - front	I, C/R	I, C/R	I, C/R	I, C/R	I, C/R
Brake fluid	I & T	I & T	I & T	I & T	I & T
Brake hose	I	I	I	I	I
Tyre wear & condition	I / R	I / R	I / R	I / R	I / R
Rear shock absorber	I / R	I / R	I / R	I / R	I / R
Disc	I / R	I / R	I / R	I / R	I / R
Front fork	I / R	I / R	I / R	I / R	I / R
Hardware - rear shock mounting, disc mounting, caliper mounting, master cylinder mounting, fork mounting, bolt on under bracket	I & S	I & S	I & S	I & S	I & S
Mirrors	I & S	I & S	I & S	I & S	I & S

Replace - R Top up - T Inspect - I Set - S Clean - C Adjust - A Lubricate - L

*****Recommended Maintenance/ Service schedule @ every 5000 km/6 Months whichever comes earlier**



GREAVES
ELECTRIC
MOBILITY



RED 80

NEXUS

**MAGNUS
NEO**

**MAGNUS
GRAND**

Outperform. Outlast. Outshine.
Make Har Gully Electric.

www.ampere.greaveselectricmobility.com | 080 455 60700