Lab program - 6

* Student java parkage cie; public days Student & public Student (String name, String USB, and rem) this hame - name this usn = usn; Tris sem - Sem prud string prod ent rem, public String got Details () {

return ("Name; "+ this name +" USD: "+ this wash;

+ "Sementers: + this resul; * Internals gava parkage see;
public does Internets Extends Student ?
private first ! iseMark = new flotts !; Public Internals (Most object Marks Strong name, String wom, and run) & super mame win, sem!

This years are we have:

public floot [) get Mark [] ?

relium this GetMark ??;

3. * Extimal Java. parkage see; public class Entimels E private flood [] recmarks = new flood [3]; puller Externals (float [] seemach, String name, String usn, ant ress.) {

Nexper (mame, usn, sem);

His see Marks = see Marks;
} pultin pot L) gelsee Marky () { return this rec Marks; * Studenthairs java import il *; import joura *; import joura will Scann; pullie Class Student Main & public Notice void main (String aug SET) } Septem on. putter enter tal minder of steelant "/ Scamer Scarner = new Scanner (System W) and in = Scann next [ht (); we Internal whereas I new is Internal CAJ

per Externals enterals = new me External 1 m7 forlint 120; izn :1+1 & Slung name = Scomm north) Stuy usn = Scane neutli host[] ciellars = new Mat[s]; Sport out in iza i La ! i A+ ? cie Marks [i] = scame new flood (); floot [] reelladu = new flood [s]:

Jost mi j=0; (en ji+) [2

ree Madus [i] = scaner. hentflood []:

3 entered Cid - here Internely (cuidants, some, un neurals [i] = new Externely (rullaps, vanc for land i =0; iza; c++) {

for land j=0; j=5; j++)

System and purelin (Total: (cue gr3 +(see 1)))