

Test report 2

Comprehensive website review and retest

14 September 2026 | Current workspace f13f3a8 + existing uncommitted changes

Release assessment: hold real-payment launch

The application builds and all 224 repository tests pass. Three high-priority payment defects remain: an unverified success receipt, a seed-only checkout catalogue, and payment initiation that continues after booking storage fails. Configuration and authenticated integration acceptance also remain open.

AUTOMATED SUITE	PRODUCTION BUILD	PREVIOUS QUOTA BLOCKER
224 / 224 passed	PASS - 124 static pages generated	Not reproduced: four sampled content reads returned HTTP 200

What this report adds

A complete review of the supplied 10-page test report.pdf; fresh build, lint, type, asset and configuration checks; desktop/mobile browser inspection; full route inventory; source review; and targeted offline fault tests using the actual payment modules.

Results are classified by evidence. A successful mocked test is not presented as proof of a live integration. No numerical overall score is assigned because a score would conceal the unresolved payment and acceptance gaps.

Main decisions

1. Fix the three high-priority payment findings before enabling real payments.
2. Complete the private quote bucket and App Check setup, then validate the live policy/business settings.
3. Re-run authenticated customer/admin and sandbox transaction journeys after remediation.

Prepared from the current project and fresh test evidence. Original application files, deployed content and payment records were not changed.

What was tested

SURFACE	SCOPE AND INTERPRETATION
Previous report	All 10 pages read and visually inspected. Historical findings are re-evaluated; old performance numbers are not relabelled as current.
Current source	Project at /Users/dakshtandel/projects/comparemytrip; Next.js 16.3.3, React 19.2.8; commit f13f3a8 plus the existing package-editor/detail changes.
Original production build	Fresh npm run build, then local next start at 127.0.0.1:3100. Uses the configured backend and current coming-soon setting.
Isolated full-site preview	Current-source copy at tmp/test-report-2-preview, served on 3101. Only coming-soon reads/normalization were forced off and tracing root bounded in the copy. Production build used for final UI checks.
Deployed site	Read-only request to https://comparemytrip.in returned 307 to /coming-soon?next=%2F with no-store. This is a deployment spot check, not proof that every local change is deployed.
Browser	Isolated headless Chromium, fresh contexts, desktop 1440 x 900 and mobile-width 390 x 900. Browser plugin had no session; local browser used. No authenticated customer/admin session.
Backend	Five small unauthenticated Firestore reads; local API rejection checks; source review; offline payment/storage/maintenance fault fixtures. No live write or payment.

Evidence labels

BROWSER: observed rendered/interactive behavior. HTTP: response and metadata check. OFFLINE: actual module exercised with mocked external dependencies. SOURCE: behavior proved by implementation, with live occurrence unverified. NOT EXECUTED: needs credentials, a sandbox transaction or deployment access.

Important limits

No complete OAuth sign-in, authenticated CRM edit, enquiry/newsletter submission, object-upload lifecycle, payment capture/refund, real email delivery or cross-browser matrix was performed. These remain explicit acceptance work. Resource pressure made initial preview attempts unreliable; those setup failures are not counted as product defects.

Fresh verification results

CHECK	RESULT	EVIDENCE
Repository tests	PASS	224 passed; 0 failed, skipped or cancelled. npm test wall time 20.1 s.
ESLint	PASS	No errors or warnings; 70.5 s.
TypeScript	PASS	tsc --noEmit --incremental false; no diagnostics. Also passed within build.
Production build	PASS	Webpack production build; 124 static pages; 124.7 s; no catalogue quota/fallback error in log.
Public assets	PASS	150 files / 70.94 MiB. Configured individual asset/file-count gates passed.
Google auth configuration	PASS (configuration)	8 read-only checks pass. This does not prove sign-in completion or account onboarding.
Worker Firestore transport	PASS (fixture)	Local workerd fixture: read, query, simulated write, error decoding. No Firebase record written.
Local release configuration	FAIL - 2 gaps	Private quote bucket name and reCAPTCHA Enterprise site key missing.
Local live-release configuration	FAIL - 7 gaps	The two above plus live PayU disabled, policies unapproved, legal name/address/support email absent.
Checked-in maintenance smoke	FAIL - stale assertion	Warm run expects no redirect query, but middleware intentionally preserves ?next=. Initial startup run also saw a transient 404.
Full-site preview smoke	PASS - 37 checks	Checked-in standard smoke passes against isolated production preview.
Adjusted maintenance harness	PASS - 41 checks	Separate script corrects only next=path redirect assertion. No live writes or payments.
Cloudflare deployment build	NOT RERUN	Previous report passed build:cloudflare. This run verifies Node build and isolated Worker transport; no new Cloudflare deployment assertion.

Do not confuse these results

The automated suite tests deterministic logic and important mocked boundaries. The new offline fault probes intentionally exercised cases missing from that suite; they are reported separately and are not added to the 224-test total.

Middleware deprecation is a nonblocking framework notice. The source deliberately keeps Edge middleware for adapter compatibility; a migration should follow a verified hosting-runtime plan.

Historical blockers and high-priority items

The old cover says "13 of 16 fixed", but its detailed table lists 21 historical IDs: 15 FIXED, 5 unresolved/partial and 1 excluded; N1 is additional. This report uses the detailed IDs instead of repeating the inconsistent headline.

OLD ID / ITEM	CURRENT STATUS	CURRENT EVIDENCE
B1 Cloudflare bundling	Previously fixed; not fully rerun	Node build and isolated workerd transport pass. Full adapter bundle/deployment remains unverified today.
B2 Oversized static video	PASS	Current asset gate passes: 150 files, 70.94 MiB. Frame-sequence media also lives outside public/, so this is not total first-visit weight.
B3 Live PayU/domain	CONFIGURATION LIMIT	Current local live gate remains closed. Deployed domain responds to coming-soon. No real-money test; no inherited exclusion assumed.
B4 Cron secret/schedule	PASS (configuration/source)	Local release gate raises no cron-secret issue; unauthenticated cron paths reject requests. No job with real records executed.
B5 Private quote bucket	OPEN	Local CLOUDFLARE_R2_QUOTE_BUCKET_NAME remains missing. Actual upload/download/expiry flow not executed.
B6 Legal policy placeholders	GATED / OPEN	Draft policy pages remain noindex. Live-policy approval and business identity settings fail the local live gate.
B7 Deployed rules drift	UNVERIFIED	Public reads do not prove write restrictions or deployed rule equivalence. No unsupported drift claim is made.
N1 Firestore quota / fallback	QUOTA NOT REPRODUCED; RISK OPEN	Four current public data reads return 200. The server still falls back to seeds on errors; no strict build-time catalogue guard found.
H1 Hero LCP image	SOURCE RETAINED	Hero preload/priority behavior remains covered by smoke/source. No new controlled Core Web Vitals score.
H2 Homepage transfer weight	NOT REBENCHMARKED	Prior 5.10 MB mobile / 10.55 MB desktop are historical, not current measured values.
H3 Cacheable catalogue	PASS (build/HTTP)	Packages, destinations and blog remain ISR/static with one-hour revalidation. Client subscriptions are live; freshness trade-off remains.
H4 Security headers	PASS (HTTP)	HSTS, frame protection, nosniff, referrer and permissions policies plus enforced CSP present. Broader CSP remains report-only.

Security, SEO and usability follow-up

OLD ID / ITEM	CURRENT STATUS	CURRENT EVIDENCE
H5 Public-write abuse protection	OPEN	Client App Check wiring exists, but local site key missing. Actual Firebase enforcement and production edge rules not verified.
H6 Storage authorization	SOURCE RETAINED	Storage admin check matches membership-based boundary in source. Deployed enforcement not exercised.
M1 Missing pages return 200	RETESTED IN FULL-SITE PREVIEW	See route appendix for individual negative-path statuses. Maintenance mode intentionally redirects normal public paths first.
M2 Sitemap/noindex conflict	POLICY EXCLUSION RETAINED	Draft terms/privacy/refund routes absent from sitemap. /add-on is indexable but absent - new low-priority completeness gap.
M3 Duplicate /home1-/home4	REMOVED	No corresponding application routes. Negative-path crawl records expected 404 in full-site mode.
M4 Empty server auth pages	PASS	Login, signup and forgot-password contain server-rendered heading/form in full-site mode. Admin-purpose login carries the admin return path.
L1 Required fields	PARTIAL ACROSS FULL SITE	Contact form semantics improved. Checkout and add-on fields still display * without required/aria-required; broader coverage found this gap.
L2 Small text / tap targets	IMPROVED / PARTIAL	Package filter labels now have min-h-11 (44 px) hit areas; 16 px checkboxes alone do not measure their full target. Destination badges still use 11 px text.
L3 Oversized logo variants	SOURCE RETAINED	Explicit responsive image sizing remains. No new image-transfer benchmark claimed.
L4 Thin test coverage	IMPROVED	24 historical tests -> 224 now. Fault probes still expose payment gaps, so count alone is not launch acceptance.

Corrections carried forward

The reviews document now returns HTTP 404 NOT_FOUND. It must not be labelled PERMISSION_DENIED or proof of rules drift. The two previously reported placeholder-only search inputs now have screen-reader labels.


The account loading/guest state can briefly have no h1 before redirect. That is distinct from a missing heading on the authenticated account screen, which was not exercised.

S01 - A URL can invent a successful receipt

HIGH | Browser confirmed

A direct GET to the package receipt page displays "Payment received." for a transaction reference that was never created. The same request to the custom-payment receipt correctly says payment is not confirmed.

Reproduce without a payment: `/checkout/status?state=success&txnid=QA-NO-PAYMENT&amount=1&item=QA`



Fresh original production build, desktop. QA-NO-PAYMENT is an invented reference; no payment or booking was created.

Actual: `state=success` alone selects the success heading, and `amount/item/txnid` are echoed from the URL. Expected: success must come from a persisted, verified payment result tied to the reference.

Impact: misleading customer confirmation and fabricated receipt screenshots. This does not bypass PayU hashing or mark a Firestore booking paid.

Acceptance: unknown references, changed amounts and failed/pending payments never display confirmed payment; verified stored success does. Match the persisted-state pattern used by the custom receipt.

Source: `src/app/checkout/status/page.tsx:43-64`; comparison: `src/app/pay/status/page.tsx:11`. Evidence: `original-browser.json` and receipt screenshots.

Price authority and booking durability

S02 | HIGH | Checkout uses the seed catalogue

Public package pages read the Firestore catalogue, while checkout and `/api/payu/initiate` resolve only DUMMY_PACKAGES. Booking buttons point all catalogue packages to checkout. New CRM IDs are rejected; edited seed IDs can use stale price/departure rules, and removed seed IDs still resolve via a direct checkout link. Source review confirms this architecture. The fresh link crawl also found a newly listed CRM package whose checkout displays the unavailable-payment notice. No CRM price edit was made during this audit.

Impact: Customers can see a different product state or price before checkout, or be unable to buy a newly published package. Current deployed price differences were not measured.

Acceptance: Use one current, server-authoritative published catalogue for display, checkout, coupon validation and initiation. In a test account, publish, reprice and unpublish a package and verify all steps agree.

`src/lib/payu.ts:48`; `src/app/checkout/page.tsx:60`; `src/app/api/payu/initiate/route.ts:50`; `src/lib/serverContent.ts:39`; `BookingCard.tsx:61`.

S03 | HIGH | Payment proceeds when booking storage fails

The actual initiation route was executed offline with `createPendingTrip` returning false, then throwing an outage. Both returned HTTP 200 with a signed sandbox gateway form. Custom-payment initiation correctly blocks on the equivalent storage failure. No gateway request was submitted.

Impact: A customer can be sent to pay before a durable booking exists for account history, reconciliation and operations. The callback also swallows settlement-write failures before showing success.

Acceptance: Persist the pending booking successfully before gateway handoff; reject or retry safely on failure. Render success from a durably recorded verified state. Add fault cases for both false and thrown storage failures.

`src/app/api/payu/initiate/route.ts:122-143`; `src/lib/firebase/serverTrips.ts:45`; `src/app/api/payu/callback/route.ts:66-94`. Offline evidence: `audit-initiate-probe.mjs`.

Additional payment and communication gaps

S04 | MEDIUM | Server validation and account association

Offline execution accepted email=not-an-email, a 40-digit phone number and an invalid supplied ID token. Each returned a signed sandbox form; the invalid-token case produced a booking payload with an empty owner ID. Browser validation cannot protect a direct API request.

Impact: Uncontactable booking data, gateway handoff errors and missing account-history association after session expiry.

Acceptance: Share bounded server-side name/email/phone validation with custom payments. Reject an invalid supplied token with a recoverable session error; keep deliberate guest checkout explicit.

src/app/api/payu/initiate/route.ts:57-87; custom comparison src/app/api/payu/custom/route.ts:22-35.

S05 | MEDIUM | Cleanup deletes gateway-pending package records

The real cleanup function, with an in-memory store and a mocked PayU response of pending, deleted one package older than 48 hours: deleted=1, recovered=0, retained=0. Custom-payment rows are retained. This confirms behavior, not a real lost payment.

Impact: Removes unresolved attempts from later cron reconciliation. A later callback may recreate only part of the original booking information.

Acceptance: Retain or archive unresolved gateway transactions with a complete snapshot until terminal status. Test pending at the expiry boundary and late success after expiry.

src/lib/serverPendingPayments.ts:176-194; src/lib/payuVerification.ts:23; evidence: audit-pending-probe.mjs.

S06 | MEDIUM | Confirmation email promise lacks a sender

The package success screen promises an email, but its callback has a TODO for traveller/operations mail and no booking-email sender was found in the reviewed API/library tree. Any external provider or manual message workflow remains unverified.

Impact: Customers may wait for a confirmation the application never sends.

Acceptance: Implement monitored, idempotent confirmation delivery and verify sandbox receipt; or make the confirmation copy accurately describe the actual process.

src/app/checkout/status/page.tsx:64; src/app/api/payu/callback/route.ts:93.

Maintenance mode is sensitive to settings failures

S07 | MEDIUM | A failed settings read changes maintenance behavior

The real settings helper returns false after a fetch failure, HTTP 503 or its 3-second timeout. An offline sequence reproduced: home redirects while enabled; landing middleware allows the request; a second failed settings read calls notFound(). A settings failure on /packages permits middleware to continue. Local startup produced a transient 404; warm probes recovered.

Impact: The coming-soon page can intermittently become a 404, or normal public HTML can be served until client settings load. This is an intentional fail-open availability policy in source, not an admin authorization bypass or a proven persistent live bypass.

Acceptance: Define an explicit outage policy and avoid conflicting independent reads in one redirect journey, for example with a short-lived last-known setting. Test timeout, recovery and settings changes without weakening admin checks.

src/lib/comingSoonServer.ts:9-15; src/middleware.ts:10-22; src/app/coming-soon/page.tsx:15; audit-maintenance-probe.mjs.

Current release blockers and dependencies

ITEM	EVIDENCE / ACCEPTANCE
Private quote bucket	Local setting missing. Configure separate private storage; verify signed upload, admin-only download, expiry and cleanup with a test PDF.
App Check	Local site key missing. Configure client provider and verify enforcement on intended public-write services using an unauthorized test request.
Legal/business settings	Live gate reports policy approval and legal name/address/support email missing. Publish approved business content and re-run the live gate.
Live PayU	Deliberately disabled locally. Enable only after the payment defects and sandbox acceptance pass; no real payment was attempted.
Build-time seed fallback	Current Firestore reads work, but server error paths still return seed catalogue/blog content. Introduce an explicit release guard and verify outage cannot silently publish fallback catalogue.

Environment checks read local configuration. Missing local values are not evidence that deployed secrets are absent.

Forms and keyboard interaction

A01 | MEDIUM | Required fields are not consistently announced

Checkout name/email/phone and add-on name/email plus service-specific fields display asterisks and validate manually, but omit required/aria-required. Contact form has the improved semantics. This is an expanded source review finding, with rendered inputs cross-checked where available.

Impact: Assistive-technology users do not get the same required-state information as sighted users.

Acceptance: Add semantic required state to every validated mandatory field, preserve error-to-input associations, and verify keyboard/screen-reader validation on each service form.

src/app/checkout/CheckoutForm.tsx:137-192; src/app/add-on/AddOnForm.tsx:305-333,461-489.

A02 | MEDIUM | Gallery and quote dialogs have incomplete focus handling

Browser testing of the package gallery confirmed that focus remains outside its overlay both on opening and after Tab; image arrows and Escape do work. QuoteModal similarly locks scrolling and handles Escape without a focus transfer/trap/restore mechanism. Its loading/signed-out states lack the referenced heading. Authenticated quote-dialog behavior remains untested.

Impact: Keyboard focus can move through the page behind the gallery. Quote-dialog users face the same source-level gap; some quote states lack a dialog name.

Acceptance: Use a correctly labelled native modal dialog or a complete accessible focus implementation. Verify opening focus, Tab/Shift+Tab containment, Escape, focus return and all loading/error states.

src/app/packages/_components/PackageGallery.tsx:30-60,150; src/app/packages/[packageId]/QuoteModal.tsx:19-28. Evidence: interactions.json and gallery-keyboard.png.

A03 | LOW | Traveller count permits fractional values

Quote form uses noValidate and checks only Number(travellers) between 1 and 20. The value is saved as a string; an input such as 1.5 passes those checks. A real authenticated enquiry was not submitted.

Impact: Invalid headcounts can reach operations and create quote ambiguity.

Acceptance: Require a finite integer in the supported range at UI and storage validation boundaries; cover 1.5, blank, nonnumeric and out-of-range inputs.

src/app/packages/[packageId]/QuoteModal.tsx:49-58,72.

Improvements and remaining polish

Search inputs now have hidden labels. Filter labels provide 44 px hit areas, so the earlier checkbox-only tap measurement should not be repeated. Destination chips still use 11 px text; improve readability and test actual labelled target areas at mobile widths rather than counting icon sizes.

Customer-facing flows

The full-site preview was inspected at 1440 x 900 and 390 x 900:14 routes at each width (28 observations). All returned 200, had one rendered h1, and showed no horizontal overflow, uncaught JavaScript errors or broken images among completed image loads. Another 22 observations covered the original build's auth, maintenance, policy and receipt states.


Navigation-cancelled requests (ERR_ABORTED) were excluded from defect counts. The optional trip-planning popup was dismissed through its visible close button before final screenshots.

FLOW	RESULT	ACTUAL EVIDENCE
Homepage search	PASS	Kerala search navigates to /packages?q=Kerala&travellers=2 and shows four Kerala cards.
Catalogue sort	PASS	Low-price first: Nandi Hills Day Trek. High-price first: New Zealand Luxury Group Tour.
Destination-choice search	PASS	Kerala narrows choices; nonexistent text shows "No destination matches that"; clearing restores choices.
Mobile filters	PASS	Opens, keeps focus inside after Tab and closes on Escape.
Comparison	PASS	Picker adds Tadiandamol; selection remains after refresh.
Gallery	PARTIAL - A02	Opens; ArrowRight moves 1/10 to 2/10; Escape closes. Focus remains outside the overlay on opening and Tab.
Itinerary download	PARTIAL (content)	3-page, 13,485-byte PDF downloads and renders. Its generic arrival/departure itinerary needs trek-specific content; see C02.
Quote as guest	PASS (gate)	Redirects to login with next=/packages/tadiandamol-trek. Authenticated quote submission not executed.
Contact validation	PASS (empty form)	Four fields marked aria-invalid after empty Send Enquiry. No enquiry sent.
All five add-on tabs	PASS (empty forms)	Flights 7, Hotels 6, Visa 6, Transport 6 and Bring Your Quote 6 invalid fields. Valid submissions/storage not executed.
Package checkout validation	PASS (empty form)	Three fields become aria-invalid. No payment request submitted.
Custom payment validation	PASS (empty form)	Five native-invalid inputs block empty submission. No payment submitted.
Missing detail pages	PASS	Missing package, destination and blog show 404 and render "Page not found" after hydration.
Account/admin entry	PASS (guest gate)	Account goes to customer login; admin goes to admin-purpose login preserving the return path.
Receipt and CRM checkout	FAIL - S01 / S02	Invented package receipt displays success; newly linked CRM package checkout displays unavailable-payment notice.


Homepage was scrolled through to its footer: 19,505 px document height, no horizontal overflow. This is a functional scroll observation, not a page-speed or Core Web Vitals measurement.

Responsive page samples

Fresh screenshots of the isolated production preview; current CMS reads retained and coming-soon switch disabled only in the local copy.



390 px: catalogue, package checkout and add-on flight form. Main content stays within the viewport; form requirements and dialog focus still need the fixes described in A01/A02.



1440 px: package detail gallery and page header. Gallery navigation works; keyboard focus containment fails (A02).

The CRM package reaches an unavailable checkout

S02 - HTTP 200 is a functional dead end

The fresh catalogue/link crawl discovered an additional test-named CRM package outside the 76 sitemap URLs. Its checkout link opens this notice. The page copy also claims admin records are stored in the browser even though the current implementation uses Firestore.

The screenshot shows the CompareMyTrip website interface. At the top, there's a navigation bar with the logo and links for Explore, Adventure, India, World, Deals, Add On, and Travel Guides. A promotional banner at the top left offers a 12% discount on monsoon packages with code MONSOON12. On the right, there's a contact link for a travel expert. The main content area displays a warning message: "That package can't be paid for online yet". The message explains that packages added through the admin panel are stored in the browser, and the server has no price to charge against. It advises sending an enquiry instead and mentions that the travel desk will raise a payment link. A "Back to packages" button is provided. Below the message, there's a row of destination logos including Incredible India, Karnataka, VisitBritain, Japan, the Seychelles Islands, Maldives, Sharjah, and Tourism Ireland. The footer contains the CompareMyTrip logo, social media links, and a grid of links categorized under Explore, Company, Account, and Legal.

Flat 12% off on every monsoon package **MONSOON12**

Talk to a travel expert **080 6927 7012** WhatsApp

COMPAREMYTRIP Explore Adventure India World Deals Add On Travel Guides Log in Contact Us

That package can't be paid for online yet

Packages added through the admin panel are stored in your browser, so the server has no price to charge against. Send an enquiry instead and the travel desk will raise a payment link.

[← Back to packages](#)

Incredible India *stithi devo bhava* Karnataka *Karnataka* VisitBritain Japan. Endless Discovery. the seychelles islands another world Maldives Sharjah Tourism Ireland

COMPAREMYTRIP

Compare curated travel packages side by side — full itinerary, inclusions and final pricing before you book.

EXPLORE

- All Packages
- Weekend Treks
- Domestic
- International
- Compare Packages

COMPANY

- Contact
- FAQs
- Travel Guide

ACCOUNT

- Sign In
- Create Account
- My Bookings

LEGAL

- Terms & Conditions
- Privacy Policy
- Refund & Cancellation

Instagram Facebook YouTube LinkedIn

Fresh full-site preview. A public package booking link reaches this 200 response, but there is no checkout form.

The exact current package ID and route are preserved in route-audit.json and extra-ui.json. No new package was created, repriced or unpublished during this audit. Current price mismatch for an edited seed ID remains a source-proven risk rather than a demonstrated charge.

Catalogue cleanup before opening the site

The fresh preview also exposes a test-named package containing an email-like title and a destination labelled "dsvf". Review publication status and remove test content before disabling coming-soon on the deployed site. Current production visits remain behind the maintenance gate.

This package was outside the build-time sitemap snapshot. The server one-hour cache and live client catalogue can differ temporarily; verify publish-time metadata/sitemap refresh as part of the acceptance test.

Metadata, assets and content confidence

AREA	FRESH RESULT / PRACTICAL LIMIT
Sitemap	76 unique URLs: 39 package details, 21 destinations, 10 blog posts and 6 core/index pages. Draft legal pages are excluded. Indexable /add-on is absent - add it if search discovery is intended.
Robots and metadata	Robots, sitemap and manifest respond. Login, account/admin shells, payment status and draft policies carry noindex. Route appendix records full-preview canonical and h1 results separately.
Static generation and cache	Packages, destinations and blog are prerendered with one-hour revalidation. No publish-time revalidation hook found; browser subscriptions can show newer content before HTML/SEO catches up.
Public assets	150 files / 70.94 MiB pass current gates. The sampled homepage HTML body alone is 902,146 bytes (0.86 MiB, before assets). Neither value is compressed total first-visit transfer weight; CDN frames are separate.
Core Web Vitals	No current controlled LCP/INP/CLS or Lighthouse score claimed. Machine was under memory pressure and current full-site access required an isolated preview; old PDF metrics remain historical.
Load capacity	No concurrent production load test performed. The previous throughput/p 95 values are not evidence for today's deployment or user capacity.
Google reviews	Public siteContent/googleReviews read returns 404 NOT_FOUND; other sampled collections/doc return 200. Live review sync data is absent. Configure/sync and confirm actual feed, rating, timestamp and fallback wording.
Viewing-now copy	BookingCard derives the viewer number deterministically from a package-ID hash, then renders "viewing now". This is not measured live demand. Replace with real telemetry or neutral availability wording.

P01 | Low | Complete the intended sitemap

Add /add-on if it is meant to be indexed; confirm its canonical and service parameter policy. Source: src/app/add-on/page.tsx:29-33; src/app/sitemap.ts:21-29.

C02 | Medium | Generic content in the downloaded itinerary

The downloaded Tadiandamol Weekend Trek PDF contains generic arrival and departure days with no actual trekking stage. All 3 pages render, but page 3 contains only the cancellation policy. Publish an approved trek-specific itinerary and avoid presenting generated defaults as a detailed trip plan. Evidence: downloaded-itinerary.pdf.

Content acceptance still needed

Business claims, accreditation badges, ratings/review counts, pricing accuracy, cancellation wording and contact details need owner approval. The audit does not verify credentials or business-policy accuracy. The concrete computed "viewing now" behavior above is source-confirmed; other claims are not labelled false.

Verified controls and open acceptance work

CONTROL	WHAT WAS VERIFIED
Anonymous API rejection	Maintenance smoke checks reject unauthenticated cron requests with 401; admin image/integration/payment-report paths with 404; account report/payment paths with 401. No protected data was returned by these probes.
Payment integrity	Source/tests check server-derived amounts, PayU reverse hashing and merchant-key checks before settlement. Paid-state settlement is transactional/monotonic. This does not validate a real gateway round trip.
Admin access	Browser guest visits redirect to admin-purpose login; HTTP shells carry noindex. Source uses server-verified Firebase identity and admins membership. Authenticated CRM data/actions remain untested.
Account data	Guest account redirects to login. Source rules restrict trip reads by owner/admin and deny client financial writes. Deployed-rule equivalence is not proven.
Private uploads	Source has signed private upload/download URLs, type/size/header checks and admin-only download. Missing local bucket prevents full storage acceptance; no upload or deletion performed.
CSP	Enforced policy covers frame-ancestors, object-src and base-uri. Broader script/connect restrictions are report-only; do not describe them as full enforcement.
Other source risks	Coupon limits have no atomic reservation across parallel checkout attempts; counters scan at most 2000 successful records. Public package/blog rules expose drafts by design. These are source risks, not reproduced live exploitation.

Unexecuted end-to-end matrix

JOURNEY	REQUIRED ACCEPTANCE
Customer identity/account	Google and email sign-in, reset mail receipt, profile gate, session expiry, account-trip ownership/history.
Admin CMS/CRM	Create/edit/publish/unpublish package incl new page sections, destinations/blog/content/banners, enquiries, coupons, users and trip reporting.
Customer submissions	Valid contact, quote, add-on, newsletter and popup lead; error/retry, deduplication and admin visibility.
Payments/storage	Sandbox success/failure/cancel/retry/late callback; storage outage; coupon cap race; receipt consistency; quote upload/download/expiry.
Deployment/client coverage	Current deployed rules and secrets; Cloudflare app bundle; Safari/Firefox; real iOS/Android; assistive technology; controlled performance.

Fix order and acceptance gates

ORDER	ACTION	PASS CONDITION
1 / High	Repair package receipt (S01)	Unknown, modified and unverified references never show paid; stored verified payment does.
2 / High	Unify checkout catalogue (S02)	New, edited and unpublished CRM packages produce correct server-authoritative price/availability across catalogue, checkout and initiation.
3 / High	Require durable booking before payment (S03)	False/throwing storage never hands off to gateway. Callback persistence failure produces a recoverable pending result.
4 / Medium	Harden validation and reconciliation (S04-S06)	Malformed data/expired identity rejected; pending gateway records retained; actual confirmation delivery matches copy.
5 / Configuration	Finish release settings and fallback guard	Quote bucket, App Check and approved policies/business data validated; catalogue outage cannot silently bake seed data into release.
6 / Medium	Stabilize maintenance and smoke (S07)	Timeout/recovery behavior is consistent; checked-in smoke accepts preserved return path and all checks pass.
7 / Medium-low	Complete form/dialog and SEO fixes	Required fields announced, quote keyboard focus correct, integer headcounts, intended sitemap pages included.
8 / Acceptance	Run authenticated sandbox/deployment matrix	Customer/admin workflows and storage/payment round trips pass using controlled test accounts; review exact deployed artifact.

Recommended release decision

Keep real-payment launch on hold until steps 1-5 and the payment/storage acceptance cases pass. The current engineering checks support continued preview work; they do not establish complete production readiness.

Report limitations are part of the result

No live payments, outbound messages, database submissions or admin changes were made. Local configuration results cannot establish deployed secret values. Browser viewport checks are not physical-device or full accessibility certification. No old throughput or Core Web Vitals measurement was carried forward as current.

Route and indexing coverage

ENVIRONMENT	RESULT
Original production build	133 path/query requests:28 x 200,100 x 307,4 x 308,1 expected404. No request failure or5xx. Of100 temporary redirects,99 are maintenance redirects with no-store and one is the admin-homepage redirect.
Full-site preview	219 path/query requests:199 x 200,14 expected404,5 x 308 and 1 x 307. No request failure or5xx. These totals count route rows;2 follow-up checks are recorded separately.
Sitemap content	All76 advertised URLs:200, one h1, unique title, expected canonical and no noindex conflict. Original build gates all 76 while maintenance is enabled.
Internal links	169 unique linked internal targets checked:168 page paths plus the payment QR image. No persistent broken target. One initially duplicated redirect header was rechecked and followed successfully.
Functional caveat	HTTP 200 alone does not mean a usable booking flow. One linked CRM package checkout displays the unavailable-payment notice (S02). Payment receipt correctness also fails despite200 (S01).

Negative routes and alternate entry points

PATH	HTTP	RESULT
/404	404	Expected unavailable / noindex
/blog/missing-audit-resource	404	Expected unavailable / noindex
/blog/missing-audit-resource?qa=1	404	Expected unavailable / noindex
/coming-soon	404	Expected unavailable / noindex
/destinations/missing-audit-resource	404	Expected unavailable / noindex
/destinations/missing-audit-resource?qa=1	404	Expected unavailable / noindex
/home1	404	Expected unavailable / noindex
/home2	404	Expected unavailable / noindex
/home3	404	Expected unavailable / noindex
/home4	404	Expected unavailable / noindex
/packages/missing-audit-resource	404	Expected unavailable / noindex
/packages/missing-audit-resource?qa=1	404	Expected unavailable / noindex
/unknown-audit-resource	404	Expected unavailable / noindex
/unknown-audit-resource?qa=1	404	Expected unavailable / noindex

Advertised page inventory

For every row: full-site preview HTTP 200, h1 count1, canonical correct and indexable. The original production build redirects each to maintenance.

EXACT PATH	PREVIEW	ORIGINAL
/	200 / SEO pass	307 / gate
/blog	200 / SEO pass	307 / gate
/blog/andaman-islands-how-many-days	200 / SEO pass	307 / gate
/blog/choosing-a-kerala-houseboat	200 / SEO pass	307 / gate
/blog/goa-beyond-the-beach-shacks	200 / SEO pass	307 / gate
/blog/kochi-two-days	200 / SEO pass	307 / gate
/blog/meghalaya-living-root-bridges	200 / SEO pass	307 / gate
/blog/monsoon-travel-in-india	200 / SEO pass	307 / gate
/blog/rajasthan-first-trip-route	200 / SEO pass	307 / gate
/blog/spiti-by-road-altitude	200 / SEO pass	307 / gate
/blog/three-days-in-munnar	200 / SEO pass	307 / gate
/blog/weekend-treks-from-bengaluru	200 / SEO pass	307 / gate
/compare	200 / SEO pass	307 / gate
/contact	200 / SEO pass	307 / gate
/destinations	200 / SEO pass	307 / gate
/destinations/arctic	200 / SEO pass	307 / gate
/destinations/bali	200 / SEO pass	307 / gate
/destinations/goa	200 / SEO pass	307 / gate
/destinations/himachal-pradesh	200 / SEO pass	307 / gate

Page-level metadata checks do not certify copy accuracy, rendered image quality, authenticated actions or transaction completion.

Advertised page inventory

For every row: full-site preview HTTP 200, h1 count1, canonical correct and indexable. The original production build redirects each to maintenance.

EXACT PATH	PREVIEW	ORIGINAL
/destinations/hong-kong	200 / SEO pass	307 / gate
/destinations/jammu-kashmir	200 / SEO pass	307 / gate
/destinations/japan	200 / SEO pass	307 / gate
/destinations/karnataka	200 / SEO pass	307 / gate
/destinations/kerala	200 / SEO pass	307 / gate
/destinations/ladakh	200 / SEO pass	307 / gate
/destinations/lakshadweep	200 / SEO pass	307 / gate
/destinations/malaysia	200 / SEO pass	307 / gate
/destinations/maldives	200 / SEO pass	307 / gate
/destinations/new-zealand	200 / SEO pass	307 / gate
/destinations/rajasthan	200 / SEO pass	307 / gate
/destinations/russia	200 / SEO pass	307 / gate
/destinations/sikkim	200 / SEO pass	307 / gate
/destinations/sri-lanka	200 / SEO pass	307 / gate
/destinations/taiwan	200 / SEO pass	307 / gate
/destinations/thailand	200 / SEO pass	307 / gate
/destinations/vietnam	200 / SEO pass	307 / gate
/packages	200 / SEO pass	307 / gate

Page-level metadata checks do not certify copy accuracy, rendered image quality, authenticated actions or transaction completion.

Advertised page inventory

For every row: full-site preview HTTP 200, h1 count1, canonical correct and indexable. The original production build redirects each to maintenance.

EXACT PATH	PREVIEW	ORIGINAL
/packages/4-nights-maldives-all-meals-best-value-d03d	200 / SEO pass	307 / gate
/packages/arctic-expedition-luxury-group-tour-3622	200 / SEO pass	307 / gate
/packages/astonishing-sri-lanka-8a8b	200 / SEO pass	307 / gate
/packages/bali-adventure-516e	200 / SEO pass	307 / gate
/packages/coorg-mysore-explore-5bb5	200 / SEO pass	307 / gate
/packages/discover-the-best-of-go-a-scenic-sightseeing-tour-8366	200 / SEO pass	307 / gate
/packages/hong-kong-cruise-getaway-dd5e	200 / SEO pass	307 / gate
/packages/japan-luxury-group-tour-73cb	200 / SEO pass	307 / gate
/packages/jibhi-jalori-pass-tour-package-4-nights-5-days-from-delhi-serolsar-lake-trek-tirthan-valley-3917	200 / SEO pass	307 / gate
/packages/kerala-backwaters-hills-escape	200 / SEO pass	307 / gate
/packages/kerala-delight-tour-with-houseboat-84e3	200 / SEO pass	307 / gate
/packages/kerala-escape-5-nights-6-days-kochi-munnar-thekkady-alleppey-houseboat-9b49	200 / SEO pass	307 / gate
/packages/kerala-monsoon-escape-5-nights-6-days-9416	200 / SEO pass	307 / gate
/packages/kodachadri-trek	200 / SEO pass	307 / gate
/packages/kumara-parvatha-trek	200 / SEO pass	307 / gate
/packages/ladakh-land-of-lamas-e6ff	200 / SEO pass	307 / gate
/packages/lakshadweep-ed5b	200 / SEO pass	307 / gate
/packages/magical-kashmir-srinagar-gulmarg-pahalgam-6c9c	200 / SEO pass	307 / gate
/packages/magnificent-kashmir-9ec7	200 / SEO pass	307 / gate
/packages/majestic-desert-night-with-cultural-show-06ca	200 / SEO pass	307 / gate

Page-level metadata checks do not certify copy accuracy, rendered image quality, authenticated actions or transaction completion.

Advertised page inventory

For every row: full-site preview HTTP 200, h1 count1, canonical correct and indexable. The original production build redirects each to maintenance.

EXACT PATH	PREVIEW	ORIGINAL
/packages/majestic-ladakh-tour-with-nubra-and-pangong-5n-6d-cde8	200 / SEO pass	307 / gate
/packages/malaysian-delight-9619	200 / SEO pass	307 / gate
/packages/manali-kasol-tour-package-from-delhi-4-nights-5-days-fi-b375	200 / SEO pass	307 / gate
/packages/manali-volvo-tour-package-4-nights-5-days-98fb	200 / SEO pass	307 / gate
/packages/mesmerising-vietnam-including-phu-quoc-copy-9654	200 / SEO pass	307 / gate
/packages/nandi-hills-trek	200 / SEO pass	307 / gate
/packages/new-zealand-luxury-group-tour-a3b4	200 / SEO pass	307 / gate
/packages/royalty-in-rajasthan-6-nights-7-days-39b8	200 / SEO pass	307 / gate
/packages/savandurga-trek	200 / SEO pass	307 / gate
/packages/scenic-thailand-fc95	200 / SEO pass	307 / gate
/packages/senior-special-vietnam-cambodia-d362	200 / SEO pass	307 / gate
/packages/sikkim-darjeeling-delight-4-nights-5-days-69c9	200 / SEO pass	307 / gate
/packages/skandagiri-trek	200 / SEO pass	307 / gate
/packages/sri-lanka-luxury-group-tour-5-0c14	200 / SEO pass	307 / gate
/packages/superb-bali-c189	200 / SEO pass	307 / gate
/packages/tadiandamol-trek	200 / SEO pass	307 / gate
/packages/taipei-taiwan-tour-package-5n-6d-jiufen-shifen-0eb6	200 / SEO pass	307 / gate
/packages/thailand-getaway-927f	200 / SEO pass	307 / gate
/packages/two-capitals-with-northern-lights-fixed-departure-521e	200 / SEO pass	307 / gate

Page-level metadata checks do not certify copy accuracy, rendered image quality, authenticated actions or transaction completion.

Additional routes and query families

FAMILY	PATHS / VARIANTS CHECKED	OBSERVED RESULT
Admin (14 templates)	/admin, /admin/banners, /admin/blog, /admin/content, /admin/coupons, /admin/destinations, /admin/enquiries, /admin/guide, /admin/package-enquiries, /admin/packages, /admin/popup-form, /admin/subscribers, /admin/trips, /admin/users	200/noindex gated shells; guest browser proceeds to admin sign-in. No authenticated data/actions.
Identity/account	/login, /signup, /forgot-password, /account; admin next= variants; /account/saved	Server forms or auth shells; guest account redirect; saved redirect308.
Policies/utility	/terms, /privacy, /refund-policy, /robots.txt, /sitemap.xml, /manifest.webmanifest, /coming-soon	Policies noindex; machine-readable resources200; coming-soon404 when disabled in preview,200 when enabled in original.
Catalogue filters	/packages with region, destination, type, category, deals, query and combined parameters discovered from rendered hrefs	200; browser tests separately verify sort and destination-choice search. No assertion that every possible parameter combination was tested.
Add-on services	/add-on; service query variants for flights, hotels, visa, transport and quote comparison	200 and tab/form entry points. Invalid-form checks reported with UI results; valid data submissions not executed.
Payment entry	/checkout; package checkout links; missing package and malformed traveller/date query; /pay; /checkout/status; /pay/status	200 with appropriate entry/notice state; package receipt S01 and CRM checkout S02 are functional failures.
Redirects	/admin/homepage, /packages/adventure-track, /account/saved, /faqs, /deals; legacy Kerala alias	Expected307/308 destinations; alias follow-up reaches canonical Kerala page.

Full route dataset:219 preview rows and 133 original rows. API boundary checks are a separate smoke suite, so these counts are not a combined "all tests passed" score.

Reproduce and review the findings

EVIDENCE	WHAT IT CONTAINS
test report.pdf	The supplied 10-page baseline, completely read and visually checked. Historical claims used only as a retest checklist.
tmp/pdfs/unit.log; lint.log; typescript.log; build.log	Current repository check output, with separate result/duration JSON files. No secret values printed.
tmp/pdfs/checks-summary.md	Fresh build/config/auth/Worker/smoke results. Original vs adjusted smoke results distinguished.
tmp/pdfs/route-audit.json; route-audit-summary.md	Exact routes, statuses, redirect locations, metadata and internal-link results, separated by environment.
tmp/pdfs/original-browser.json; preview-browser.json	Fresh desktop/mobile rendered state and errors. Initial failed preview startup was superseded by final production-preview run.
tmp/pdfs/interaction-summary.json; interactions.json; extra-ui.json; home-search.json; negative-ui.json	Explicit interaction checks, follow-ups and outcomes; no valid live submission made.
tmp/pdfs/audit-source.md; source-findings.json	Source evidence, scope limits and issue references. Offline probes kept separate from repository unit count.
tmp/pdfs/audit-initiate-probe.mjs; audit-pending-probe.mjs	Actual payment modules run with mocked gateways/storage. No real transaction or database write.
tmp/pdfs/audit-maintenance-probe.mjs	Timeout/error settings cases and inconsistent landing sequence reproduced offline.
tmp/pdfs/preview-harness.json	Exact isolated-preview changes; production setting and original source unchanged.
Fresh external read evidence	https://comparemytrip.in/ gate/header spot check; public Firestore GETs for packages, blogPosts, destinationCovers, homepage and googleReviews.

All evidence paths are relative to /Users/dakshtandel/projects/comparemytrip unless otherwise stated. The final report is output/pdf/test report 2.pdf. Generated images and intermediate files are supporting QA material, not separate deliverables.

Testing date: 14 September 2026, Asia/Kolkata. This report assesses the observed snapshot; any subsequent source, content, configuration or deployment change requires a focused retest.