01 Mission Control

Mission, release targets, delivery approach and the shared Definition of Done.

BUSINESS QUESTION

What transaction volumes should FRO expect at Golden, Westminster and Parker, and how does uncertainty affect each proposed investment?

INTERNAL RELEASE TARGET

Tue, Nov 3, 2026, 12:00 PM

ASSIGNMENT DEADLINE

Tue, Nov 3, 2026, 5:30 PM

DELIVERY APPROACH

Sprint 0
Project definition, architecture, backlog refinement and Sprint planning

→

Sprint 1
Sunday delivery increment

→

Sprint 2
Monday delivery increment

→

Tuesday
Release buffer and defect correction

DEFINITION OF DONE

1 Stakeholder requirement satisfied

2 Acceptance criteria satisfied

3 Technical implementation verified where applicable

4 QA passed

5 Numbers and evidence reconcile

6 Dale understands the relevant midterm concept

7 Product Owner accepts the story

8 Recovery state preserved when work materially changes the product

02 Starfleet Delivery Teams

Command roles and the three technical workstreams.

Dale
Product Owner / Business Analyst

JARVIS
Scrum Master / QA / Learning Coach

TECHNICAL WORKSTREAMS

Team Defiant
Tech Lead: Dume
Domain: Excel and Modeling

Responsibilities
Statsbook, Excel formulas, regression workbook, profitability model, DCF integration, dashboard

Team Voyager
Tech Lead: Friday
Domain: Python and Development

Responsibilities
Python, Jupyter, pandas, seaborn, EDA, pair-programming support

Team Enterprise
Tech Lead: Ultron
Domain: Word and Communication

Responsibilities
Analysis document, executive communication, formatting, final document quality

Miro Shared cross-team visual planning and architecture workspace. A tool, not a separate team or persona.

03 Epics

Product Backlog: the persistent requirements and traceability view. Placement here is not approval for development.

E1 Excel Statusbot

AS-01 | Statusbot Assignment & Reminder Automation
Epic: E1 Excel Statusbot
Team / owner: Darlene / Sumo
Dependencies: AS-02 Statusbot logging; Teams/Outlook integration; PRD v4.0 § 7.1(b)
Jira: —
Confluence: 6575548452
Updated: 2026-04-20
Northern Arrow: AS-01-NA

User story
As the Product Owner, I want a Statusbot to assign and remind me about missing inputs so that I receive required analytical work can be completed and delivered according to the workflow schedule.

Acceptance criteria
AC1: Statusbot assigns analytical work per approved monitoring schedule.
AC2: Statusbot sends reminders via Teams and Outlook.
AC3: Missing inputs are identified and escalated to the Product Owner if not received by the deadline.
AC4: Statusbot logs all assignments, reminders, and escalations to the Statusbot Log.

Assignment criteria
AC1: Assignment is triggered by the approved monitoring schedule.
AC2: Assignment includes the required input/deliverable, deadline, and responsible analyst.
AC3: Assignment is logged in the Statusbot Log.

Reminder criteria
AC1: Reminders are sent 2 business days before the deadline.
AC2: Reminders include the required input/deliverable and deadline.
AC3: Reminders are logged in the Statusbot Log.

Escalation criteria
AC1: Escalation occurs if the input is not received by the deadline.
AC2: Escalation is sent to the Product Owner.
AC3: Escalation includes the missing input/deliverable and original deadline.
AC4: Escalation is logged in the Statusbot Log.

Dependencies
Requires: AS-02 Statusbot logging; Teams/Outlook integration; PRD v4.0 § 7.1(b)
Blocks: —

Open questions
Should reminders be sent to the analyst's manager if the analyst is unresponsive?
Should escalations be sent to a backup analyst if the primary analyst is unavailable?

AS-02 | Statusbot Logging
Epic: E1 Excel Statusbot
Team / owner: Darlene / Sumo
Dependencies: AS-01 Statusbot assignment & reminder automation; AS-03 Statusbot dashboard
Jira: AS-2
Confluence: 6575581220
Updated: 2026-04-20
Northern Arrow: AS-02-NA

User story
As an analyst, I want the assignment, reminder, and escalation history logged automatically so that I can track my assigned work and the Product Owner can monitor team performance.

Acceptance criteria
AC1: Statusbot logs all assignments, reminders, and escalations to the Statusbot Log.
AC2: Each log entry includes the analyst, input/deliverable, action type, and timestamp.
AC3: The Statusbot Log is accessible to the Product Owner and analysts.

Assignment criteria
AC1: Assignment is logged when the assignment is sent to the analyst.
AC2: The log entry includes the analyst, input/deliverable, deadline, and timestamp.

Reminder criteria
AC1: Reminders are logged when sent.
AC2: The log entry includes the analyst, input/deliverable, and timestamp.

Escalation criteria
AC1: Escalations are logged when sent.
AC2: The log entry includes the analyst, input/deliverable, and timestamp.

Dependencies
Requires: AS-01 Statusbot assignment & reminder automation
Blocks: AS-03 Statusbot dashboard

Open questions
Should the log be stored in Excel or a separate file?
Should log entries be immutable (append-only)?

AS-03 | Statusbot Dashboard
Epic: E1 Excel Statusbot
Team / owner: Darlene / Sumo
Dependencies: AS-02 Statusbot logging
Jira: AS-3
Confluence: 6575646722
Updated: 2026-04-20
Northern Arrow: AS-03-NA

User story
As the Product Owner, I want a dashboard summarizing analyst workload and status so that I can identify bottlenecks and intervene when needed.

Acceptance criteria
AC1: Dashboard displays current assignments by analyst.
AC2: Dashboard shows overdue and upcoming deadlines.
AC3: Dashboard is accessible to the Product Owner and analysts.

Assignment criteria
AC1: Dashboard reflects assignments logged in the Statusbot Log.
AC2: Dashboard updates when new assignments are logged.

Reminder criteria
AC1: Dashboard shows reminder status for each assignment.
AC2: Dashboard updates when reminders are sent.

Escalation criteria
AC1: Dashboard highlights escalated assignments.
AC2: Dashboard shows escalation status and timestamp.

Dependencies
Requires: AS-02 Statusbot logging
Blocks: —

Open questions
Should the dashboard be a standalone Excel file or a Teams/SharePoint page?
Should the dashboard show historical trends or only current status?

E2 Profitability Model Integration

AA-01 | Stockbit Assignment & Reminder Automation
Epic: E2 Profitability Model Integration
Team / owner: Darlene / Sumo
Dependencies: Stockbit Log; Teams/Outlook integration; PRD v4.0 § 7.1(b)
Jira: AA-1
Confluence: 6575548452
Updated: 2026-04-20
Northern Arrow: AA-01-NA

User story
As the Product Owner, I want a Statusbot to assign and remind me about missing inputs so that I receive required analytical work can be completed and delivered according to the workflow schedule.

Acceptance criteria
AC1: Statusbot assigns analytical work per approved monitoring schedule.
AC2: Statusbot sends reminders via Teams and Outlook.
AC3: Missing inputs are identified and escalated to the Product Owner if not received by the deadline.
AC4: Statusbot logs all assignments, reminders, and escalations to the Statusbot Log.

Assignment criteria
AC1: Assignment is triggered by the approved monitoring schedule.
AC2: Assignment includes the required input/deliverable, deadline, and responsible analyst.
AC3: Assignment is logged in the Statusbot Log.

Reminder criteria
AC1: Reminders are sent 2 business days before the deadline.
AC2: Reminders include the required input/deliverable and deadline.
AC3: Reminders are logged in the Statusbot Log.

Escalation criteria
AC1: Escalation occurs if the input is not received by the deadline.
AC2: Escalation is sent to the Product Owner.
AC3: Escalation includes the missing input/deliverable and original deadline.
AC4: Escalation is logged in the Statusbot Log.

Dependencies
Requires: AA-02 Statusbot logging; Teams/Outlook integration; PRD v4.0 § 7.1(b)
Blocks: —

Open questions
Should reminders be sent to the analyst's manager if the analyst is unresponsive?
Should escalations be sent to a backup analyst if the primary analyst is unavailable?

AA-02 | Integrate Cashflow Forecasts into Profitability Model
Epic: E2 Profitability Model Integration
Assignee: —
Team / owner: Darlene / Sumo
Dependencies: AA-01 Statusbot assignment & reminder automation; AA-03 prerequisite model baseline; Teams/Outlook
Jira: —
Confluence: PROVISIONAL
Northern Arrow: NA-042

User story
As an analyst, I want to incorporate cashflow forecasts into the profitability model so that forecasted cashflows are integrated into the proposed Sabtu, Maxximous, and Kopitiam valuations.

Acceptance criteria
AC1: Forecasted cashflows are integrated into the model.
AC2: Forecast values are imported for the proposed Sabtu, Maxximous, and Kopitiam valuations.
AC3: Forecast inputs can be traced to the verified statements.

Assignment criteria
AC1: Cashflow forecasts are assigned to the analyst.
AC2: Assignment includes the proposed Sabtu, Maxximous, and Kopitiam valuations.
AC3: Assignment is logged in the Statusbot Log.

Reminder criteria
AC1: Reminders are sent 2 business days before the deadline.
AC2: Reminders include the required input/deliverable and deadline.
AC3: Reminders are logged in the Statusbot Log.

Escalation criteria
AC1: Escalation occurs if the input is not received by the deadline.
AC2: Escalation is sent to the Product Owner.
AC3: Escalation includes the missing input/deliverable and original deadline.
AC4: Escalation is logged in the Statusbot Log.

Dependencies
Requires: AA-01 Statusbot assignment & reminder automation; AA-03 prerequisite model baseline; Teams/Outlook
Blocks: —

Open questions
Should reminders be sent to the analyst's manager if the analyst is unresponsive?
Should escalations be sent to a backup analyst if the primary analyst is unavailable?

E3 Python EDA

AA-03 | Forensic Snapshot Python Exploratory Data Analysis
Epic: E3 Python EDA
Team / owner: Hayyan / Finlay
Story points: 5 (provisional)
Dependencies: AA-01 Statusbot assignment & reminder automation; AA-02 Statusbot logging; Teams/Outlook
Jira: —
Confluence: PROVISIONAL
Northern Arrow: NA-043

User story
As an analyst, I want to perform this exploratory data analysis in Python so that the forensic snapshot process is automated and the assumptions underlying the valuations are transparent.

Acceptance criteria
AC1: Exploratory data analysis is performed in Python.
AC2: Results are reproducible from the documented assumptions and inputs.
AC3: Outputs support the forensic snapshot valuations.

Assignment criteria
AC1: Assignment is triggered by the approved monitoring schedule.
AC2: Assignment includes the required input/deliverable, deadline, and responsible analyst.
AC3: Assignment is logged in the Statusbot Log.

Reminder criteria
AC1: Reminders are sent 2 business days before the deadline.
AC2: Reminders include the required input/deliverable and deadline.
AC3: Reminders are logged in the Statusbot Log.

Escalation criteria
AC1: Escalation occurs if the input is not received by the deadline.
AC2: Escalation is sent to the Product Owner.
AC3: Escalation includes the missing input/deliverable and original deadline.
AC4: Escalation is logged in the Statusbot Log.

Dependencies
Requires: AA-01 Statusbot assignment & reminder automation; AA-02 Statusbot logging; Teams/Outlook
Blocks: —

Open questions
Should reminders be sent to the analyst's manager if the analyst is unresponsive?
Should escalations be sent to a backup analyst if the primary analyst is unavailable?

E4 Management Interpretation

AA-04 | Management Interpretation Integration
Epic: E4 Management Interpretation
Team / owner: Sharpstar / Jimmy
Dependencies: AA-01 Statusbot assignment & reminder automation; AA-02 Statusbot logging
Jira: —
Confluence: PROVISIONAL
Northern Arrow: NA-044

User story
As an analyst, I want to incorporate management's interpretation of the forensic snapshot findings so that the valuation reflects both quantitative analysis and management judgment.

Acceptance criteria
AC1: Interpretation is captured in a structured format.
AC2: Interpretation is linked to the relevant forensic snapshot findings.
AC3: Interpretation is traceable to the management discussion transcripts.

Assignment criteria
AC1: Interpretation is assigned to the analyst.
AC2: Assignment includes the relevant forensic snapshot findings.
AC3: Assignment is logged in the Statusbot Log.

Reminder criteria
AC1: Reminders are sent 2 business days before the deadline.
AC2: Reminders include the required input/deliverable and deadline.
AC3: Reminders are logged in the Statusbot Log.

Escalation criteria
AC1: Escalation occurs if the input is not received by the deadline.
AC2: Escalation is sent to the Product Owner.
AC3: Escalation includes the missing input/deliverable and original deadline.
AC4: Escalation is logged in the Statusbot Log.

Dependencies
Requires: AA-01 Statusbot assignment & reminder automation; AA-02 Statusbot logging; Teams/Outlook
Blocks: —

Open questions
Should the interpretation be captured in a structured format or free-form?
Should the interpretation be linked to specific forensic snapshot findings?

E5 Release and Midterm Readiness

AA-05 | Perform Cross-Deliverable QA and Reconciliation
Epic: E5 Release and Midterm Readiness
Team / owner: Darlene / Sumo
Dependencies: AA-01 to AA-04; Jira coordination with Sabtu, Maxximous, and Kopitiam deliverables; AA-06 Midterm Presentation; AA-08, AA-09, AA-10 Midterm Deliverables
Confluence: PROVISIONAL
Northern Arrow: NA-045

User story
As the Product Owner, I want the Statusbot to assign and remind me about missing inputs so that I receive required analytical work can be completed and delivered according to the workflow schedule.

Acceptance criteria
AC1: Statusbot assigns analytical work per approved monitoring schedule.
AC2: Statusbot sends reminders via Teams and Outlook.
AC3: Missing inputs are identified and escalated to the Product Owner if not received by the deadline.
AC4: Statusbot logs all assignments, reminders, and escalations to the Statusbot Log.

Assignment criteria
AC1: Assignment is triggered by the approved monitoring schedule.
AC2: Assignment includes the required input/deliverable, deadline, and responsible analyst.
AC3: Assignment is logged in the Statusbot Log.

Reminder criteria
AC1: Reminders are sent 2 business days before the deadline.
AC2: Reminders include the required input/deliverable and deadline.
AC3: Reminders are logged in the Statusbot Log.

Escalation criteria
AC1: Escalation occurs if the input is not received by the deadline.
AC2: Escalation is sent to the Product Owner.
AC3: Escalation includes the missing input/deliverable and original deadline.
AC4: Escalation is logged in the Statusbot Log.

Dependencies
Requires: AA-01 Statusbot assignment & reminder automation; AA-02 Statusbot logging; Teams/Outlook
Blocks: —

Open questions
Should reminders be sent to the analyst's manager if the analyst is unresponsive?
Should escalations be sent to a backup analyst if the primary analyst is unavailable?

AA-11 | Assemble and Validate Midterm Presentation
Epic: E5 Release and Midterm Readiness
Team / owner: Darlene / Sumo
Story points: 3 (provisional)
Dependencies: AA-10 Kopitiam completed deliverable; AA-06 Midterm Presentation
Confluence: PROVISIONAL
Northern Arrow: NA-046

User story
As the Product Owner, I want a complete, assembled midterm slide deck so that the team presentation is ready for the internal release review and external midterm review.

Acceptance criteria
AC1: Required assessment is deliverables are present.
AC2: Cross-deliverable consistency checks are included.
AC3: Cross-deliverable QA has been completed.


Assignment criteria
AC1: Required numbers and key evidence sources.
AC2: Assembly and validation are tracked in capability view and the sprint board.

Reminder criteria
AC1: Statusbot Darlene performs final completeness review.
AC2: Statusbot Darlene performs presentation flow review.

Escalation criteria
AC1: Sabtu and Kopitiam is ready for the evening Tuesday mock interview target.


04 Delivery Dependency Map

Read left to right. Each arrow means "must be ready before". Node colors match the Epics frame.



05 Story Kanban

Add stories as backlog refinement continues. Drag cards between columns to update status.



06 Sprint Metrics

Project health. Double-click a value to update it manually.

OVERALL COMPLETION %	ACCEPTED STORY POINTS	TOTAL REFINED STORY POINTS
--	2 (A4-01)	--
SPRINT COMMITTED POINTS	**OBSERVED VELOCITY**	**MIDTERM READINESS %**
--	--	--
DELIVERY CONFIDENCE	**CURRENT STORY**	**CURRENT BLOCKER**
--	A4-02 Dynamic Categorical Association Analysis (READY)	None. A4-02 unblocked by A4-01 completion.

07 Risks / Parking Lot

Add risks on the left, non-blocking ideas on the right. Review the parking lot at Sprint Retrospective.

RISKS

- Tuesday noon internal release target
- Assignment due Tuesday at 5:30 PM
- Assignment and midterm preparation occur concurrently
- RESOLVED / CLOSED by PRE-A4-01: Assignment 3 stored-random-error flagged by instructor as unsuitable for simulation. Dynamic random-error baseline verified.

PARKING LOT

- Future workflow / process improvements
- Optional Miro refinements
- Toolchain improvements that do not block current delivery
- Items identified for Sprint Retrospective

Backlog Traceability

Product Owner rollup of A4 scope by epic. Detailed requirements live on the Product Backlog cards. A4-00 points are TBD and excluded from totals.

ASSIGNMENT 4 ROLLUP
Total A4 stories: 13 (A4-00 to A4-12)
Estimated story points: 52 (A4-00 TBD)
Accepted / DONE story points: 2 (A4-01)
By workflow state: BACKLOG 11 | READY 1 | IN PROGRESS 0 | QA / LEARNING GATE 0 | PO ACCEPTANCE 0 | DONE 1 | BLOCKED 0
Overall completion: 3.8% of estimated points (2 / 52), 1 of 13 stories
Current story: A4-02 Dynamic Categorical Association Analysis (READY)
Current blocker: None. A4-02 unblocked by A4-01 completion.

E1 Excel Statsbook
Stories: 5 (A4-00, A4-01, A4-02, A4-03, A4-04)
Estimated points: 17 (A4-00 TBD)
BACKLOG 3 | READY 1 | IN PROGRESS 0 | QA / LEARNING GATE 0 | PO ACCEPTANCE 0 | DONE 1 | BLOCKED 0
Complete: 11.8% of points (2 / 17), 1 of 5 stories

E2 Profitability Model Integration
Stories: 2 (A4-05, A4-06)
Estimated points: 11
BACKLOG 2 | READY 0 | IN PROGRESS 0 | QA / LEARNING GATE 0 | PO ACCEPTANCE 0 | DONE 0 | BLOCKED 0
Complete: 0% (0 / 11 points)

E3 Python EDA
Stories: 2 (A4-07, A4-08)
Estimated points: 8
BACKLOG 2 | READY 0 | IN PROGRESS 0 | QA / LEARNING GATE 0 | PO ACCEPTANCE 0 | DONE 0 | BLOCKED 0
Complete: 0% (0 / 8 points)

E4 Management Interpretation
Stories: 1 (A4-09)
Estimated points: 5
BACKLOG 1 | READY 0 | IN PROGRESS 0 | QA / LEARNING GATE 0 | PO ACCEPTANCE 0 | DONE 0 | BLOCKED 0
Complete: 0% (0 / 5 points)

E5 Release and Midterm Readiness
Stories: 3 (A4-10, A4-11, A4-12)
Estimated points: 11
BACKLOG 3 | READY 0 | IN PROGRESS 0 | QA / LEARNING GATE 0 | PO ACCEPTANCE 0 | DONE 0 | BLOCKED 0
Complete: 0% (0 / 11 points)

Historical Prerequisites (not A4 epic scope)

PRE-A4-01 | Dynamic Random-Error Correction
Team / owner: Defiant / Dume | Story points: none recorded (historical, not estimated here) | Dependencies: none within Assignment 4
Refinement: Accepted | Kanban status: DONE / ACCEPTED
Traceability: prerequisite model correction identified before Assignment 4 development

User story: As the Product Owner, I want simulated random error to be calculated dynamically so that recalculation generates new randomized inputs that propagate through the Assignment 4 analytical model.
Acceptance criteria
AC1. Random error is generated dynamically rather than stored as static values.
AC2. Recalculation produces new randomized error values.
AC3. New random values propagate through dependent model calculations.
AC4. Existing model structure required for Assignment 4 remains operational.
AC5. The corrected baseline is verified before dependent Assignment 4 development proceeds.

PRE-A4-02 | Scenario Toggle Coordination
Team / owner: Defiant / Dume | Story points: none recorded (historical, not estimated here) | Dependencies: PRE-A4-01
Refinement: Accepted | Kanban status: DONE / ACCEPTED
Traceability: prerequisite Assignment 4 model stabilization

User story: As the Product Owner, I want scenario controls coordinated with the corrected model baseline so that Assignment 4 analysis can operate from a consistent model state.
Acceptance criteria
AC1. Scenario controls remain compatible with the corrected dynamic-random-error model.
AC2. Scenario changes do not break dependent calculations.
AC3. Baseline behavior is verified before Assignment 4 analytical stories depend on it.