Python tutorial #1

This page was created for students to learn Python in the AI class (717005) at Hallym University.

Basic data types

In [1]:

```python
x = 3
print(type(x)) # Prints "<class 'int'>"
print(x)       # Prints "3"
print(x + 1)   # Addition; prints "4"
print(x - 1)   # Subtraction; prints "2"
print(x * 2)   # Multiplication; prints "6"
print(x ** 2)  # Exponentiation; prints "9"
x += 1
print(x)  # Prints "4"
x *= 2
print(x)  # Prints "8"
```

```
<class 'int'>
3
4
2
6
9
4
8
```

In [2]:

```python
y = 2.5
print(type(y)) # Prints "<class 'float'>"
print(y, y + 1, y * 2, y ** 2) # Prints "2.5 3.5 5.0 6.25"
```

```
<class 'float'>
2.5 3.5 5.0 6.25
```

String

In [3]:

```python
name = 'Bob'
print('Hello, {}'.format(name))
```

```
Hello, Bob
```

Q. Hello, Bob and Jane 을 출력하려면?

For statement

range

```python
A = range(5)
print(A)
```

range(0, 5)

```python
print(A[2])
```

2

```python
for i in range(5):
    print(i, A[i])
```

```
0 0
1 1
2 2
3 3
4 4
```

```python
for i in range(3):
  for j in range(2):
    print('{} + {} = {}'.format(i, j, i+j))
```

```
0 + 0 = 0
0 + 1 = 1
1 + 0 = 1
1 + 1 = 2
2 + 0 = 2
2 + 1 = 3
```

HW : Implement the multiplication table (구구단)

Operators

+ operator

```python
print((1, 2, 3) + (4, 5, 6))
print([1, 2, 3] + [4, 5, 6])
print("Hello" + " " + "World")
```

```
(1, 2, 3, 4, 5, 6)
[1, 2, 3, 4, 5, 6]
Hello World
```

* operator

The * operator produces a new tuple, list, or string that "repeats" the original content.

In [9]:

```python
print((1, 2, 3) * 3)
print([1, 2, 3] * 3)
print("Hello "*3)
```

```
(1, 2, 3, 1, 2, 3, 1, 2, 3)
[1, 2, 3, 1, 2, 3, 1, 2, 3]
Hello Hello Hello
```

Containers

Python includes several built-in container types: lists, dictionaries, sets, and tuples.

Tuple

A simple immutable (변경할 수 없는, 불변의) ordered sequence of items

In [10]:

```python
# creating a tuple
months = ('January','February','March','April','May','June',\
'July','August','September','October','November','December')

print(months[0])
print("index of 7 ==> " , months[7])
```

```
January
index of 7 ==>  August
```

In [11]:

```python
for i in range(12):
  print(months[i])
```

```
January
February
March
April
May
June
July
August
September
October
November
December
```

To print one by one

```
# iterate through them:
for item in months:
    print (item)
```

```
January
February
March
April
May
June
July
August
September
October
November
December
```

```
t = ('john', 32, (2,3,4,5), 'hello')
print(t)
print(t[2])
print(t[2][1])
print(t[:2]) # index NOT included
print(t[2:]) # index included O

print(t[-1])
print(t[-2])
```

```
('john', 32, (2, 3, 4, 5), 'hello')
(2, 3, 4, 5)
3
('john', 32)
((2, 3, 4, 5), 'hello')
hello
(2, 3, 4, 5)
```

An error will occur if you do the following: (아래와 같이 하면 오류가 발생합니다.)

Why?

```
   t[2] = 1
```

TypeError: 'tuple' object does not support item assignment

List

Mutable (바꿀수 있는, 변경가능한) ordered sequence of items of mixed types

In [14]:

```python
li = ['hallym', 1, 3.141572, 'hello']
print(li)
li[1] = 45
print(li)
li.append('September')
print(li)
```

```
['hallym', 1, 3.141572, 'hello']
['hallym', 45, 3.141572, 'hello']
['hallym', 45, 3.141572, 'hello', 'September']
```

In [15]:

```python
v = []
for i in range(0,3):
    v.append(i)
    print(v)
```

```
[0]
[0, 1]
[0, 1, 2]
```