


Regularization







$$L(x,y) = \sum_{i=1}^{n} (y_i - f(x_i))^2$$

$$f(x_i) = h_\theta x = \theta_0 + \theta_1 x_1 + \theta_2 x_2^2 + \theta_3 x_3^3 + \theta_4 x_4^4$$

$$f(x_i) = h_\theta x = \theta_0 + \theta_1 x_1 + \theta_2 x_2^2 + \theta_3 x_3^3 + \theta_4 x_4^4$$

$$f(x_i) = h_\theta x = \theta_0 + \theta_1 x_1 + \theta_2 x_2^2$$

Regularization

L1 Regularization


$$\text{Cost} = \sum_{i=0}^{N}(y_i - \sum_{j=0}^{M} x_{ij}W_j)^2 + \lambda \sum_{j=0}^{M} |W_j|$$

L2 Regularization


$$\text{Cost} = \sum_{i=0}^{N}(y_i - \sum_{j=0}^{M} x_{ij}W_j)^2 + \lambda \sum_{j=0}^{M} W_j^2$$

Loss function

Regularization Term




L1




L2

Regularization



Regularization



Regularization Example

```python
import pandas as pd
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
from sklearn.pipeline import Pipeline

data = pd.read_csv("diabetes.csv")
x = data.drop("Outcome", axis=1)
y = data["Outcome"]
cls = Pipeline(steps=[
    ('scaler', StandardScaler()),
    ('model', LogisticRegression(penalty="l1", solver="liblinear"))
])
cls.fit(x, y)
for i, j in zip(x.columns, cls["model"].coef_[0]):
    print("{} is with coefficient of {}".format(i, j))
```

```
C:\Users\Viet\anaconda3\envs\basic\python.exe C:\Users\Viet\PycharmP
Pregnancies is with coefficient of 0.4047757715484604
Glucose is with coefficient of 1.1020534150332097
BloodPressure is with coefficient of -0.23905878835657515
SkinThickness is with coefficient of 0.0
Insulin is with coefficient of -0.12014123606887196
BMI is with coefficient of 0.6883338771775394
DiabetesPedigreeFunction is with coefficient of 0.30157785094254597
Age is with coefficient of 0.16766878675897076
```

```python
import pandas as pd
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
from sklearn.pipeline import Pipeline

data = pd.read_csv("diabetes.csv")
x = data.drop("Outcome", axis=1)
y = data["Outcome"]
cls = Pipeline(steps=[
    ('scaler', StandardScaler()),
    ('model', LogisticRegression(penalty="l2", solver="lbfgs"))
])
cls.fit(x, y)
for i, j in zip(x.columns, cls["model"].coef_[0]):
    print("{} is with coefficient of {}".format(i, j))
```

```
C:\Users\Viet\anaconda3\envs\basic\python.exe C:\Users\Viet\PycharmF
Pregnancies is with coefficient of 0.4086468712956544
Glucose is with coefficient of 1.107111971571363
BloodPressure is with coefficient of -0.2508680388517632
SkinThickness is with coefficient of 0.00905045508333392
Insulin is with coefficient of -0.13083627394872085
BMI is with coefficient of 0.6963087173103848
DiabetesPedigreeFunction is with coefficient of 0.3088372414180195
Age is with coefficient of 0.1764978217442397
```