

Metadata for unsummarized trapping data from spbpredict.com

ColumnName	Description
<i>year</i>	Year of sampling
<i>state</i>	State in which sampling was conducted
<i>county</i>	County in which sampling was conducted
<i>rangerDistrict</i>	National Forest Ranger District (or other federal land holding)
<i>FIPS</i>	FIPS identification number for the county
<i>season</i>	Season of sampling (usually spring)
<i>trap</i>	Trap identification code
<i>endobrev</i>	Was endo-brevicommin used? 1 = yes. All yes since 2018
<i>sirexLure</i>	Sirex lure (alpha-pinene) used? All "Yes" since 2018.
<i>startDate</i>	Date when the trap was deployed or last emptied
<i>collectionDate</i>	Date when the trap contents were collected
<i>daysActive</i>	Number of days from startDate to collectionDate
<i>spbCount</i>	Number of SPB (southern pine beetle, <i>Dendroctonus frontalis</i>)
<i>cleridCount</i>	Number of clerids (<i>Thanasimus dubius</i>)
<i>bloom</i>	"Redbud" means that the trapping was timed with respect to flowering of local redbud.
<i>bloomDate</i>	Date when reference plant (usually redbud) was blooming locally
<i>globalID</i>	A globally unique identifier for this datum
<i>latitude</i>	Latitude of trap
<i>longitude</i>	Longitude of trap
<i>lure</i>	Full trap lure, usually "frontalin, Sirex sleeve, and endo-brevicommin"