

### **Spearman's rank correlation rho**

#### **data: q1 and roi**

S = 371860, p-value = 0.001249

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.291258

#### **data: q2 and roi**

S = 366860, p-value = 0.002467

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.2739248

#### **data: q3 and roi**

S = 377270, p-value = 0.000568

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.3100689

#### **data: q4 and roi**

S = 392000, p-value = 5.055e-05

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.3612016

**data: q5 and roi**

S = 322700, p-value = 0.1896

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.1205651

**data: q6 and roi**

S = 330170, p-value = 0.1104

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.1464889

**data: q7 and roi**

S = 363500, p-value = 0.003811

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.2622323

**data: q9 and roi**

S = 310510, p-value = 0.3957

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.07823641

**data: q10 and roi**

S = 336850, p-value = 0.0639

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.1696885

**data: q11 and roi**

S = 340360, p-value = 0.04679

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.1818864

**data: q12 and roi**

S = 331200, p-value = 0.1019

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.1500628

**data: q13 and roi**

S = 295760, p-value = 0.7696

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.02701926

**data: q14 and roi**

S = 349350, p-value = 0.01944

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.2131123

**data: q15 and roi**

S = 351010, p-value = 0.01632

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.2188657

**data: q16 and roi**

S = 347010, p-value = 0.02471

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.2049839

**data: q17 and roi**

S = 352840, p-value = 0.01339

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.2252305

**data: q19 and roi**

S = 320550, p-value = 0.2188

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.1130859

**data: q20 and roi**

S = 353870, p-value = 0.01195

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.2288016

**data: q21 and roi**

S = 359340, p-value = 0.006355

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.2478091

**data: q22 and roi**

S = 374740, p-value = 0.0008269

alternative hypothesis: true rho is not equal to 0

sample estimates:

rho

0.3012597

Significant questions (ordered):

q4 (0.36), q3 (0.31), q22 (0.30), q1 (0.29), q2(0.27), q7 (0.26), q21 (0.25), q20 (0.23), q15 (0.22), q17 (0.22), q14 (0.21), q16 (0.20), q11 (0.18)

Relevant ones:

Q4: Did your teammates give enough priority to participating in the game?

Q3: Did your teammates make sure to find the time to participate in the game?

Q22: Would strategically aligned be a fair way to describe the key decisions of your team?

Q1: In the first six rounds played so far, were members of your team actively engaged in the game?