Search Analytics Dashboard Guide

Overview

The Search Analytics Dashboard is a self-contained HTML application that provides interactive visualization and analysis of search telemetry data. It runs entirely in the browser using DuckDB WASM, requiring no server-side infrastructure.

Prerequisites

Before running the dashboard, ensure you have:

1. **Generated parquet files** from the Python processing script
2. **A modern web browser** (Chrome, Firefox, Edge, or Safari)
3. **A local web server** (required for loading parquet files due to browser security restrictions)

Required Data Files

The dashboard expects these parquet files in the same directory as the HTML file:

File	Description
`searches_daily.parquet`	Daily aggregated metrics
`searches_journeys.parquet`	Session-level journey data
`searches_terms.parquet`	Search term analysis data

Starting the Dashboard

Option 1: Python HTTP Server (Recommended)

1. Open a terminal and navigate to the dashboard directory:

```
cd /path/to/SearchAnalytics/dashboard
```

2. Copy the required parquet files to this directory:

```
cp ../output/searches_daily.parquet .
cp ../output/searches_journeys.parquet .
cp ../output/searches_terms.parquet .
```

3. Start a local web server:

```
python -m http.server 8080
```

4. Open your browser and navigate to:

```
http://localhost:8080/search-analytics-dashboard.html
```

Option 2: VS Code Live Server

1. Install the "Live Server" extension in VS Code
2. Copy parquet files to the dashboard directory
3. Right-click on `search-analytics-dashboard.html`
4. Select "Open with Live Server"

Option 3: Node.js HTTP Server

1. Install http-server globally:

```
npm install -g http-server
```

2. Navigate to the dashboard directory and start the server:

```
cd /path/to/SearchAnalytics/dashboard
http-server -p 8080
```

3. Open `http://localhost:8080/search-analytics-dashboard.html`

Executive Questions This Dashboard Answers

Business Question	Where to Look	Key Metrics
How effective is our intranet search?	Overview tab → KPI cards	Success Rate, Effectiveness Score
What content is missing from the intranet?	Search Terms → Content Gaps sub-tab	Null Result Rate, Priority Score, problem terms list
Are users finding what they need?	Overview → Journey Outcomes funnel; Journeys tab	Success Rate, Abandonment Rate, Recovery Rate
What are employees searching for most?	Search Terms → Top Terms sub-tab	Searches, CTR per term, term status badges
When do employees search?	Patterns tab → Time of Day, Weekday, Seasonality	Regional distribution (APAC/CET/Americas), weekday peaks

Business Question	Where to Look	Key Metrics
How fast is search?	Performance tab	Avg Latency, P50/P95 Latency, Time to Click
Are new topics emerging?	Search Terms → New/Trending sub-tab	Term age, lifecycle stage, search volume
How do users behave in search sessions?	Journeys tab → Complexity, Duration, Reformulation	Session complexity, reformulation rate, recovery rate
Which content gets clicked from search?	Insights & Export → Content Discovery	Click counts, avg click position, top departments
How is search trending over time?	Overview → Daily Trends chart; Insights & Export → Daily Trends	Searches/day, success rate trend, user cohorts

Metric Calculations Reference

Core KPI Metrics

Metric	Formula	Interpretation
Total Searches	`SUM(search_starts)`	Total number of search-triggered events in the period
Unique Sessions	`SUM(unique_sessions)`	Distinct search sessions (a session groups events by user within a time window)
Unique Users	`SUM(unique_users)`	Distinct users identified by cookie
Success Rate	`sessions_with_clicks / sessions_with_results × 100`	% of sessions (that had results) where the user clicked a result. Higher = better.
Null Result Rate	`null_results / result_events × 100`	% of result events that returned zero results. Lower = better.
Abandonment Rate	`sessions_abandoned / sessions_with_results × 100`	% of sessions (that had results) where the user left without clicking. Lower = better.
Effectiveness Score	`Success Rate − (Null Rate × 0.5)`	Composite score penalizing both low click-through and high null rates. Higher = better.
Searches per Session	`total_searches / total_sessions`	Average number of search queries per session. High values may indicate difficulty finding content.

Per-Term Metrics

Metric	Formula	Interpretation

Metric	Formula	Interpretation
Success CTR	`success_clicks / searches × 100`	% of searches for this term that led to a result click
Null Rate	`null_results / result_events × 100`	% of result events for this term that returned zero results
Avg Results	`sum_result_count / result_events`	Average number of results shown per search for this term
Score	`CTR − (Null Rate × 0.5)`	Per-term effectiveness score (same formula as overall Effectiveness Score)
Priority Score	`searches × null_rate / 100`	Volume-weighted gap score. High priority = many users hitting zero results. >= 10 = "High Priority".

Performance Metrics

Metric	Formula	Source
Avg Latency	`AVG(sec_search_to_result)`	Average time from search trigger to results displayed
P50 Latency	`PERCENTILE_CONT(0.5)` over `sec_search_to_result`	Median latency — 50% of searches are faster than this
P95 Latency	`PERCENTILE_CONT(0.95)` over `sec_search_to_result`	95th percentile — only 5% of searches are slower
Avg Time to Click	`AVG(sec_result_to_click)`	Average time from results displayed to first click
Avg Session Duration	`AVG(total_duration_sec)`	Average total duration of a search session

Classifications

Journey Outcomes (pre-calculated per session):

Outcome	Definition
Success	User clicked a search result
Engaged	User clicked something (trending, tabs, filters) but not a result
Abandoned	Results were shown but user left without any click
No Results	All searches in the session returned zero results
Unknown	Could not be classified

Session Complexity (by event count):

Level	Events
Single Action	1 event
Simple	2–3 events
Medium	4–6 events
Complex	7+ events

Term Lifecycle (by term age in days since first seen):

Stage	Age
New	1–3 days
Emerging	4–7 days
Establishing	8–14 days
Established	15–30 days
Mature	31+ days

Term Performance Classification:

Category	Condition
Zero Results	null_rate >= 100%
Mostly No Results	null_rate >= 50%
No Clicks	CTR = 0%
Low CTR	CTR < 20%
Success	Everything else

Seasonality Concentration (for terms with 6+ months of data):

Type	Concentration (peak / avg volume)
Highly Seasonal	>= 3.0×
Moderately Seasonal	>= 2.0×
Slightly Seasonal	>= 1.5×
Consistent	< 1.5×

Peak Region (based on hour-of-day search volume):

Region	CET Hours
APAC	03:00–09:00
CET	09:00–16:00

Region	CET Hours
Americas	16:00–22:00
Dead Time	22:00–03:00

Tab-by-Tab Walkthrough

1. Overview Tab

The landing page provides a high-level picture of search health.

Executive Summary (top section):

- Auto-generated insight cards with conditional messages:
  - Search Activity (always shown): daily average searches
  - Good Success Rate (green): shown when Success Rate >= 40%
  - Low Success Rate (red): shown when Success Rate < 25%
  - Content Gaps Detected (amber): shown when Null Rate > 10%
  - Top Content Gap (action card): the term with the most null results

KPI Cards (8 cards):

Card	Color Bar	What It Shows
Total Searches	Red (brand)	Search volume with period-over-period change
Unique Sessions	Gray	Session count with change
Unique Users	None	User count with change
Success Rate	Green	% sessions with result clicks
Null Result Rate	Amber	% results returning zero
Abandonment Rate	Red	% sessions abandoned
Effectiveness Score	Gray	Composite score (higher = better)
Searches/Session	None	Avg queries per session

Daily Trends Chart (line chart, dual Y-axis):

- Left axis: Searches (solid gray line, filled area) + Sessions (dashed gray line)
- Right axis: Success Rate % (green line, 0–100 scale)
- X-axis: dates
- Use this to spot trends and anomalies over time.

Journey Outcomes Funnel (horizontal bar):

- Shows session counts for Success, Engaged, Abandoned, No Results
- Click any bar to filter the entire dashboard by that outcome

Outcome Doughnut:

- Same data as the funnel in pie form. Click a slice to filter.

Hourly Distribution (bar chart):

- 4 bars: APAC, CET, Americas, Dead Time
- Shows when searches happen by time zone

Weekday Distribution (bar chart):

- 7 bars (Mon–Sun). Click a bar to filter all data by that weekday.

User Cohorts (stacked bar, time series):

- New Users (dark) vs Returning Users (light) over time

Click Categories (horizontal bar):

- Result (Success), Trending, Tab, Pagination, Filter
- Shows what users click on besides search results

---

2. Search Terms Tab

Contains 3 sub-tabs:

Top Terms

- **Table columns**: Search Term, Searches, Avg Results, Users, Success CTR, Null Rate, Status (badge), Score
- **Status badges**: High CTR (>30%, green), Moderate CTR (10–30%, neutral), Low CTR (<10%, amber), High Null Rate (>50%, red)
- **Text search**: Filter terms by keyword (with autocomplete)
- **Status filter dropdown**: Filter by badge status
- Click any term row to open the **Term Detail Modal** showing:
  - 4 metric cards (Searches, Users, CTR, Null Rate)
  - Daily trend mini-chart for that term
  - Recommendation text if Null Rate > 50%

Content Gaps

- Shows terms with null results, requiring minimum 3 searches
- **Table columns**: Search Term, Searches, Null Results, Null Rate, Priority (High/Medium/Low), Action
- Priority: Top 5 = High, 5–10 = Medium, 10+ = Low (by null result count)
- Top 20 terms displayed

Term Performance Doughnut:

- Shows distribution of all terms across 5 categories: Success, Low CTR, No Clicks, Mostly No Results, Zero Results

Query Length Distribution (bar chart):

- Shows search volume by word count (1 word, 2 words, … , 5+ words)

New/Trending

- Terms first seen within the current date filter period
- **Table columns**: Search Term, Searches, Users, Term Age, Lifecycle (badge)
- Top 20 terms displayed

---

3. User Journeys Tab

Analyzes session-level behavior patterns.

Session Complexity (pie chart):

- Single Action / Simple / Medium / Complex
- Click a slice to filter all journey data by complexity level

Session Duration (bar chart):

- Buckets: <5s, 5–30s, 30–60s, 1–3min, 3–5min, >5min
- Click a bar to filter

Reformulation Rate (doughnut):

- "Refined Query" (user changed search terms) vs "Single Query"
- Click to filter by reformulation behavior

Null Result Recovery (doughnut):

- Only shows sessions that encountered a null result
- "Recovered" (eventually clicked a result) vs "Gave Up"
- Click to filter

Outcome by Complexity (stacked bar):

- X-axis: complexity levels; stacked by outcome (Success, Engaged, Abandoned, No Results)
- Shows whether more complex sessions have better or worse outcomes

---

4. Performance Tab

Focuses on search speed and responsiveness.

5 Metric Cards: Avg Latency, P50 Latency, P95 Latency, Avg Time to Click, Avg Session Duration

Search Latency Distribution (bar chart with RAG colors):

- Green bars: fast buckets; Amber: medium; Red: slow
- Shows how latency is distributed across sessions

Time to Click Distribution (bar chart):

- Time from results displayed to first click, in buckets
- Excludes "No Click" sessions

Latency Trend (line chart):

- Two lines over time: Avg Latency (solid) + Avg Time to Click (dashed)
- Use to detect performance degradation

---

5. Patterns Tab

Identifies temporal patterns in search behavior.

Time of Day (bar chart + doughnut):

- Search volume split by APAC / CET / Americas / Dead Time
- Bar chart shows absolute counts; doughnut shows proportions

Top Terms by Peak Time (table):

- Columns: Term, Searches, Peak Period, Concentration, regional %
- Shows which terms are searched predominantly in which time zone

Monthly Seasonality (bar chart):

- Jan–Dec search volumes. Q4 (Oct–Dec) highlighted darker.
- Identifies seasonal search patterns

Seasonal Search Terms (table):

- Columns: Term, Total Searches, Peak Month, Concentration, Type, Coverage
- Filterable by month and seasonality type
- Concentration = peak monthly volume / average monthly volume

---

6. Insights & Export Tab

The data export and deep-dive tab with 4 sub-tabs. Each sub-tab has KPI summary cards, a sortable/filterable table, and CSV/XLSX export buttons.

Search Terms

- **KPI Cards**: Total Terms, Content Gaps (null rate >= 50%), Avg Success CTR, High Priority Terms (priority >= 10)
- **Table columns**: Search Term, Department, Location, Words, Searches, Users, Null Rate %, Avg Results, CTR %, Avg Pos, Engagement %, Priority, Lifecycle, Outcome, Peak Region, First Seen
- All columns sortable. Text search with autocomplete. Filterable by Outcome and Lifecycle.
- XLSX export includes a Glossary sheet with column definitions.

Sessions

- **KPI Cards**: Total Sessions, Success Rate, Avg Duration, Reformulation Rate

- **Table columns**: Date, Department, Location, Device, Searches, Clicks, Success, Outcome, Complexity, Duration, Reformulated
- Sortable. Filterable by Outcome and Complexity.

Daily Trends

- **KPI Cards**: Total Days, Avg Daily Searches, Avg Daily Users, Avg Success Rate
- **Table columns**: Date, Day, Sessions, Users, Searches, Success Rate %, Null Rate %, Avg Latency (ms), New Users
- All columns sortable.

Content Discovery

- **KPI Cards**: Term-Content Pairs, Unique Content URLs, Avg Click Position, Top Department
- **Table columns**: Search Term, Content Title, Clicks, Users, Sessions, Avg Pos, Department, Device
- Sortable. Text search on term or content title. Min clicks filter.

Interactive Features Reference

Click-to-Filter

Many charts support click-to-filter. Clicking a chart element filters all dashboard data by that value. Active filters appear as removable tags above the content area.

Chart	Filters By
Journey Outcomes Funnel	Journey outcome
Outcome Doughnut	Journey outcome
Weekday Distribution	Day of week
Session Complexity Pie	Complexity level
Session Duration Bar	Duration bucket
Reformulation Doughnut	Had reformulation (yes/no)
Recovery Doughnut	Recovered from null (yes/no)
Outcome by Complexity	Complexity level

Click the same element again to remove the filter. Click "Clear all" to remove all active filters.

Date Filtering

Pre-defined presets: Last 7 days, Last 30 days, This month, Last month, This year (YTD), Last year, All time (default). Custom date range via From/To inputs.

Term Detail Modal

Click any term in the Top Terms, Content Gaps, or Insights tables to open a detail modal with per-term KPIs and a daily trend chart.

Autocomplete Search

All search inputs provide autocomplete suggestions with highlighted matches and keyboard navigation (arrows, Enter, Escape).

Export

Each Insights sub-tab offers CSV and XLSX export. XLSX files include a Glossary sheet with definitions for every column.

Troubleshooting

Dashboard Shows "Loading..."

- Verify parquet files are in the same directory as the HTML file
- Ensure you're accessing via HTTP (not file://)
- Check browser console for specific error messages

"Failed to Load Data" Error

- Confirm parquet files were generated successfully
- Check file permissions
- Verify the web server is running

Slow Performance

- Filter to a smaller date range
- Ensure you're using a modern browser
- Close other browser tabs to free memory

Data Not Updating

- Regenerate parquet files with the latest data
- Clear browser cache (Ctrl+Shift+R or Cmd+Shift+R)
- Restart the local web server

Technical Details

Dependencies (loaded via CDN)

- **DuckDB WASM** v1.28.0 - In-browser SQL database
- **Chart.js** v4.4.1 - Charting library
- **chartjs-adapter-date-fns** v3.0.0 - Date handling for charts
- **SheetJS** - XLSX export

Browser Compatibility

Browser	Minimum Version
Chrome	88+
Firefox	78+
Edge	88+
Safari	14+

Data Processing

The dashboard uses DuckDB WASM to:

1. Load parquet files directly in the browser
2. Execute SQL queries for aggregations
3. Filter and transform data based on user selections

All processing happens client-side; no data is sent to external servers.

Version History

Version	Date	Changes
2.0	2026-02-24	Added executive questions, metric calculations, tab walkthrough
1.0	2025-01-27	Initial documentation