Class Level Information					
Class	Levels	Values			
location	2	12			
variety	3	568			

Number of Observations Read	12
Number of Observations Used	12


Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	5	401.9175000	80.3835000	4.63	0.0446
Error	6	104.2050000	17.3675000		
Corrected Total	11	506.1225000			

R-Square	Coeff Var	Root MSE	x1 Mean
0.794111	2.136324	4.167433	195.0750

Source	DF	Type I SS	Mean Square	F Value	Pr > F
location	1	0.7008333	0.7008333	0.04	0.8474
variety	2	196.1150000	98.0575000	5.65	0.0418
location*variety	2	205.1016667	102.5508333	5.90	0.0382

Source	DF	Type III SS	Mean Square	F Value	Pr > F
location	1	0.7008333	0.7008333	0.04	0.8474
variety	2	196.1150000	98.0575000	5.65	0.0418
location*variety	2	205.1016667	102.5508333	5.90	0.0382

Contrast	DF	Contrast SS	Mean Square	F Value	Pr > F
diff56	1	195.0312500	195.0312500	11.23	0.0154
diff58	1	62.1612500	62.1612500	3.58	0.1074
diff68	1	36.9800000	36.9800000	2.13	0.1948




Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	5	2031.777500	406.355500	6.92	0.0177
Error	6	352.105000	58.684167		
Corrected Total	11	2383.882500			

R-Square	Coeff Var	Root MSE	x2 Mean
0.852298	4.832398	7.660559	158.5250

Source	DF	Type I SS	Mean Square	F Value	Pr > F
location	1	162.067500	162.067500	2.76	0.1476
variety	2	1089.015000	544.507500	9.28	0.0146
location*variety	2	780.695000	390.347500	6.65	0.0300

Source	DF	Type III SS	Mean Square	F Value	Pr > F
location	1	162.067500	162.067500	2.76	0.1476
variety	2	1089.015000	544.507500	9.28	0.0146
location*variety	2	780.695000	390.347500	6.65	0.0300

Contrast	DF	Contrast SS	Mean Square	F Value	Pr > F
diff56	1	600.3112500	600.3112500	10.23	0.0186
diff58	1	985.6800000	985.6800000	16.80	0.0064
diff68	1	47.5312500	47.5312500	0.81	0.4028




Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	5	442.5741667	88.5148333	5.60	0.0292
Error	6	94.8350000	15.8058333		
Corrected Total	11	537.4091667			

R-Square	Coeff Var	Root MSE	x3 Mean
0.823533	7.188166	3.975655	55.30833


Source	DF	Type I SS	Mean Square	F Value	Pr > F
location	1	72.5208333	72.5208333	4.59	0.0759
variety	2	284.1016667	142.0508333	8.99	0.0157
location*variety	2	85.9516667	42.9758333	2.72	0.1443

Source	DF	Type III SS	Mean Square	F Value	Pr > F
location	1	72.5208333	72.5208333	4.59	0.0759
variety	2	284.1016667	142.0508333	8.99	0.0157
location*variety	2	85.9516667	42.9758333	2.72	0.1443


Contrast	DF	Contrast SS	Mean Square	F Value	Pr > F
diff56	1	3.2512500	3.2512500	0.21	0.6661
diff58	1	237.6200000	237.6200000	15.03	0.0082
diff68	1	185.2812500	185.2812500	11.72	0.0141




location	x1 LSMEAN
1	194.833333
2	195.316667




location	x2 LSMEAN
1	162.200000
2	154.850000




location	x3 LSMEAN
1	52.8500000
2	57.7666667




variety	x1 LSMEAN
5	189.925000
6	199.800000
8	195.500000




variety	x2 LSMEAN
5	145.350000
6	162.675000
8	167.550000




variety	x3 LSMEAN
5	51.2500000
6	52.5250000
8	62.1500000




location	variety	x1 LSMEAN
1	5	194.800000
1	6	199.450000
1	8	190.250000
2	5	185.050000
2	6	200.150000
2	8	200.750000



location	variety	x2 LSMEAN
1	5	160.400000
1	6	161.400000
1	8	164.800000
2	5	130.300000
2	6	163.950000
2	8	170.300000



location	variety	x3 LSMEAN
1	5	52.5500000
1	6	47.8000000
1	8	58.2000000
2	5	49.9500000
2	6	57.2500000
2	8	66.1000000



#### **Multivariate Analysis of Variance**

Characteristic Roots and Vectors of: E Inverse * H, where H = Type III SSCP Matrix for location E = Error SSCP Matrix						
		Characteristic Vector V'EV=1				
Characteristic Root	Percent	x1	x2	х3		
8.38824348	100.00	-0.13688388	-0.07628041	0.23952166		
0.00000000	0.00	0.10187838	0.00216080	-0.00678495		
0.00000000	0.00	-0.06307410	0.03725453	0.06189287		

# MANOVATest Criteria and Exact F Statistics for the Hypothesis of No Overall location Effect H = Type III SSCP Matrix for location E = Error SSCP Matrix

#### S=1 M=0.5 N=1

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.10651620	11.18	3	4	0.0205
Pillai's Trace	0.89348380	11.18	3	4	0.0205
Hotelling-Lawley Trace	8.38824348	11.18	3	4	0.0205
Roy's Greatest Root	8.38824348	11.18	3	4	0.0205

Characteristic Roots and Vectors of: E Inverse * H, where H = Type III SSCP Matrix for variety E = Error SSCP Matrix						
	Characteristic Vector V'EV=1					
Characteristic Root	Percent	x1	x2	х3		
18.1876113	85.09	-0.16986539	-0.06425268	0.23943636		
3.1880638	14.91	0.00137509	0.03769309	0.03800092		
0.0000000	0.00	0.06510456	-0.04076880	0.04973481		

# MANOVATest Criteria and F Approximations for the Hypothesis of No Overall variety Effect H = Type III SSCP Matrix for variety E = Error SSCP Matrix

#### S=2 M=0 N=1

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.01244417	10.62	6	8	0.0019
Pillai's Trace	1.70910921	9.79	6	10	0.0011
Hotelling-Lawley Trace	21.37567504	14.25	6	4	0.0113
Roy's Greatest Root	18.18761127	30.31	3	5	0.0012

NOTE: F Statistic for Roy's Greatest Root is an upper bound.

NOTE: F Statistic for Wilks' Lambda is exact.

#### **Multivariate Analysis of Variance**

Characteristic Roots and Vectors of: E Inverse * H, where H = Type III SSCP Matrix for location*variety E = Error SSCP Matrix							
		Characteristic Vector V'EV=1					
Characteristic Root	Percent	x1	x2	х3			
6.82409388	90.45	0.15723347	0.06948572	-0.18762316			
0.72019649	9.55	-0.08644203	0.01400396	0.12612011			
0.00000000	0.00	0.03000259	-0.04676424	0.10069089			

# MANOVATest Criteria and F Approximations for the Hypothesis of No Overall location\*variety Effect H = Type III SSCP Matrix for location\*variety E = Error SSCP Matrix

#### S=2 M=0 N=1

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.07429984	3.56	6	8	0.0508
Pillai's Trace	1.29086073	3.03	6	10	0.0587
Hotelling-Lawley Trace	7.54429038	5.03	6	4	0.0699
Roy's Greatest Root	6.82409388	11.37	3	5	0.0113

NOTE: F Statistic for Roy's Greatest Root is an upper bound.

NOTE: F Statistic for Wilks' Lambda is exact.

Characteristic Roots and Vectors of: E Inverse * H, where H = Contrast SSCP Matrix for diff56 E = Error SSCP Matrix						
		Characteristic Vector V'EV=1				
Characteristic Root	Percent	x1	x2	х3		
13.3762306	100.00	0.16362329	0.07216982	-0.21959460		
0.0000000	0.00	-0.07951128	0.04394151	0.01873511		
0.0000000	0.00	0.00034387	-0.00848122	0.11258151		

# MANOVA Test Criteria and Exact F Statistics for the Hypothesis of No Overall diff56 Effect H = Contrast SSCP Matrix for diff56 E = Error SSCP Matrix

#### S=1 M=0.5 N=1

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.06955926	17.83	3	4	0.0089
Pillai's Trace	0.93044074	17.83	3	4	0.0089
Hotelling-Lawley Trace	13.37623060	17.83	3	4	0.0089
Roy's Greatest Root	13.37623060	17.83	3	4	0.0089

#### **Multivariate Analysis of Variance**

Characteristic Roots and Vectors of: E Inverse * H, where H = Contrast SSCP Matrix for diff58 E = Error SSCP Matrix							
		Characteristic Vector V'EV=1					
Characteristic Root	Percent	x1	x2	х3			
3.28027873	100.00	-0.03001021	0.02518235	0.08155394			
0.00000000	0.00	-0.14950993	-0.07717842	0.23365861			
0.0000000	0.00	_n ngg2n138	0.02491206	0.00000000			

# MANOVATest Criteria and Exact F Statistics for the Hypothesis of No Overall diff58 Effect H = Contrast SSCP Matrix for diff58 E = Error SSCP Matrix

S=1 M=0.5 N=1

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.23362964	4.37	3	4	0.0940
Pillai's Trace	0.76637036	4.37	3	4	0.0940
Hotelling-Lawley Trace	3.28027873	4.37	3	4	0.0940
Roy's Greatest Root	3.28027873	4.37	3	4	0.0940

Characteristic Roots and Vectors of: E Inverse * H, where H = Contrast SSCP Matrix for diff68 E = Error SSCP Matrix					
	Characteristic Vector V'EV=1				
Characteristic Root	Percent	x1	x2	х3	
15.4070032	100.00	-0.16630625	-0.05562589	0.24224183	
0.0000000	0.00	0.01364378	0.05944518	-0.02401319	
0.0000000	0.00	0.07246255	-0.02415163	0.04460552	

# MANOVATest Criteria and Exact F Statistics for the Hypothesis of No Overall diff68 Effect H = Contrast SSCP Matrix for diff68 E = Error SSCP Matrix

S=1 M=0.5 N=1

Statistic	Value	F Value	Num DF	Den DF	Pr > F
Wilks' Lambda	0.06094958	20.54	3	4	0.0068
Pillai's Trace	0.93905042	20.54	3	4	0.0068
Hotelling-Lawley Trace	15.40700323	20.54	3	4	0.0068
Roy's Greatest Root	15.40700323	20.54	3	4	0.0068

Moments						
N	12	Sum Weights	12			
Mean	0	Sum Observations	0			
Std Deviation	3.07785344	Variance	9.47318182			
Skewness	0	Kurtosis	-1.2920942			
Uncorrected SS	104.205	Corrected SS	104.205			
Coeff Variation		Std Error Mean	0.88849976			

Basic Statistical Measures					
Location Variability					
Mean	0	Std Deviation	3.07785		
Median	0	Variance	9.47318		
Mode		Range	9.30000		
		Interquartile Range	5.80000		

Tests for Location: Mu0=0						
Test	Statistic p Value					
Student's t	t	0	Pr >  t	1.0000		
Sign	М	0	Pr >=  M	1.0000		
Signed Rank	s	0	Pr >=  S	1.0000		

Tests for Normality						
Test	Statistic p Value			ue		
Shapiro-Wilk	w	0.951244	Pr < W	0.6552		
Kolmogorov-Smirnov	D	0.129639	Pr > D	>0.1500		
Cramer-von Mises	W-Sq	0.034145	Pr > W-Sq	>0.2500		
Anderson-Darling	A-Sq	0.242943	Pr > A-Sq	>0.2500		

Quantiles (Definition 5)				
Level	Quantile			
100% Max	4.65			
99%	4.65			
95%	4.65			
90%	3.55			
75% Q3	2.90			
50% Median	0.00			
25% Q1	-2.90			

Quantiles (Definition 5)			
Level	Quantile		
10%	-3.55		
5%	-4.65		
1%	-4.65		
0% Min	-4.65		

Extr	Extreme Observations					
Low	est	High	est			
Value	Obs	Value	Obs			
-4.65	4	0.75	11			
-3.55	6	2.55	7			
-3.25	10	3.25	9			
-2.55	8	3.55	5			
-0.75	12	4.65	3			

Moments						
N	12	12 Sum Weights				
Mean	0	Sum Observations	0			
Std Deviation	5.65769789	Variance	32.0095455			
Skewness	0	Kurtosis	-0.765913			
Uncorrected SS	352.105	Corrected SS	352.105			
Coeff Variation		Std Error Mean	1.6332367			

	Basic Statistical Measures					
Loc	Location Variability					
Mean	0	Std Deviation	5.65770			
Median	-142E-16	Variance	32.00955			
Mode		Range	18.40000			
		Interquartile Range	8.10000			

Tests for Location: Mu0=0					
Test	Statistic p Value				
Student's t	t	0	Pr >  t	1.0000	
Sign	М	0	Pr >=  M	1.0000	
Signed Rank	s	0	Pr >=  S	1.0000	

Tests for Normality					
Test	Statistic p Value			ue	
Shapiro-Wilk	w	0.984007	Pr < W	0.9949	
Kolmogorov-Smirnov	D	0.068189	Pr > D	>0.1500	
Cramer-von Mises	W-Sq	0.011579	Pr > W-Sq	>0.2500	
Anderson-Darling	A-Sq	0.099239	Pr > A-Sq	>0.2500	

Quantiles (Definition 5)		
Quantile		
9.20		
9.20		
9.20		
7.30		
4.05		
-0.00		
-4.05		

Quantiles (Definition 5)		
Level	Quantile	
10%	-7.30	
5%	-9.20	
1%	-9.20	
0% Min	-9.20	

Extreme Observations					
Lowest Highest					
Value	Obs	Value	Obs		
-9.20	4	2.15	7		
-7.30	1	3.50	12		
-4.60	5	4.60	6		
-3.50	11	7.30	2		
-2.15	8	9.20	3		

Moments				
N	12	Sum Weights	12	
Mean	0	Sum Observations	0	
Std Deviation	2.93621587	Variance	8.62136364	
Skewness	0	Kurtosis	0.48859566	
Uncorrected SS	94.835	Corrected SS	94.835	
Coeff Variation		Std Error Mean	0.84761251	

Basic Statistical Measures					
Location Variability					
Mean	0	Std Deviation	2.93622		
Median	3.55E-15	Variance	8.62136		
Mode		Range	11.10000		
		Interquartile Range	3.15000		

Tests for Location: Mu0=0					
Test	Statistic p Value				
Student's t	t	0	Pr >  t	1.0000	
Sign	М	0	Pr >=  M	1.0000	
Signed Rank	s	0	Pr >=  S	1.0000	

Tests for Normality					
Test	Statistic p Value			ue	
Shapiro-Wilk	W 0.992738 Pr < W 1.0				
Kolmogorov-Smirnov	D	0.097655	Pr > D	>0.1500	
Cramer-von Mises	W-Sq	0.0184	Pr > W-Sq	>0.2500	
Anderson-Darling	A-Sq	0.131482	Pr > A-Sq	>0.2500	

Quantiles (Definition 5)			
Level	Quantile		
100% Max	5.550		
99%	5.550		
95%	5.550		
90%	3.150		
75% Q3	1.575		
50% Median	0.000		
25% Q1	-1.575		

Quantiles (Definition 5)		
Level	Quantile	
10%	-3.150	
5%	-5.550	
1%	-5.550	
0% Min	-5.550	

Extreme Observations				
Lowest		Highest		
Value	Obs	Value	Obs	
-5.55	4	1.10	12	
-3.15	8	1.15	2	
-2.00	6	2.00	5	
-1.15	1	3.15	7	
-1.10	11	5.55	3	