

```
<!DOCTYPE html><html lang="pt-BR"><head>
<meta charset="utf-8">
<meta content="width=device-width, initial-scale=1.0" name="viewport">
<title>Destrava Proposta Gov - Destravador de Propostas</title>
<script src="https://cdn.tailwindcss.com?plugins=forms,container-queries"></script>
<link
href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700&display=swap" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:wght,FILL@100.700,0..1&display=swap" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:wght,FILL@100.700,0..1&display=swap" rel="stylesheet">
<script id="tailwind-config">
  tailwind.config = {
    darkMode: "class",
    theme: {
      extend: {
        "colors": {
          "surface-container-lowest": "#ffffff",
          "on-secondary-fixed-variant": "#005236",
          "secondary": "#006c49",
          "on-tertiary-container": "#ef9900",
          "inverse-surface": "#2f3036",
          "on-secondary-container": "#00714d",
          "outline": "#757682",
          "surface": "#faf8ff",
          "on-primary-container": "#90a8ff",
          "on-secondary": "#ffffff",
          "on-background": "#1a1b21",
          "surface-bright": "#faf8ff",
          "background": "#faf8ff",
          "on-error-container": "#93000a",
          "on-surface-variant": "#444651",
          "on-error": "#ffffff",
          "on-primary": "#ffffff",
          "primary-fixed": "#dce1ff",
          "secondary-fixed": "#6ffbbe",
          "error-container": "#ffdad6",
          "surface-variant": "#e3e1e9",
          "on-primary-fixed-variant": "#264191",
          "outline-variant": "#c5c5d3",
          "on-tertiary-fixed-variant": "#653e00",
          "surface-dim": "#dad9e1",
          "on-surface": "#1a1b21",
          "primary": "#00236f",
          "on-primary-fixed": "#00164e",

```

```
"tertiary-fixed-dim": "#ffb95f",
"surface-container-high": "#e9e7ef",
"surface-container-low": "#f4f3fa",
"secondary-fixed-dim": "#4edea3",
"tertiary": "#3e2400",
"secondary-container": "#6cf8bb",
"primary-container": "#1e3a8a",
"surface-container": "#eeedf4",
"primary-fixed-dim": "#b6c4ff",
"on-tertiary-fixed": "#2a1700",
"tertiary-fixed": "#ffddb8",
"on-secondary-fixed": "#002113",
"surface-tint": "#4059aa",
"inverse-on-surface": "#f1f0f7",
"inverse-primary": "#b6c4ff",
"surface-container-highest": "#e3e1e9",
"tertiary-container": "#5c3800",
"on-tertiary": "#ffffff",
"error": "#ba1a1a"
},
"borderRadius": {
  "DEFAULT": "0.25rem",
  "lg": "0.5rem",
  "xl": "0.75rem",
  "full": "9999px"
},
"spacing": {
  "md": "16px",
  "xl": "32px",
  "lg": "24px",
  "sm": "12px",
  "container-max": "1280px",
  "gutter": "16px",
  "base": "4px",
  "xs": "8px"
},
"fontFamily": {
  "headline-lg-mobile": ["Inter"],
  "label-sm": ["Inter"],
  "body-lg": ["Inter"],
  "label-md": ["Inter"],
  "headline-lg": ["Inter"],
  "body-md": ["Inter"],
  "body-sm": ["Inter"],
  "headline-md": ["Inter"]
},
"fontSize": {
```

```

        "headline-lg-mobile": ["24px", { "lineHeight": "32px", "letterSpacing":
"-0.01em", "fontWeight": "700" }],
        "label-sm": ["12px", { "lineHeight": "16px", "letterSpacing": "0.04em",
"fontWeight": "500" }],
        "body-lg": ["18px", { "lineHeight": "28px", "fontWeight": "400" }],
        "label-md": ["14px", { "lineHeight": "16px", "letterSpacing": "0.01em",
"fontWeight": "600" }],
        "headline-lg": ["32px", { "lineHeight": "40px", "letterSpacing": "-0.02em",
"fontWeight": "700" }],
        "body-md": ["16px", { "lineHeight": "24px", "fontWeight": "400" }],
        "body-sm": ["14px", { "lineHeight": "20px", "fontWeight": "400" }],
        "headline-md": ["20px", { "lineHeight": "28px", "fontWeight": "600" }]
    }
}
}
}
</script>
<style>
    body { font-family: 'Inter', sans-serif; }
</style>
</head>
<body class="bg-surface text-on-surface antialiased pt-20 pb-24 md:pb-8 min-h-screen">
<!-- TopAppBar -->
<header class="fixed top-0 left-0 w-full z-50 flex justify-between items-center px-md h-16
bg-surface dark:bg-on-background shadow-sm docked full-width">
<div class="flex items-center gap-xs cursor-pointer hover:opacity-80 transition-opacity">
<span class="material-symbols-outlined text-primary dark:text-primary-fixed-dim"
data-icon="gavel" style="font-variation-settings: 'FILL' 1;">gavel</span>
<span class="font-headline-md text-headline-md-mobile font-bold text-primary
dark:text-primary-fixed-dim">Destrava Proposta Gov</span>
</div>
<div class="flex items-center hover:opacity-80 transition-opacity cursor-pointer">
<div class="w-8 h-8 rounded-full bg-surface-container-highest flex items-center justify-center
overflow-hidden">
<span class="material-symbols-outlined text-on-surface-variant">person</span>
</div>
</div>
</header>
<main class="max-w-[container-max] mx-auto px-gutter md:px-lg mt-md">
<!-- Header & Progress -->
<div class="mb-lg">
<div class="flex items-center gap-sm mb-md">
<button class="w-10 h-10 rounded-full bg-surface-container-lowest shadow-sm flex
items-center justify-center text-on-surface hover:bg-surface-variant transition-colors border
border-outline-variant">
<span class="material-symbols-outlined">arrow_back</span>
</button>
</div>

```

```

<h1 class="font-headline-lg text-headline-lg-mobile text-on-surface">Nova Proposta</h1>
<p class="font-body-sm text-body-sm text-on-surface-variant">Preencha os dados para gerar
o documento oficial.</p>
</div>
</div>
<div class="flex items-center justify-between w-full relative">
<!-- Progress Line Background -->
<div class="absolute top-1/2 left-0 w-full h-1 bg-surface-variant -translate-y-1/2 z-0
rounded-full"></div>
<!-- Progress Line Fill (Active to Step 2) -->
<div class="absolute top-1/2 left-0 w-1/2 h-1 bg-primary -translate-y-1/2 z-0 rounded-full
transition-all duration-300"></div>
<!-- Step 1 (Completed) -->
<div class="relative z-10 flex flex-col items-center gap-xs">
<div class="w-8 h-8 rounded-full bg-primary text-on-primary flex items-center justify-center
font-label-md text-label-md">
<span class="material-symbols-outlined text-[16px]">check</span>
</div>
<span class="font-label-sm text-label-sm text-primary hidden md:block">Dados
Gerais</span>
</div>
<!-- Step 2 (Active) -->
<div class="relative z-10 flex flex-col items-center gap-xs">
<div class="w-8 h-8 rounded-full bg-primary text-on-primary flex items-center justify-center
font-label-md text-label-md ring-4 ring-primary/20">
2
</div>
<span class="font-label-sm text-label-sm text-primary font-bold hidden md:block">Itens da
Proposta</span>
</div>
<!-- Step 3 (Pending) -->
<div class="relative z-10 flex flex-col items-center gap-xs">
<div class="w-8 h-8 rounded-full bg-surface-variant text-on-surface-variant flex items-center
justify-center font-label-md text-label-md">
3
</div>
<span class="font-label-sm text-label-sm text-on-surface-variant hidden
md:block">Finalização</span>
</div>
</div>
</div>
<!-- Form Card (Step 2 Active) -->
<div class="bg-surface-container-lowest rounded-xl
shadow-[0_4px_20px_rgba(31,41,55,0.05)] border border-surface-variant p-md md:p-lg">
<div class="flex justify-between items-center mb-md border-b border-surface-variant pb-sm">
<h2 class="font-headline-md text-headline-md-mobile text-on-surface">Itens da
Proposta</h2>

```

```
<button class="flex items-center gap-xs font-label-md text-label-md text-primary
bg-primary-fixed hover:bg-primary-fixed-dim transition-colors px-4 py-2 rounded-lg">
<span class="material-symbols-outlined text-[20px]">add</span>
```

```
    Adicionar Item
```

```
</button>
```

```
</div>
```

```
<!-- Editable Table -->
```

```
<div class="overflow-x-auto mb-lg">
```

```
<table class="w-full text-left border-collapse min-w-[800px]">
```

```
<thead>
```

```
<tr class="bg-surface-container-low border-b border-surface-variant">
```

```
<th class="p-sm font-label-md text-label-md text-on-surface-variant w-[80px]">Item</th>
```

```
<th class="p-sm font-label-md text-label-md text-on-surface-variant">Descrição</th>
```

```
<th class="p-sm font-label-md text-label-md text-on-surface-variant w-[150px]">Marca</th>
```

```
<th class="p-sm font-label-md text-label-md text-on-surface-variant w-[100px]">Qtd.</th>
```

```
<th class="p-sm font-label-md text-label-md text-on-surface-variant w-[150px]">Vlr. Unit
(R$)</th>
```

```
<th class="p-sm font-label-md text-label-md text-on-surface-variant w-[150px]">Total
(R$)</th>
```

```
<th class="p-sm font-label-md text-label-md text-on-surface-variant w-[60px]">Ação</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<!-- Row 1 -->
```

```
<tr class="border-b border-surface-variant hover:bg-surface-container-lowest
transition-colors h-[56px]">
```

```
<td class="p-sm">
```

```
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded" type="text" value="01">
```

```
</td>
```

```
<td class="p-sm">
```

```
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded" type="text" value="Computador
Desktop Core i7 16GB">
```

```
</td>
```

```
<td class="p-sm">
```

```
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded" type="text" value="Dell">
```

```
</td>
```

```
<td class="p-sm">
```

```
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded" type="number" value="10">
```

```
</td>
```

```
<td class="p-sm">
```

```
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded text-right" type="text"
value="4.500,00">
```

```
</td>
```

```

<td class="p-sm text-right font-label-md text-label-md text-on-surface">
    45.000,00
</td>
<td class="p-sm text-center">
<button class="text-error hover:opacity-80 transition-opacity">
<span class="material-symbols-outlined text-[20px]">delete</span>
</button>
</td>
</tr>
<!-- Row 2 -->
<tr class="border-b border-surface-variant hover:bg-surface-container-lowest
transition-colors h-[56px]">
<td class="p-sm">
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded" type="text" value="02">
</td>
<td class="p-sm">
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded" type="text" value="Monitor 24
Polegadas IPS">
</td>
<td class="p-sm">
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded" type="text" value="LG">
</td>
<td class="p-sm">
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded" type="number" value="20">
</td>
<td class="p-sm">
<input class="w-full bg-transparent border-none p-1 font-body-sm text-body-sm
text-on-surface focus:ring-2 focus:ring-primary rounded text-right" type="text"
value="850,00">
</td>
<td class="p-sm text-right font-label-md text-label-md text-on-surface">
    17.000,00
</td>
<td class="p-sm text-center">
<button class="text-error hover:opacity-80 transition-opacity">
<span class="material-symbols-outlined text-[20px]">delete</span>
</button>
</td>
</tr>
</tbody>
</table>
</div>
<!-- Summary Area -->

```

```

<div class="flex justify-end mt-md p-md bg-surface-container-low rounded-lg border
border-surface-variant">
<div class="flex items-center gap-md">
<span class="font-body-md text-body-md text-on-surface-variant">Valor Total da
Proposta:</span>
<span class="font-headline-md text-headline-md-mobile text-primary font-bold">R$
62.000,00</span>
</div>
</div>
<!-- Action Buttons -->
<div class="flex justify-between items-center mt-xl pt-lg border-t border-surface-variant">
<button class="font-label-md text-label-md text-primary border border-primary px-6 py-3
rounded-lg hover:bg-primary-fixed transition-colors">
    Voltar
</button>
<div class="flex gap-sm">
<button class="font-label-md text-label-md text-primary bg-primary-fixed
hover:bg-primary-fixed-dim px-6 py-3 rounded-lg transition-colors flex items-center gap-xs">
<span class="material-symbols-outlined">save</span>
    Salvar Rascunho
</button>
<button class="font-label-md text-label-md text-on-primary bg-primary
hover:bg-primary-container px-6 py-3 rounded-lg shadow-sm transition-colors flex
items-center gap-xs">
    Avançar
    <span class="material-symbols-outlined">arrow_forward</span>
</button>
</div>
</div>
</div>
</div>
</main>
<!-- BottomNavBar (Hidden on desktop, logic implies suppression for deep task flows, but
keeping as per prompt implication of standard structure if not strictly a 'modal' flow. Given the
3-step form nature, a strict interpretation of 'Linear/Transactional' would suppress it.
Suppressing as per mandate: "Automatic Suppression: You MUST exclude the navigation
shell if the page intent is: Linear/Transactional") -->
<!-- Suppressed Nav Shell for Form Flow -->
</body></html>

```