

axiomTM



The 30 Year Horizon

| | | |
|------------------------------|------------------------|---------------------------|
| <i>Manuel Bronstein</i> | <i>William Burge</i> | <i>Timothy Daly</i> |
| <i>James Davenport</i> | <i>Michael Dewar</i> | <i>Martin Dunstan</i> |
| <i>Albrecht Fortenbacher</i> | <i>Patrizia Gianni</i> | <i>Johannes Grabmeier</i> |
| <i>Jocelyn Guidry</i> | <i>Richard Jenks</i> | <i>Larry Lambe</i> |
| <i>Michael Monagan</i> | <i>Scott Morrison</i> | <i>William Sit</i> |
| <i>Jonathan Steinbach</i> | <i>Robert Sutor</i> | <i>Barry Trager</i> |
| <i>Stephen Watt</i> | <i>Jim Wen</i> | <i>Clifton Williamson</i> |

Volume 12: Axiom Crystal

December 20, 2019

0dd63e11c69e661da14451a81e09cbaa53d71deb

Portions Copyright (c) 2005 Timothy Daly

The Blue Bayou image Copyright (c) 2004 Jocelyn Guidry

Portions Copyright (c) 2004 Martin Dunstan

Portions Copyright (c) 2007 Alfredo Portes

Portions Copyright (c) 2007 Arthur Ralfs

Portions Copyright (c) 2005 Timothy Daly

Portions Copyright (c) 1991-2002,
The Numerical ALgorithms Group Ltd.
All rights reserved.

This book and the Axiom software is licensed as follows:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of The Numerical ALgorithms Group Ltd. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Inclusion of names in the list of credits is based on historical information and is as accurate as possible. Inclusion of names does not in any way imply an endorsement but represents historical influence on Axiom development.

| | | |
|-----------------------|------------------------|-----------------------|
| Michael Albaugh | Cyril Alberga | Roy Adler |
| Christian Aistleitner | Richard Anderson | George Andrews |
| Jerry Archibald | S.J. Atkins | Jeremy Avigad |
| Knut Bahr | Henry Baker | Martin Baker |
| Stephen Balzac | Yurij Baransky | David R. Barton |
| Thomas Baruchel | Gerald Baumgartner | Gilbert Baumslag |
| Michael Becker | Nelson H. F. Beebe | Jay Belanger |
| Siddharth Bhat | David Bindel | Fred Blair |
| Vladimir Bondarenko | Mark Botch | Raoul Bourquin |
| Alexandre Bouyer | Karen Braman | Wolfgang Brehm |
| Peter A. Broadbery | Martin Brock | Manuel Bronstein |
| Christopher Brown | Stephen Buchwald | Florian Bundschuh |
| Luanne Burns | William Burge | Ralph Byers |
| Quentin Carpent | Jacques Carette | Pierre Casteran |
| Robert Cavines | Pablo Cayuela | Bruce Char |
| Ondrej Certik | Tzu-Yi Chen | Bobby Cheng |
| Cheekai Chin | David V. Chudnovsky | Gregory V. Chudnovsky |
| Mark Clements | Roland Coeurjoly | Emil Cohen |
| Hirsh Cohen | Josh Cohen | James Cloos |
| Jia Zhao Cong | Christophe Conil | Don Coppersmith |
| George Corliss | Robert Corless | Gary Cornell |
| Frank Costa | Meino Cramer | Karl Crary |
| Jeremy Du Croz | David Cyganski | Nathaniel Daly |
| Timothy Daly Sr. | Timothy Daly Jr. | James H. Davenport |
| David Day | James Demmel | Didier Deshommes |
| Michael Dewar | Inderjit Dhillon | Jack Dongarra |
| Jean Della Dora | Gabriel Dos Reis | Claire DiCrescendo |
| Sam Dooley | Nicolas James Doye | Zlatko Drmac |
| Lionel Ducos | Iain Duff | Lee Duhem |
| Martin Dunstan | Brian Dupee | Dominique Duval |
| Robert Edwards | Hans-Dieter Ehrich | Heow Eide-Goodman |
| Carl Engelman | Lars Erickson | Mark Fahey |
| William Farmer | Richard Fateman | Bertfried Fauser |
| Stuart Feldman | John Fletcher | Brian Ford |
| Albrecht Fortenbacher | George Frances | Constantine Frangos |
| Timothy Freeman | Korrinn Fu | Marc Gaetano |
| Rudiger Gebauer | Van de Geijn | Kathy Gerber |
| Patricia Gianni | Gustavo Goertkin | Samantha Goldrich |
| Max Goldstein | Holger Gollan | Teresa Gomez-Diaz |
| Ralph Gomory | Laureano Gonzalez-Vega | Stephen Gortler |
| Johannes Grabmeier | Matt Grayson | Martin Griss |
| Klaus Ebbe Grue | James Griesmer | Vladimir Grinberg |
| Oswald Gschnitzer | Ming Gu | Fred Gustavson |
| Jocelyn Guidry | Gaetan Hache | Steve Hague |
| Satoshi Hamaguchi | Sven Hammarling | Mike Hansen |
| Richard Hanson | Richard Harke | Joseph Harry |
| Bill Hart | Vilya Harvey | Martin Hassner |
| Arthur S. Hathaway | Dan Hatton | Waldek Hebisch |
| Karl Hegbloom | Ralf Hemmecke | Tony Hearn |
| Henderson | Antoine Hersen | Nicholas J. Higham |
| Lou Hodes | Alan Hoffman | Hoon Hong |
| Roger House | Gernot Hueber | Pietro Iglio |
| Joan Jaffe | Alejandro Jakubi | Richard Jenks |
| Bo Kagstrom | William Kahan | Kyriakos Kalorkoti |
| Kai Kaminski | Grant Keady | Tom Kelsey |
| Wilfrid Kendall | Tony Kennedy | David Kincaid |
| Keshav Kini | Knut Korsvold | Ted Kosan |

| | | |
|---------------------|------------------------|------------------------|
| Paul Kosinski | Igor Kozachenko | Fred Krogh |
| Klaus Kusche | Bernhard Kutzler | Tim Lahey |
| Larry Lambe | Kaj Laurson | Charles Lawson |
| George L. Legendre | Franz Lehner | Frederic Lehobey |
| Michel Levaud | Howard Levy | J. Lewis |
| Ren-Cang Li | John Lipson | Rudiger Loos |
| Craig Lucas | Michael Lucks | Richard Luczak |
| Camm Maguire | Dave Mainey | Francois Maltey |
| William Martin | Ursula Martin | Osni Marques |
| Alasdair McAndrew | Bob McElrath | Michael McGettrick |
| Bob McNeill | Edi Meier | Ian Meikle |
| David Mentre | Jonathan Millen | Victor S. Miller |
| Gerard Milmeister | William Miranker | Mohammed Mobarak |
| H. Michael Moeller | Michael Monagan | Marc Moreno-Maza |
| Scott Morrison | Joel Moses | Mark Murray |
| William Naylor | Patrice Naudin | C. Andrew Neff |
| John Nelder | Godfrey Nolan | Arthur Norman |
| Jinzhong Niu | Michael O'Connor | Summat Oemrawsingh |
| Kostas Oikonomou | Humberto Ortiz-Zuazaga | Julian A. Padget |
| Bill Page | David Parnas | Norm Pass |
| Susan Pelzel | Michel Petitot | Didier Pinchon |
| Ayal Pinkus | Frederick H. Pitts | Frank Pfenning |
| Jose Alfredo Portes | E. Quintana-Orti | Gregorio Quintana-Orti |
| Beresford Parlett | A. Petitot | Andre Platzter |
| Peter Poromaas | Greg Puhak | Claude Quitte |
| Arthur C. Ralfs | Norman Ramsey | Anatoly Raportirenko |
| Guilherme Reis | Huan Ren | Albert D. Rich |
| Michael Richardson | Jason Riedy | Renaud Rioboo |
| Robert Risch | Jean Rivlin | Nicolas Robidoux |
| Simon Robinson | Raymond Rogers | Michael Rothstein |
| Martin Rubey | Jeff Rutter | R.W Ryniker II |
| Philip Santas | David Saunders | Alfred Scheerhorn |
| William Schelter | Gerhard Schneider | Martin Schoenert |
| Marshall Schor | Frithjof Schulze | Fritz Schwartz |
| Steven Segletes | V. Sima | Nick Simicich |
| William Sit | Elena Smirnova | Jacob Nyffeler Smith |
| Matthieu Sozeau | Srinivasan Seshan | Ken Stanley |
| Jonathan Steinbach | Fabio Stumbo | Christine Sundaresan |
| Klaus Sutner | Robert Sutor | Moss E. Sweedler |
| Eugene Surowitz | Yong Kiam Tan | Max Tegmark |
| T. Doug Telford | James Thatcher | Laurent Thery |
| Balbir Thomas | Mike Thomas | Carol Thompson |
| Dylan Thurston | Francoise Tisseur | Steve Toleque |
| Dick Toupin | Raymond Toy | Barry Trager |
| Hale Trotter | Themos T. Tsikas | Gregory Vanuxem |
| Kresimir Veselic | Christof Voemel | E.G. Wagner |
| Bernhard Wall | Paul Wang | Stephen Watt |
| Andreas Weber | Jaap Weel | Al Weis |
| Juergen Weiss | M. Weller | Mark Wegman |
| James Wen | Thorsten Werther | Michael Wester |
| R. Clint Whaley | James T. Wheeler | John M. Wiley |
| Berhard Will | Clifton J. Williamson | Stephen Wilson |
| Shmuel Winograd | Robert Wisbauer | Sandra Wityak |
| Waldemar Wiwianka | Knut Wolf | Yanyang Xiao |
| Liu Xiaojun | Clifford Yapp | David Yun |
| Qian Yun | Vadim Zhytnikov | Richard Zippel |
| Evelyn Zoernack | Bruno Zuercher | Dan Zwillinger |

Contents

| | |
|--|----------|
| Axiom Crystal Design | 1 |
| 1.1 Book presentation | 1 |
| 1.1.1 Book spines | 1 |
| 1.1.2 Linking information | 1 |
| Experiments | 3 |
| 1.2 Hide/Show a div element | 3 |
| 1.3 Hide/Show a nested div element | 3 |
| 1.4 Hide/Show a ring of elements | 4 |
| Other work | 7 |
| 1.5 Understanding the Dynamics of Complex Lisp Programs [Loet09] | 7 |
| Bibliography | 9 |

New Foreword

On October 1, 2001 Axiom was withdrawn from the market and ended life as a commercial product. On September 3, 2002 Axiom was released under the Modified BSD license, including this document. On August 27, 2003 Axiom was released as free and open source software available for download from the Free Software Foundation's website, Savannah.

Work on Axiom has had the generous support of the Center for Algorithms and Interactive Scientific Computation (CAISS) at City College of New York. Special thanks go to Dr. Gilbert Baumslag for his support of the long term goal.

The online version of this documentation is roughly 1000 pages. In order to make printed versions we've broken it up into three volumes. The first volume is tutorial in nature. The second volume is for programmers. The third volume is reference material. We've also added a fourth volume for developers. All of these changes represent an experiment in print-on-demand delivery of documentation. Time will tell whether the experiment succeeded.

Axiom has been in existence for over thirty years. It is estimated to contain about three hundred man-years of research and has, as of September 3, 2003, 143 people listed in the credits. All of these people have contributed directly or indirectly to making Axiom available. Axiom is being passed to the next generation. I'm looking forward to future milestones.

With that in mind I've introduced the theme of the "30 year horizon". We must invent the tools that support the Computational Mathematician working 30 years from now. How will research be done when every bit of mathematical knowledge is online and instantly available? What happens when we scale Axiom by a factor of 100, giving us 1.1 million domains? How can we integrate theory with code? How will we integrate theorems and proofs of the mathematics with space-time complexity proofs and running code? What visualization tools are needed? How do we support the conceptual structures and semantics of mathematics in effective ways? How do we support results from the sciences? How do we teach the next generation to be effective Computational Mathematicians?

The "30 year horizon" is much nearer than it appears.

Tim Daly
CAISS, City College of New York
November 10, 2003 ((iHy))

Axiom Crystal Design

1.1 Book presentation

In the book "Science at the Edge" by John Brockman (ISBN 978-1-4027-5450-0), in the chapter "The second coming – A manifesto" by David Gelernter, David talks about the way we interact with computers. This has some bearing on the crystal notion.

1.1.1 Book spines

David points out that we currently have a "desktop metaphor" which allows us to view our computer interactions as though we were moving things around on a desktop, typically folders and documents. There are several limitations of this metaphor.

The first is that there is a limited amount of space on the desktop. He proposes the idea of a landscape where the computer is just a moving window. This gives much more real estate to hold information.

The lack of desktop space leads to the icon idea to capture a small representation of a document or folder. There are limitations to how representative such a tiny image can be of the original. A book spine is an excellent representation of the contents of a book but a tiny picture of a folder, not so much.

If I look at this idea in terms of the Crystal concept I can see two parallels. The first idea (desktop/icon) vs (landscape/book) is related to the organization of Axiom. There is an ongoing effort to organize the whole of the system into some small number of books. The whole system is then somewhat similar to an encyclopedia where there is a shelf of related information.

Currently the algebra books are on the order of 5000 pages of raw material. They will likely grow many times that size as literate information is added. One website representation would show the Axiom books as book-spines where the algebra section could be broken up (visually, not actually) as encyclopedia-like images. Thus, you would find the algebra "books" from A-C, D-F, etc.

1.1.2 Linking information

A second idea from the book is the limitations of the hierarchical file system idea. Why does a particular file have to have a name? Why does a particular file only live in one folder?

For the first question, he comments that if you had 3 dogs it is reasonable to name them.

But if you have 10,000 cows it probably is not. Some information can be anonymous.

For the second question, he asks why doesn't a folder "grab" the information so that a particular file might not reside in multiple folders. Unix has this idea embodied in links but Windows doesn't support the idea.

He suggests that it might be reasonable to have the folders be active so that a particular piece of information, say a travel receipt, might be "grabbed" by the taxes folder and the travel expense folder.

Crystal's view of this is somewhat different. Information isn't named. It resides in "the problem" floating in space. The naming of information is related to the view.

So if we take a problem in space, say all of your financial information and wrap a crystal around it we can view it in multiple ways, each of which represents a "facet". Moving between these views corresponds to rotating the crystal to view "the problem" through a different facet.

So, in a financial crystal, you might have a taxes facet, a travel expense facet, an assets facet, a checkbook facet, etc. A travel receipt from a business trip which was added to "the problem" would show up in all of these facets in different ways. It is up to the facet to organize this piece of information into its proper place based on the intent of the facet.

"The problem" just is. The meaning of the problem, the division of the problem into parts, the naming of the parts, the organization of the parts, indeed, the very idea that a problem has parts is a function of the facet, not a function of the problem.

Experiments

1.2 Hide/Show a div element

Here we demonstrate the ability to hide or show a named div element.

— hide/show a div element —

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/xml" charset="us-ascii"/>
  <style>
    html { color:#000000; }
  </style>
  <script language="JavaScript" type="text/javascript">
    function hideshow(flag) {
      var c = document.getElementById('crystal');
      c.style.display=flag;
    }
  </script>
</head>
<body>
it works
  <div id="crystal" style="overflow:hidden;display:none">
    this is visible
  </div>
</body>
<hr/>
<a href="javascript:hideshow('none')">Hide</a>
<a href="javascript:hideshow('block')">Show</a>
</html>
```

1.3 Hide/Show a nested div element

Now that we can hide or show a div element we demonstrate the ability to hide or show a nested div element.

— hide/show a nested div element —

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/xml" charset="us-ascii"/>
```

```

<style>
  html { color:#000000; }
</style>
<script language="JavaScript" type="text/javascript">
  function showhide(id,flag) {
    var c = document.getElementById(id);
    c.style.display=flag;
  }
  function toggle(id) {
    var c = document.getElementById(id);
    if (c.style.display == 'block') {
      c.style.display='none'
    } else {
      c.style.display='block'
    }
  }
</script>
</head>
<body>
it works
<div id="crystal" style="overflow:hidden;display:none">
  <a href="javascript:toggle('facet1','block')">
    integrate(sin x,x)
  </a>
<div id="facet1" style="overflow:hidden;display:none">
  <a href="javascript:showhide('facet1','none')">
    <br/>
    -cos(x)
  </a>
</div>
</div>
</body>
<hr/>
<a href="javascript:showhide('crystal','none')">Hide</a>
<a href="javascript:showhide('crystal','block')">Show</a>
</html>

```

1.4 Hide/Show a ring of elements

Now that we can hide or show a div element we demonstrate the ability to hide or show a ring of div elements. There are 3 elements in the ring, 'facet1', 'facet2', and 'facet3'. Each facet can open or close the associated 'answer' sub-div element.

— hide/show a ring of elements —

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/xml" charset="us-ascii"/>
  <style>
    html { color:#000000; }
  </style>
  <script language="JavaScript" type="text/javascript">

```

```

var circle = ['facet1','facet2','facet3']
var here = 'facet1';
var herept = 0;
function showhide(id,flag) {
  var c = document.getElementById(id);
  c.style.display=flag;
}
function toggle(id) {
  var c = document.getElementById(id);
  if (c.style.display == 'block') {
    c.style.display='none'
  } else {
    c.style.display='block'
  }
}
/* hide the old, get the next one in the circle, show it */
function docircle() {
  var c = document.getElementById(here);
  c.style.display='none'
  if (herept == 2) {
    herept = 0 ;
  } else {
    herept = herept + 1;
  }
  here = circle[herept];
  c = document.getElementById(here);
  c.style.display='block'
}
</script>
</head>
<body onload="showhide('facet1','block')">
it works
<div id="facet1" style="overflow:hidden;display:none">
  <a href="javascript:docircle()">
    integrate(cos x,x)
  </a>
  <br/><a href="javascript:toggle('facet1a')">toggle</a>
<div id="facet1a" style="overflow:hidden;display:none">
  <a href="javascript:showhide('facet1a','none')">
  <br/>
  <pre>
    sin(x)
  </pre>
  </a>
</div>
</div>
<div id="facet2" style="overflow:hidden;display:none">
  <a href="javascript:docircle()">
    integrate(sin x,x)
  </a>
  <br/><a href="javascript:toggle('facet2a')">toggle</a>
<div id="facet2a" style="overflow:hidden;display:none">
  <a href="javascript:showhide('facet2a','none')">
  <br/>

```

```

    <pre>
    -cos(x)
    </pre>
  </a>
</div>
</div>
<div id="facet3" style="overflow:hidden;display:none">
  <a href="javascript:docircle()">
    integrate(tan x,x)
  </a>
  <br/><a href="javascript:toggle('facet3a')">toggle</a>
  <div id="facet3a" style="overflow:hidden;display:none">
    <a href="javascript:showhide('facet3a','none')">
      <br/>
      <pre>
          2
        log(tan(x) + 1)
        -----
          2
      </pre>
    </a>
  </div>
</div>
</body>
<hr/>
</html>

```

Other work

1.5 Understanding the Dynamics of Complex Lisp Programs [Loet09]

Abstract: Recent advances in web technologies and the availability of robust Lisp libraries supporting them have made it possible to think of new ways of understanding and debugging large applications. In this paper, we will discuss two basic ideas for assessing and verifying the behavior of Lisp programs. First, we propose to use a web browser for graphically displaying debug output in a similar but more versatile way as the Lisp listener is normally used to print output traces. And second, we propose a method for creating HTML visualisations of complex data and control structures that don't trade in level of detail for readability. We will introduce GTFL (a Graphical Terminal For Lisp), which we have implemented based on these two ideas, and discuss its applications.

This paper is of interest, not for its lisp tracing output, but for its ability to pipeline output to a browser and the technology that underlies the whole of it.

GTFL [Loet00] uses Hunchentoot [Weit06] as a common lisp web server. It uses CL-WHO [Weit03] as the Lisp/HTML markup language, HT-AJAX [Mars07] as an AJAX framework. The combination of these tools with GTFL allows nicely formatted output that the browser can dynamically layout, expand, and contract.

Bibliography

- [Loet00] M. Loetzsch. GTFL - A graphical terminal for Lisp, 2000.
Link: <http://martin-loetzsch.de/gtfl>
- [Loet09] Martin Loetzsch, Joris Bleys, and Pieter Wellens. Understanding the Dynamics of Complex Lisp Programs, 2009.
Link: <http://www.martin-loetzsch.de/papers/loetzsch09understanding.pdf>
- [Mars07] U. Marshak. HT-AJAX - AJAX framework for Hunchentoot, 2007.
Link: <http://common-lisp.net/project/ht-ajax/ht-ajax.html>
- [Weit03] E. Weitz. CL-WHO -Yet another Lisp markup language, 2003.
Link: <http://www.weitz.de/cl-who/>
- [Weit06] E. Weitz. HUNCHENTOOT - The Common Lisp web server formerly known as TBNL, 2006.
Link: <http://www.weitz.de/hunchentoot>

