

axiom™



The 30 Year Horizon

<i>Manuel Bronstein</i>	<i>William Burge</i>	<i>Timothy Daly</i>
<i>James Davenport</i>	<i>Michael Dewar</i>	<i>Martin Dunstan</i>
<i>Albrecht Fortenbacher</i>	<i>Patrizia Gianni</i>	<i>Johannes Grabmeier</i>
<i>Jocelyn Guidry</i>	<i>Richard Jenks</i>	<i>Larry Lambe</i>
<i>Michael Monagan</i>	<i>Scott Morrison</i>	<i>William Sit</i>
<i>Jonathan Steinbach</i>	<i>Robert Sutor</i>	<i>Barry Trager</i>
<i>Stephen Watt</i>	<i>Jim Wen</i>	<i>Clifton Williamson</i>

Volume 12: Axiom Crystal

August 7, 2020

e80a1059d179481c8d53bf205da92871b22e4bba

Portions Copyright (c) 2005 Timothy Daly

The Blue Bayou image Copyright (c) 2004 Jocelyn Guidry

Portions Copyright (c) 2004 Martin Dunstan

Portions Copyright (c) 2007 Alfredo Portes

Portions Copyright (c) 2007 Arthur Ralfs

Portions Copyright (c) 2005 Timothy Daly

Portions Copyright (c) 1991-2002,
The Numerical ALgorithms Group Ltd.
All rights reserved.

This book and the Axiom software is licensed as follows:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of The Numerical ALgorithms Group Ltd. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Inclusion of names in the list of credits is based on historical information and is as accurate as possible. Inclusion of names does not in any way imply an endorsement but represents historical influence on Axiom development.

Michael Albaugh	Cyril Alberga	Roy Adler
Christian Aistleitner	Richard Anderson	George Andrews
Jerry Archibald	S.J. Atkins	Jeremy Avigad
Knut Bahr	Henry Baker	Martin Baker
Stephen Balzac	Yurij Baransky	David R. Barton
Thomas Baruchel	Gerald Baumgartner	Gilbert Baumslag
Michael Becker	Nelson H. F. Beebe	Jay Belanger
Siddharth Bhat	David Bindel	Fred Blair
Vladimir Bondarenko	Mark Botch	Raoul Bourquin
Alexandre Bouyer	Karen Braman	Wolfgang Brehm
Peter A. Broadbery	Martin Brock	Manuel Bronstein
Christopher Brown	Stephen Buchwald	Florian Bundschuh
Luanne Burns	William Burge	Ralph Byers
Quentin Carpent	Jacques Carette	Pierre Casteran
Robert Cavines	Pablo Cayuela	Bruce Char
Ondrej Certik	Tzu-Yi Chen	Bobby Cheng
Cheekai Chin	David V. Chudnovsky	Gregory V. Chudnovsky
Mark Clements	Roland Coeurjoly	Emil Cohen
Hirsh Cohen	Josh Cohen	James Cloos
Jia Zhao Cong	Christophe Conil	Don Coppersmith
George Corliss	Robert Corless	Gary Cornell
Frank Costa	Meino Cramer	Karl Crary
Jeremy Du Croz	David Cyganski	Nathaniel Daly
Timothy Daly Sr.	Timothy Daly Jr.	James H. Davenport
David Day	James Demmel	Didier Deshommes
Michael Dewar	Inderjit Dhillon	Jack Dongarra
Jean Della Dora	Gabriel Dos Reis	Claire DiCrescendo
Sam Dooley	Nicolas James Doye	Zlatko Drmac
Lionel Ducos	Iain Duff	Lee Duhem
Martin Dunstan	Brian Dupee	Dominique Duval
Robert Edwards	Hans-Dieter Ehrich	Heow Eide-Goodman
Carl Engelman	Lars Erickson	Mark Fahey
William Farmer	Richard Fateman	Bertfried Fauser
Stuart Feldman	John Fletcher	Brian Ford
Albrecht Fortenbacher	George Frances	Constantine Frangos
Timothy Freeman	Korrinn Fu	Marc Gaetano
Rudiger Gebauer	Van de Geijn	Kathy Gerber
Patricia Gianni	Gustavo Goertkin	Samantha Goldrich
Max Goldstein	Holger Gollan	Teresa Gomez-Diaz
Ralph Gomory	Laureano Gonzalez-Vega	Stephen Gortler
Johannes Grabmeier	Matt Grayson	Martin Griss
Klaus Ebbe Grue	James Griesmer	Vladimir Grinberg
Oswald Gschnitzer	Ming Gu	Fred Gustavson
Jocelyn Guidry	Gaetan Hache	Steve Hague
Satoshi Hamaguchi	Sven Hammarling	Mike Hansen
Richard Hanson	Richard Harke	Joseph Harry
Bill Hart	Vilya Harvey	Martin Hassner
Arthur S. Hathaway	Dan Hatton	Waldek Hebisch
Karl Hegbloom	Ralf Hemmecke	Tony Hearn
Henderson	Antoine Hersen	Nicholas J. Higham
Lou Hodes	Alan Hoffman	Hoon Hong
Roger House	Gernot Hueber	Pietro Iglio
Joan Jaffe	Alejandro Jakubi	Richard Jenks
Bo Kagstrom	William Kahan	Kyriakos Kalorkoti
Kai Kaminski	Grant Keady	Tom Kelsey
Wilfrid Kendall	Tony Kennedy	David Kincaid
Keshav Kini	Knut Korsvold	Ted Kosan

Paul Kosinski	Igor Kozachenko	Fred Krogh
Klaus Kusche	Bernhard Kutzler	Tim Lahey
Larry Lambe	Kaj Laurson	Charles Lawson
George L. Legendre	Franz Lehner	Frederic Lehobey
Michel Levaud	Howard Levy	J. Lewis
Ren-Cang Li	John Lipson	Rudiger Loos
Craig Lucas	Michael Lucks	Richard Luczak
Camm Maguire	Dave Mainey	Francois Maltey
William Martin	Ursula Martin	Osni Marques
Alasdair McAndrew	Bob McElrath	Michael McGettrick
Bob McNeill	Edi Meier	Ian Meikle
David Mentre	Jonathan Millen	Victor S. Miller
Gerard Milmeister	William Miranker	Mohammed Mobarak
H. Michael Moeller	Michael Monagan	Marc Moreno-Maza
Scott Morrison	Joel Moses	Mark Murray
William Naylor	Patrice Naudin	C. Andrew Neff
John Nelder	Godfrey Nolan	Arthur Norman
Jinzhong Niu	Michael O'Connor	Summat Oemrawsingh
Kostas Oikonomou	Humberto Ortiz-Zuazaga	Julian A. Padget
Bill Page	David Parnas	Norm Pass
Susan Pelzel	Michel Petitot	Didier Pinchon
Ayal Pinkus	Frederick H. Pitts	Frank Pfenning
Erik Poll	Jose Alfredo Portes	E. Quintana-Orti
Gregorio Quintana-Orti	Beresford Parlett	A. Petitot
Andre Platzter	Peter Poromaas	Greg Puhak
Claude Quitte	Arthur C. Ralfs	Norman Ramsey
Anatoly Raportirenko	Guilherme Reis	Huan Ren
Albert D. Rich	Michael Richardson	Jason Riedy
Renaud Rioboo	Robert Risch	Jean Rivlin
Nicolas Robidoux	Simon Robinson	Raymond Rogers
Michael Rothstein	Martin Rubey	Jeff Rutter
R.W Ryniker II	Philip Santas	David Saunders
Alfred Scheerhorn	William Schelter	Gerhard Schneider
Martin Schoenert	Marshall Schor	Frithjof Schulze
Fritz Schwartz	Steven Segletes	V. Sima
Nick Simicich	William Sit	Elena Smirnova
Jacob Nyffeler Smith	Matthieu Sozeau	Srinivasan Seshan
Ken Stanley	Jonathan Steinbach	Fabio Stumbo
Christine Sundaresan	Klaus Sutner	Robert Sutor
Moss E. Sweedler	Eugene Surowitz	Yong Kiam Tan
Max Tegmark	T. Doug Telford	James Thatcher
Laurent Thery	Balbir Thomas	Mike Thomas
Carol Thompson	Simon Thompson	Dylan Thurston
Francoise Tisseur	Steve Toleque	Dick Toupin
Raymond Toy	Barry Trager	Hale Trotter
Themos T. Tsikas	Gregory Vanuxem	Kresimir Veselic
Christof Voemel	E.G. Wagner	Bernhard Wall
Paul Wang	Stephen Watt	Andreas Weber
Jaap Weel	Al Weis	Juergen Weiss
M. Weller	Mark Wegman	James Wen
Thorsten Werther	Michael Wester	R. Clint Whaley
James T. Wheeler	John M. Wiley	Berhard Will
Clifton J. Williamson	Stephen Wilson	Shmuel Winograd
Robert Wisbauer	Sandra Wityak	Waldemar Wiwianka
Knut Wolf	Yanyang Xiao	Liu Xiaojun
Clifford Yapp	David Yun	Qian Yun
Vadim Zhytnikov	Richard Zippel	Evelyn Zoernack
Bruno Zuercher	Dan Zwillinger	

Contents

Axiom Crystal Design	1
1.1 Book presentation	1
1.1.1 Book spines	1
1.1.2 Linking information	1
Experiments	3
1.2 Hide/Show a div element	3
1.3 Hide/Show a nested div element	3
1.4 Hide/Show a ring of elements	4
Other work	7
1.5 Understanding the Dynamics of Complex Lisp Programs [Loet09]	7
Bibliography	9

New Foreword

On October 1, 2001 Axiom was withdrawn from the market and ended life as a commercial product. On September 3, 2002 Axiom was released under the Modified BSD license, including this document. On August 27, 2003 Axiom was released as free and open source software available for download from the Free Software Foundation's website, Savannah.

Work on Axiom has had the generous support of the Center for Algorithms and Interactive Scientific Computation (CAISS) at City College of New York. Special thanks go to Dr. Gilbert Baumslag for his support of the long term goal.

The online version of this documentation is roughly 1000 pages. In order to make printed versions we've broken it up into three volumes. The first volume is tutorial in nature. The second volume is for programmers. The third volume is reference material. We've also added a fourth volume for developers. All of these changes represent an experiment in print-on-demand delivery of documentation. Time will tell whether the experiment succeeded.

Axiom has been in existence for over thirty years. It is estimated to contain about three hundred man-years of research and has, as of September 3, 2003, 143 people listed in the credits. All of these people have contributed directly or indirectly to making Axiom available. Axiom is being passed to the next generation. I'm looking forward to future milestones.

With that in mind I've introduced the theme of the "30 year horizon". We must invent the tools that support the Computational Mathematician working 30 years from now. How will research be done when every bit of mathematical knowledge is online and instantly available? What happens when we scale Axiom by a factor of 100, giving us 1.1 million domains? How can we integrate theory with code? How will we integrate theorems and proofs of the mathematics with space-time complexity proofs and running code? What visualization tools are needed? How do we support the conceptual structures and semantics of mathematics in effective ways? How do we support results from the sciences? How do we teach the next generation to be effective Computational Mathematicians?

The "30 year horizon" is much nearer than it appears.

Tim Daly
CAISS, City College of New York
November 10, 2003 ((iHy))

Axiom Crystal Design

1.1 Book presentation

In the book "Science at the Edge" by John Brockman (ISBN 978-1-4027-5450-0), in the chapter "The second coming – A manifesto" by David Gelernter, David talks about the way we interact with computers. This has some bearing on the crystal notion.

1.1.1 Book spines

David points out that we currently have a "desktop metaphor" which allows us to view our computer interactions as though we were moving things around on a desktop, typically folders and documents. There are several limitations of this metaphor.

The first is that there is a limited amount of space on the desktop. He proposes the idea of a landscape where the computer is just a moving window. This gives much more real estate to hold information.

The lack of desktop space leads to the icon idea to capture a small representation of a document or folder. There are limitations to how representative such a tiny image can be of the original. A book spine is an excellent representation of the contents of a book but a tiny picture of a folder, not so much.

If I look at this idea in terms of the Crystal concept I can see two parallels. The first idea (desktop/icon) vs (landscape/book) is related to the organization of Axiom. There is an ongoing effort to organize the whole of the system into some small number of books. The whole system is then somewhat similar to an encyclopedia where there is a shelf of related information.

Currently the algebra books are on the order of 5000 pages of raw material. They will likely grow many times that size as literate information is added. One website representation would show the Axiom books as book-spines where the algebra section could be broken up (visually, not actually) as encyclopedia-like images. Thus, you would find the algebra "books" from A-C, D-F, etc.

1.1.2 Linking information

A second idea from the book is the limitations of the hierarchical file system idea. Why does a particular file have to have a name? Why does a particular file only live in one folder?

For the first question, he comments that if you had 3 dogs it is reasonable to name them.

But if you have 10,000 cows it probably is not. Some information can be anonymous.

For the second question, he asks why doesn't a folder "grab" the information so that a particular file might not reside in multiple folders. Unix has this idea embodied in links but Windows doesn't support the idea.

He suggests that it might be reasonable to have the folders be active so that a particular piece of information, say a travel receipt, might be "grabbed" by the taxes folder and the travel expense folder.

Crystal's view of this is somewhat different. Information isn't named. It resides in "the problem" floating in space. The naming of information is related to the view.

So if we take a problem in space, say all of your financial information and wrap a crystal around it we can view it in multiple ways, each of which represents a "facet". Moving between these views corresponds to rotating the crystal to view "the problem" through a different facet.

So, in a financial crystal, you might have a taxes facet, a travel expense facet, an assets facet, a checkbook facet, etc. A travel receipt from a business trip which was added to "the problem" would show up in all of these facets in different ways. It is up to the facet to organize this piece of information into its proper place based on the intent of the facet.

"The problem" just is. The meaning of the problem, the division of the problem into parts, the naming of the parts, the organization of the parts, indeed, the very idea that a problem has parts is a function of the facet, not a function of the problem.

Experiments

1.2 Hide/Show a div element

Here we demonstrate the ability to hide or show a named div element.

— hide/show a div element —

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/xml" charset="us-ascii"/>
  <style>
    html { color:#000000; }
  </style>
  <script language="JavaScript" type="text/javascript">
    function hideshow(flag) {
      var c = document.getElementById('crystal');
      c.style.display=flag;
    }
  </script>
</head>
<body>
it works
  <div id="crystal" style="overflow:hidden;display:none">
    this is visible
  </div>
</body>
<hr/>
<a href="javascript:hideshow('none')">Hide</a>
<a href="javascript:hideshow('block')">Show</a>
</html>
```

1.3 Hide/Show a nested div element

Now that we can hide or show a div element we demonstrate the ability to hide or show a nested div element.

— hide/show a nested div element —

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/xml" charset="us-ascii"/>
```

```

<style>
  html { color:#000000; }
</style>
<script language="JavaScript" type="text/javascript">
  function showhide(id,flag) {
    var c = document.getElementById(id);
    c.style.display=flag;
  }
  function toggle(id) {
    var c = document.getElementById(id);
    if (c.style.display == 'block') {
      c.style.display='none'
    } else {
      c.style.display='block'
    }
  }
</script>
</head>
<body>
it works
<div id="crystal" style="overflow:hidden;display:none">
  <a href="javascript:toggle('facet1','block')">
    integrate(sin x,x)
  </a>
<div id="facet1" style="overflow:hidden;display:none">
  <a href="javascript:showhide('facet1','none')">
    <br/>
    -cos(x)
  </a>
</div>
</div>
</body>
<hr/>
<a href="javascript:showhide('crystal','none')">Hide</a>
<a href="javascript:showhide('crystal','block')">Show</a>
</html>

```

1.4 Hide/Show a ring of elements

Now that we can hide or show a div element we demonstrate the ability to hide or show a ring of div elements. There are 3 elements in the ring, 'facet1', 'facet2', and 'facet3'. Each facet can open or close the associated 'answer' sub-div element.

— hide/show a ring of elements —

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/xml" charset="us-ascii"/>
  <style>
    html { color:#000000; }
  </style>
  <script language="JavaScript" type="text/javascript">

```

```

var circle = ['facet1','facet2','facet3']
var here = 'facet1';
var herept = 0;
function showhide(id,flag) {
  var c = document.getElementById(id);
  c.style.display=flag;
}
function toggle(id) {
  var c = document.getElementById(id);
  if (c.style.display == 'block') {
    c.style.display='none'
  } else {
    c.style.display='block'
  }
}
/* hide the old, get the next one in the circle, show it */
function docircle() {
  var c = document.getElementById(here);
  c.style.display='none'
  if (herept == 2) {
    herept = 0 ;
  } else {
    herept = herept + 1;
  }
  here = circle[herept];
  c = document.getElementById(here);
  c.style.display='block'
}
</script>
</head>
<body onload="showhide('facet1','block')">
it works
<div id="facet1" style="overflow:hidden;display:none">
  <a href="javascript:docircle()">
    integrate(cos x,x)
  </a>
  <br/><a href="javascript:toggle('facet1a')">toggle</a>
<div id="facet1a" style="overflow:hidden;display:none">
  <a href="javascript:showhide('facet1a','none')">
  <br/>
  <pre>
    sin(x)
  </pre>
  </a>
</div>
</div>
<div id="facet2" style="overflow:hidden;display:none">
  <a href="javascript:docircle()">
    integrate(sin x,x)
  </a>
  <br/><a href="javascript:toggle('facet2a')">toggle</a>
<div id="facet2a" style="overflow:hidden;display:none">
  <a href="javascript:showhide('facet2a','none')">
  <br/>

```

```

    <pre>
    -cos(x)
    </pre>
  </a>
</div>
</div>
<div id="facet3" style="overflow:hidden;display:none">
  <a href="javascript:docircle()">
    integrate(tan x,x)
  </a>
  <br/><a href="javascript:toggle('facet3a')">toggle</a>
  <div id="facet3a" style="overflow:hidden;display:none">
    <a href="javascript:showhide('facet3a','none')">
      <br/>
      <pre>
          2
        log(tan(x) + 1)
        -----
          2
      </pre>
    </a>
  </div>
</div>
</body>
<hr/>
</html>

```

Other work

1.5 Understanding the Dynamics of Complex Lisp Programs [Loet09]

Abstract: Recent advances in web technologies and the availability of robust Lisp libraries supporting them have made it possible to think of new ways of understanding and debugging large applications. In this paper, we will discuss two basic ideas for assessing and verifying the behavior of Lisp programs. First, we propose to use a web browser for graphically displaying debug output in a similar but more versatile way as the Lisp listener is normally used to print output traces. And second, we propose a method for creating HTML visualisations of complex data and control structures that don't trade in level of detail for readability. We will introduce GTFL (a Graphical Terminal For Lisp), which we have implemented based on these two ideas, and discuss its applications.

This paper is of interest, not for its lisp tracing output, but for its ability to pipeline output to a browser and the technology that underlies the whole of it.

GTFL [Loet00] uses Hunchentoot [Weit06] as a common lisp web server. It uses CL-WHO [Weit03] as the Lisp/HTML markup language, HT-AJAX [Mars07] as an AJAX framework. The combination of these tools with GTFL allows nicely formatted output that the browser can dynamically layout, expand, and contract.

Bibliography

- [Loet00] M. Loetzsch. GTFL - A graphical terminal for Lisp, 2000.
Link: <http://martin-loetzsch.de/gtfl>
- [Loet09] Martin Loetzsch, Joris Bleys, and Pieter Wellens. Understanding the Dynamics of Complex Lisp Programs, 2009.
Link: <http://www.martin-loetzsch.de/papers/loetzsch09understanding.pdf>
- [Mars07] U. Marshak. HT-AJAX - AJAX framework for Hunchentoot, 2007.
Link: <http://common-lisp.net/project/ht-ajax/ht-ajax.html>
- [Weit03] E. Weitz. CL-WHO -Yet another Lisp markup language, 2003.
Link: <http://www.weitz.de/cl-who/>
- [Weit06] E. Weitz. HUNCHENTOOT - The Common Lisp web server formerly known as TBNL, 2006.
Link: <http://www.weitz.de/hunchentoot>

