

# axiom<sup>TM</sup>



## The 30 Year Horizon

<i>Manuel Bronstein</i>	<i>William Burge</i>	<i>Timothy Daly</i>
<i>James Davenport</i>	<i>Michael Dewar</i>	<i>Martin Dunstan</i>
<i>Albrecht Fortenbacher</i>	<i>Patrizia Gianni</i>	<i>Johannes Grabmeier</i>
<i>Jocelyn Guidry</i>	<i>Richard Jenks</i>	<i>Larry Lambe</i>
<i>Michael Monagan</i>	<i>Scott Morrison</i>	<i>William Sit</i>
<i>Jonathan Steinbach</i>	<i>Robert Sutor</i>	<i>Barry Trager</i>
<i>Stephen Watt</i>	<i>Jim Wen</i>	<i>Clifton Williamson</i>

Volume 12: Axiom Crystal

May 26, 2019

1e65374476c066b133978454cb7909ace373d713

Portions Copyright (c) 2005 Timothy Daly

The Blue Bayou image Copyright (c) 2004 Jocelyn Guidry

Portions Copyright (c) 2004 Martin Dunstan

Portions Copyright (c) 2007 Alfredo Portes

Portions Copyright (c) 2007 Arthur Ralfs

Portions Copyright (c) 2005 Timothy Daly

Portions Copyright (c) 1991-2002,

The Numerical ALgorithms Group Ltd.

All rights reserved.

This book and the Axiom software is licensed as follows:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of The Numerical ALgorithms Group Ltd. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Inclusion of names in the list of credits is based on historical information and is as accurate as possible. Inclusion of names does not in any way imply an endorsement but represents historical influence on Axiom development.

Michael Albaugh	Cyril Alberga	Roy Adler
Christian Aistleitner	Richard Anderson	George Andrews
Jerry Archibald	S.J. Atkins	Jeremy Avigad
Knut Bahr	Henry Baker	Martin Baker
Stephen Balzac	Yurij Baransky	David R. Barton
Thomas Baruchel	Gerald Baumgartner	Gilbert Baumslag
Michael Becker	Nelson H. F. Beebe	Jay Belanger
David Bindel	Fred Blair	Vladimir Bondarenko
Mark Botch	Raoul Bourquin	Alexandre Bouyer
Karen Braman	Wolfgang Brehm	Peter A. Broadbery
Martin Brock	Manuel Bronstein	Christopher Brown
Stephen Buchwald	Florian Bundschuh	Luanne Burns
William Burge	Ralph Byers	Quentin Carpent
Jacques Carette	Pierre Casteran	Robert Cavines
Pablo Cayuela	Bruce Char	Ondrej Certik
Tzu-Yi Chen	Bobby Cheng	Cheekai Chin
David V. Chudnovsky	Gregory V. Chudnovsky	Mark Clements
Roland Coeurjoly	Emil Cohen	Hirsh Cohen
Josh Cohen	James Cloos	Jia Zhao Cong
Christophe Conil	Don Coppersmith	George Corliss
Robert Corless	Gary Cornell	Frank Costa
Meino Cramer	Karl Crary	Jeremy Du Croz
David Cyganski	Nathaniel Daly	Timothy Daly Sr.
Timothy Daly Jr.	James H. Davenport	David Day
James Demmel	Didier Deshommes	Michael Dewar
Inderjit Dhillon	Jack Dongarra	Jean Della Dora
Gabriel Dos Reis	Claire DiCrescendo	Sam Dooley
Nicolas James Doye	Zlatko Drmac	Lionel Ducos
Iain Duff	Lee Duhem	Martin Dunstan
Brian Dupee	Dominique Duval	Robert Edwards
Hans-Dieter Ehrich	Heow Eide-Goodman	Carl Engelman
Lars Erickson	Mark Fahey	William Farmer
Richard Fateman	Bertfried Fauser	Stuart Feldman
John Fletcher	Brian Ford	Albrecht Fortenbacher
George Frances	Constantine Frangos	Timothy Freeman
Korrinn Fu	Marc Gaetano	Rudiger Gebauer
Van de Geijn	Kathy Gerber	Patricia Gianni
Gustavo Goertkin	Samantha Goldrich	Max Goldstein
Holger Gollan	Teresa Gomez-Diaz	Ralph Gomory
Laureano Gonzalez-Vega	Stephen Gortler	Johannes Grabmeier
Matt Grayson	Martin Griss	Klaus Ebbe Grue
James Griesmer	Vladimir Grinberg	Oswald Gschnitzer
Ming Gu	Fred Gustavson	Jocelyn Guidry
Gaetan Hache	Steve Hague	Satoshi Hamaguchi
Sven Hammarling	Mike Hansen	Richard Hanson
Richard Harke	Joseph Harry	Bill Hart
Vilya Harvey	Martin Hassner	Arthur S. Hathaway
Dan Hatton	Waldek Hebisch	Karl Hegbloom
Ralf Hemmecke	Tony Hearn	Henderson
Antoine Hersen	Nicholas J. Higham	Lou Hodes
Alan Hoffman	Hoon Hong	Roger House
Gernot Hueber	Pietro Iglio	Joan Jaffe
Alejandro Jakubi	Richard Jenks	Bo Kagstrom
William Kahan	Kyriakos Kalorkoti	Kai Kaminski
Grant Keady	Tom Kelsey	Wilfrid Kendall
Tony Kennedy	David Kincaid	Keshav Kini

Knut Korsvold	Ted Kosan	Paul Kosinski
Igor Kozachenko	Fred Krogh	Klaus Kusche
Bernhard Kutzler	Tim Lahey	Larry Lambe
Kaj Laurson	Charles Lawson	George L. Legendre
Franz Lehner	Frederic Lehobey	Michel Levaud
Howard Levy	J. Lewis	Ren-Cang Li
John Lipson	Rudiger Loos	Craig Lucas
Michael Lucks	Richard Luczak	Camm Maguire
Dave Mainey	Francois Maltey	William Martin
Ursula Martin	Osni Marques	Alasdair McAndrew
Bob McElrath	Michael McGettrick	Bob McNeill
Edi Meier	Ian Meikle	David Mentre
Jonathan Millen	Victor S. Miller	Gerard Milmeister
William Miranker	Mohammed Mobarak	H. Michael Moeller
Michael Monagan	Marc Moreno-Maza	Scott Morrison
Joel Moses	Mark Murray	William Naylor
Patrice Naudin	C. Andrew Neff	John Nelder
Godfrey Nolan	Arthur Norman	Jinzhong Niu
Michael O'Connor	Summat Oemrawsingh	Kostas Oikonomou
Humberto Ortiz-Zuazaga	Julian A. Padget	Bill Page
David Parnas	Norm Pass	Susan Pelzel
Michel Petitot	Didier Pinchon	Ayal Pinkus
Frederick H. Pitts	Frank Pfenning	Jose Alfredo Portes
E. Quintana-Orti	Gregorio Quintana-Orti	Beresford Parlett
A. Petitot	Andre Platzer	Peter Poromaas
Greg Puhak	Claude Quitte	Arthur C. Ralfs
Norman Ramsey	Anatoly Raportirenko	Guilherme Reis
Huan Ren	Albert D. Rich	Michael Richardson
Jason Riedy	Renaud Rioboo	Robert Risch
Jean Rivlin	Nicolas Robidoux	Simon Robinson
Raymond Rogers	Michael Rothstein	Martin Rubey
Jeff Rutter	Philip Santas	David Saunders
Alfred Scheerhorn	William Schelter	Gerhard Schneider
Martin Schoenert	Marshall Schor	Frithjof Schulze
Fritz Schwartz	Steven Segletes	V. Sima
Nick Simicich	William Sit	Elena Smirnova
Jacob Nyffeler Smith	Matthieu Sozeau	Srinivasan Seshan
Ken Stanley	Jonathan Steinbach	Fabio Stumbo
Christine Sundaresan	Klaus Sutner	Robert Sutor
Moss E. Sweedler	Eugene Surowitz	Yong Kiam Tan
Max Tegmark	T. Doug Telford	James Thatcher
Laurent Thery	Balbir Thomas	Mike Thomas
Carol Thompson	Dylan Thurston	Francoise Tisseur
Steve Toleque	Dick Toupin	Raymond Toy
Barry Trager	Hale Trotter	Themos T. Tsikas
Gregory Vanuxem	Kresimir Veselic	Christof Voemel
Bernhard Wall	Paul Wang	Stephen Watt
Andreas Weber	Jaap Weel	Al Weis
Juergen Weiss	M. Weller	Mark Wegman
James Wen	Thorsten Werther	Michael Wester
R. Clint Whaley	James T. Wheeler	John M. Wiley
Berhard Will	Clifton J. Williamson	Stephen Wilson
Shmuel Winograd	Robert Wisbauer	Sandra Wityak
Waldemar Wiwianka	Knut Wolf	Yanyang Xiao
Liu Xiaojun	Clifford Yapp	David Yun
Qian Yun	Vadim Zhytnikov	Richard Zippel
Evelyn Zoernack	Bruno Zuercher	Dan Zwillinger

# Contents

<b>Axiom Crystal Design</b>	<b>1</b>
1.1 Book presentation . . . . .	1
1.1.1 Book spines . . . . .	1
1.1.2 Linking information . . . . .	1
<b>Experiments</b>	<b>3</b>
1.2 Hide/Show a div element . . . . .	3
1.3 Hide/Show a nested div element . . . . .	3
1.4 Hide/Show a ring of elements . . . . .	4
<b>Other work</b>	<b>7</b>
1.5 Understanding the Dynamics of Complex Lisp Programs [Loet09] . . . . .	7
<b>Bibliography</b>	<b>9</b>

## New Foreword

On October 1, 2001 Axiom was withdrawn from the market and ended life as a commercial product. On September 3, 2002 Axiom was released under the Modified BSD license, including this document. On August 27, 2003 Axiom was released as free and open source software available for download from the Free Software Foundation's website, Savannah.

Work on Axiom has had the generous support of the Center for Algorithms and Interactive Scientific Computation (CAISS) at City College of New York. Special thanks go to Dr. Gilbert Baumslag for his support of the long term goal.

The online version of this documentation is roughly 1000 pages. In order to make printed versions we've broken it up into three volumes. The first volume is tutorial in nature. The second volume is for programmers. The third volume is reference material. We've also added a fourth volume for developers. All of these changes represent an experiment in print-on-demand delivery of documentation. Time will tell whether the experiment succeeded.

Axiom has been in existence for over thirty years. It is estimated to contain about three hundred man-years of research and has, as of September 3, 2003, 143 people listed in the credits. All of these people have contributed directly or indirectly to making Axiom available. Axiom is being passed to the next generation. I'm looking forward to future milestones.

With that in mind I've introduced the theme of the "30 year horizon". We must invent the tools that support the Computational Mathematician working 30 years from now. How will research be done when every bit of mathematical knowledge is online and instantly available? What happens when we scale Axiom by a factor of 100, giving us 1.1 million domains? How can we integrate theory with code? How will we integrate theorems and proofs of the mathematics with space-time complexity proofs and running code? What visualization tools are needed? How do we support the conceptual structures and semantics of mathematics in effective ways? How do we support results from the sciences? How do we teach the next generation to be effective Computational Mathematicians?

The "30 year horizon" is much nearer than it appears.

Tim Daly  
CAISS, City College of New York  
November 10, 2003 ((iHy))

# Axiom Crystal Design

## 1.1 Book presentation

In the book "Science at the Edge" by John Brockman (ISBN 978-1-4027-5450-0), in the chapter "The second coming – A manifesto" by David Gelernter, David talks about the way we interact with computers. This has some bearing on the crystal notion.

### 1.1.1 Book spines

David points out that we currently have a "desktop metaphor" which allows us to view our computer interactions as though we were moving things around on a desktop, typically folders and documents. There are several limitations of this metaphor.

The first is that there is a limited amount of space on the desktop. He proposes the idea of a landscape where the computer is just a moving window. This gives much more real estate to hold information.

The lack of desktop space leads to the icon idea to capture a small representation of a document or folder. There are limitations to how representative such a tiny image can be of the original. A book spine is an excellent representation of the contents of a book but a tiny picture of a folder, not so much.

If I look at this idea in terms of the Crystal concept I can see two parallels. The first idea (desktop/icon) vs (landscape/book) is related to the organization of Axiom. There is an ongoing effort to organize the whole of the system into some small number of books. The whole system is then somewhat similar to an encyclopedia where there is a shelf of related information.

Currently the algebra books are on the order of 5000 pages of raw material. They will likely grow many times that size as literate information is added. One website representation would show the Axiom books as book-spines where the algebra section could be broken up (visually, not actually) as encyclopedia-like images. Thus, you would find the algebra "books" from A-C, D-F, etc.

### 1.1.2 Linking information

A second idea from the book is the limitations of the hierarchical file system idea. Why does a particular file have to have a name? Why does a particular file only live in one folder?

For the first question, he comments that if you had 3 dogs it is reasonable to name them.



But if you have 10,000 cows it probably is not. Some information can be anonymous.

For the second question, he asks why doesn't a folder "grab" the information so that a particular file might not reside in multiple folders. Unix has this idea embodied in links but Windows doesn't support the idea.

He suggests that it might be reasonable to have the folders be active so that a particular piece of information, say a travel receipt, might be "grabbed" by the taxes folder and the travel expense folder.

Crystal's view of this is somewhat different. Information isn't named. It resides in "the problem" floating in space. The naming of information is related to the view.

So if we take a problem in space, say all of your financial information and wrap a crystal around it we can view it in multiple ways, each of which represents a "facet". Moving between these views corresponds to rotating the crystal to view "the problem" through a different facet.

So, in a financial crystal, you might have a taxes facet, a travel expense facet, an assets facet, a checkbook facet, etc. A travel receipt from a business trip which was added to "the problem" would show up in all of these facets in different ways. It is up to the facet to organize this piece of information into its proper place based on the intent of the facet.

"The problem" just is. The meaning of the problem, the division of the problem into parts, the naming of the parts, the organization of the parts, indeed, the very idea that a problem has parts is a function of the facet, not a function of the problem.

# Experiments

## 1.2 Hide/Show a div element

Here we demonstrate the ability to hide or show a named div element.

— hide/show a div element —

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/xml" charset="us-ascii"/>
  <style>
    html { color:#000000; }
  </style>
  <script language="JavaScript" type="text/javascript">
    function hideshow(flag) {
      var c = document.getElementById('crystal');
      c.style.display=flag;
    }
  </script>
</head>
<body>
it works
  <div id="crystal" style="overflow:hidden;display:none">
    this is visible
  </div>
</body>
<hr/>
<a href="javascript:hideshow('none')">Hide</a>
<a href="javascript:hideshow('block')">Show</a>
</html>
```

---

## 1.3 Hide/Show a nested div element

Now that we can hide or show a div element we demonstrate the ability to hide or show a nested div element.

— hide/show a nested div element —

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/xml" charset="us-ascii"/>
```

```

<style>
  html { color:#000000; }
</style>
<script language="JavaScript" type="text/javascript">
  function showhide(id,flag) {
    var c = document.getElementById(id);
    c.style.display=flag;
  }
  function toggle(id) {
    var c = document.getElementById(id);
    if (c.style.display == 'block') {
      c.style.display='none'
    } else {
      c.style.display='block'
    }
  }
</script>
</head>
<body>
it works
<div id="crystal" style="overflow:hidden;display:none">
  <a href="javascript:toggle('facet1','block')">
    integrate(sin x,x)
  </a>
<div id="facet1" style="overflow:hidden;display:none">
  <a href="javascript:showhide('facet1','none')">
    <br/>
    -cos(x)
  </a>
</div>
</div>
</body>
<hr/>
<a href="javascript:showhide('crystal','none')">Hide</a>
<a href="javascript:showhide('crystal','block')">Show</a>
</html>

```

—

## 1.4 Hide/Show a ring of elements

Now that we can hide or show a div element we demonstrate the ability to hide or show a ring of div elements. There are 3 elements in the ring, 'facet1', 'facet2', and 'facet3'. Each facet can open or close the associated 'answer' sub-div element.

— hide/show a ring of elements —

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/xml" charset="us-ascii"/>
  <style>
    html { color:#000000; }
  </style>
  <script language="JavaScript" type="text/javascript">

```

```

var circle = ['facet1','facet2','facet3']
var here = 'facet1';
var herept = 0;
function showhide(id,flag) {
  var c = document.getElementById(id);
  c.style.display=flag;
}
function toggle(id) {
  var c = document.getElementById(id);
  if (c.style.display == 'block') {
    c.style.display='none'
  } else {
    c.style.display='block'
  }
}
/* hide the old, get the next one in the circle, show it */
function docircle() {
  var c = document.getElementById(here);
  c.style.display='none'
  if (herept == 2) {
    herept = 0 ;
  } else {
    herept = herept + 1;
  }
  here = circle[herept];
  c = document.getElementById(here);
  c.style.display='block'
}
</script>
</head>
<body onload="showhide('facet1','block')">
it works
<div id="facet1" style="overflow:hidden;display:none">
  <a href="javascript:docircle()">
    integrate(cos x,x)
  </a>
  <br/><a href="javascript:toggle('facet1a')">toggle</a>
<div id="facet1a" style="overflow:hidden;display:none">
  <a href="javascript:showhide('facet1a','none')">
  <br/>
  <pre>
    sin(x)
  </pre>
  </a>
</div>
</div>
<div id="facet2" style="overflow:hidden;display:none">
  <a href="javascript:docircle()">
    integrate(sin x,x)
  </a>
  <br/><a href="javascript:toggle('facet2a')">toggle</a>
<div id="facet2a" style="overflow:hidden;display:none">
  <a href="javascript:showhide('facet2a','none')">
  <br/>

```

```

    <pre>
    -cos(x)
    </pre>
  </a>
</div>
</div>
<div id="facet3" style="overflow:hidden;display:none">
  <a href="javascript:docircle()">
    integrate(tan x,x)
  </a>
  <br/><a href="javascript:toggle('facet3a')">toggle</a>
  <div id="facet3a" style="overflow:hidden;display:none">
    <a href="javascript:showhide('facet3a','none')">
      <br/>
      <pre>
          2
        log(tan(x) + 1)
        -----
          2
      </pre>
    </a>
  </div>
</div>
</body>
<hr/>
</html>

```

---

# Other work

## 1.5 Understanding the Dynamics of Complex Lisp Programs [Loet09]

**Abstract:** Recent advances in web technologies and the availability of robust Lisp libraries supporting them have made it possible to think of new ways of understanding and debugging large applications. In this paper, we will discuss two basic ideas for assessing and verifying the behavior of Lisp programs. First, we propose to use a web browser for graphically displaying debug output in a similar but more versatile way as the Lisp listener is normally used to print output traces. And second, we propose a method for creating HTML visualisations of complex data and control structures that don't trade in level of detail for readability. We will introduce GTFL (a Graphical Terminal For Lisp), which we have implemented based on these two ideas, and discuss its applications.

This paper is of interest, not for its lisp tracing output, but for its ability to pipeline output to a browser and the technology that underlies the whole of it.

GTFL [Loet00] uses Hunchentoot [Weit06] as a common lisp web server. It uses CL-WHO [Weit03] as the Lisp/HTML markup language, HT-AJAX [Mars07] as an AJAX framework. The combination of these tools with GTFL allows nicely formatted output that the browser can dynamically layout, expand, and contract.



# Bibliography

- [Loet00] M. Loetzsch. GTFL - A graphical terminal for Lisp, 2000.  
**Link:** <http://martin-loetzsch.de/gtfl>
- [Loet09] Martin Loetzsch, Joris Bleys, and Pieter Wellens. Understanding the Dynamics of Complex Lisp Programs, 2009.  
**Link:** <http://www.martin-loetzsch.de/papers/loetzsch09understanding.pdf>
- [Mars07] U. Marshak. HT-AJAX - AJAX framework for Hunchentoot, 2007.  
**Link:** <http://common-lisp.net/project/ht-ajax/ht-ajax.html>
- [Weit03] E. Weitz. CL-WHO -Yet another Lisp markup language, 2003.  
**Link:** <http://www.weitz.de/cl-who/>
- [Weit06] E. Weitz. HUNCHENTOOT - The Common Lisp web server formerly known as TBNL, 2006.  
**Link:** <http://www.weitz.de/hunchentoot>



