

Abstracts

Table of contents

1	Programme	11
1.1	Monday, 29 June 2026	11
1.2	Tuesday, 30 June 2026	11
1.3	Wednesday, 1 July 2026	11
2	Plenary Talks	12
3	Talks	12
4	Posters	12

```
///  
echo: false  
  
MathJax = {  
  const MathJax = await require('https://cdn.jsdelivr.net/npm/mathjax@4/tex-svg.js')  
    .catch(() => window.MathJax)  
  return MathJax  
}  
  
wm= window['MathJax'] = {  
  tex: {  
    inlineMath: [['$','$'], ['\\(','\\)']]  
  },  
  output: {  
    font: 'mathjax-fira',  
    displayOverflow: 'scroll'  
  }  
};
```

```

//file = FileAttachment("talks.xlsx").xlsx()
//data = file.sheet("talks", {range:"A1:G21",headers: true})

// data = [
//   {Name: "Alice", Affiliation: "University A", Title: "Talk on $x^2$"},
//   {Name: "Bob", Affiliation: "University B", Title: "Talk on $y^2$"}
// ]

dataf = FileAttachment("abstract-dmd2026.tsv").tsv()

data=dataf.sort((a, b) => a.Apellidos.localeCompare(b.Apellidos))

function isEmptyOrSpaces(str){
  return str === null || str.match(/^ */) !== null;
}

muestra = function(data){
var code = "<div id='talks'>"
var day=""
data.forEach(d => {
if (!isEmptyOrSpaces(d.abstract)) {
  //code = code + "<p id='"+d.id+ "'>" + d.Authors+ ", <em>" + d.Title + " </em></p>"
  code = code + "<details id='"+d.id+"'><summary>" + d.Authors+ ", <em>" + d.Title + " </em>"
}else{
  code = code + "<p id='"+d.id+ "'> &#9655; " + d.Authors+ ", <em>" + d.Title + " </em></p>"
}
code = code + "</div>"
});

return code
}

muestra_lista = function(data){
var code = "<div id='talks'><ul>"
var day=""
data.forEach(d => {
if (!isEmptyOrSpaces(d.abstract)) {
  //code = code + "<p id='"+d.id+ "'>" + d.Authors+ ", <em>" + d.Title + " </em></p>"
  code = code + "<li id='"+d.id+"'>" + d.Authors+ ", <em>" + d.Title + " </em>\n<p>" + d.ab

```

```

}else{
    code = code + "<li id='" + d.id + "'>" + d.Authors + ", <em>" + d.Title + " </em></li>"
}
});
code = code + "</ul></div>"

return code
}

//html`${data.map(d => html`<p>${d.Name} ${d.Affiliation} ${d.Title}</p>`)}`

//html`<p>${data[0].Title.val}</p>`

// blah = `${x}2$`

// ble = data[0].Title

// blu = ble + " ${x}2$"

// example = html`${blah}`

// ex = html`${blu}`

listaid = dataf.map(d => d.id)

//listaid

// Use the following code to generate the table structure for the schedule. You can replace t
// <colgroup>
//     <col span="1" style="width: 15%;">
//     <col span="1" style="width: 40%;">
//     <col span="1" style="width: 40%;">
// </colgroup>

monday = `
<table class="tg">
  <colgroup>
    <col span="1" style="width: 15%;">
    <col span="1" style="width: 40%;">
    <col span="1" style="width: 40%;">
  </colgroup>

```

```

<thead>
  <tr>
    <th class="tg-0pky">29/06/2026</th>
    <th class="tg-0pky">Room F1</th>
    <th class="tg-0pky">Room F2</th>
  </tr></thead>
<tbody>
  <tr>
    <td class="tg-btxf">08:15 - 08:55</td>
    <td class="tg-btxf">Registration: Hall Faculty of Science</td>
    <td class="tg-btxf"></td>
  </tr>
  <tr>
    <td class="tg-0pky">09:00 - 09:15</td>
    <td class="tg-0pky">Opening</td>
    <td class="tg-0pky"></td>
  </tr>
  <tr>
    <td class="tg-btxf">09:15 - 10:15</td>
    <td class="tg-btxf">Plenary Talk: {91}</td>
    <td class="tg-btxf"></td>
  </tr>
  <tr>
    <td class="tg-0pky">10:15 - 10:45</td>
    <td class="tg-0pky">Coffee break - Hall</td>
    <td class="tg-0pky"></td>
  </tr>
  <tr>
    <td class="tg-btxf"></td>
    <td class="tg-btxf"><strong>Session 1.A</strong></td>
    <td class="tg-btxf"><strong>Session 1.B</strong></td>
  </tr>
  <tr>
    <td class="tg-0pky">10:45 - 11:05</td>
    <td class="tg-0pky">{50}</td>
    <td class="tg-0pky">{10}</td>
  </tr>
  <tr>
    <td class="tg-btxf">11:05 - 11:25</td>
    <td class="tg-btxf">{24}</td>
    <td class="tg-btxf">{45}</td>
  </tr>

```

```

<tr>
  <td class="tg-0pky">11:25 - 11:45</td>
  <td class="tg-0pky">{62}</td>
  <td class="tg-0pky">{68}</td>
</tr>
<tr>
  <td class="tg-btxf">11:45 - 12:00</td>
  <td class="tg-btxf">Short break</td>
  <td class="tg-btxf"></td>
</tr>
<tr>
  <td class="tg-0pky"></td>
  <td class="tg-0pky"><strong>Session 2.A</strong></td>
  <td class="tg-0pky"><strong>Session 2.B</strong></td>
</tr>
<tr>
  <td class="tg-btxf">12:00 - 12:20</td>
  <td class="tg-btxf">{15}</td>
  <td class="tg-btxf">{20}</td>
</tr>
<tr>
  <td class="tg-0pky">12:20 - 12:40</td>
  <td class="tg-0pky">{25}</td>
  <td class="tg-0pky">{22}</td>
</tr>
<tr>
  <td class="tg-btxf">12:40 - 13:00</td>
  <td class="tg-btxf">{41}</td>
  <td class="tg-btxf">{70}</td>
</tr>
<tr>
  <td class="tg-0pky">13:00 - 15:00</td>
  <td class="tg-0pky">Lunch (self-arranged)</td>
  <td class="tg-0pky"></td>
</tr>
<tr>
  <td class="tg-btxf">15:00 - 16:00</td>
  <td class="tg-btxf">Plenary talk: {92}</td>
  <td class="tg-btxf"></td>
</tr>
<tr>
  <td class="tg-0pky">16:00 - 16:30</td>

```

```

        <td class="tg-0pky">Coffee break - Hall</td>
        <td class="tg-0pky"></td>
    </tr>
    <tr>
        <td class="tg-btxf"></td>
        <td class="tg-btxf"><strong>Session 3.A</strong></td>
        <td class="tg-btxf"><strong>Session 3.B</strong></td>
    </tr>
    <tr>
        <td class="tg-0pky">16:30 - 16:50</td>
        <td class="tg-0pky">{32}</td>
        <td class="tg-0pky">{12}</td>
    </tr>
    <tr>
        <td class="tg-btxf">16:50 - 17:10</td>
        <td class="tg-btxf">{38}</td>
        <td class="tg-btxf">{57}</td>
    </tr>
    <tr>
        <td class="tg-0pky">17:10 - 18:00</td>
        <td class="tg-0pky">Poster session - Hall</td>
        <td class="tg-0pky"></td>
    </tr>
    <tr>
        <td class="tg-btxf">18:00 - 18:30</td>
        <td class="tg-btxf">Business meeting</td>
        <td class="tg-btxf"></td>
    </tr>
</tbody></table>
`

```

```

tuesday= `
<table class="tg">
    <colgroup>
        <col span="1" style="width: 15%;">
        <col span="1" style="width: 40%;">
        <col span="1" style="width: 40%;">
    </colgroup>

<thead>
    <tr>

```

```

    <th class="tg-0pky"><span style="font-weight:bold">30/06/2026</span></th>
    <th class="tg-0pky"><span style="font-weight:bold">Room F1</span></th>
    <th class="tg-0pky"><span style="font-weight:bold">Room F2</span></th>
</tr></thead>
<tbody>
<tr>
    <td class="tg-btxf"><span style="font-weight:normal">09:15 - 10:15</span></td>
    <td class="tg-btxf" colspan="2">Plenary Talk: {94}</td>
</tr>
<tr>
    <td class="tg-0pky"><span style="font-weight:normal">10:15 - 10:45</span></td>
    <td class="tg-0pky" colspan="2">Coffee break - Hall</td>
</tr>
<tr>
    <td class="tg-btxf"></td>
    <td class="tg-btxf"><span style="font-weight:bold">Session 4.A</span></td>
    <td class="tg-btxf"><span style="font-weight:bold">Session 4.B</span></td>
</tr>
<tr>
    <td class="tg-0pky">10:45 - 11:05</td>
    <td class="tg-0pky">{8}</td>
    <td class="tg-0pky">{27}</td>
</tr>
<tr>
    <td class="tg-btxf">11:05 - 11:25</td>
    <td class="tg-btxf">{55}</td>
    <td class="tg-btxf">{29}</td>
</tr>
<tr>
    <td class="tg-0pky">11:25 - 11: 45</td>
    <td class="tg-0pky">{59}</td>
    <td class="tg-0pky">{49}</td>
</tr>
<tr>
    <td class="tg-btxf"><span style="font-weight:normal">11:45 - 12:00</span></td>
    <td class="tg-btxf" colspan="2"><span style="font-weight:normal">Short break</span></td>
</tr>
<tr>
    <td class="tg-0pky"></td>
    <td class="tg-0pky"><span style="font-weight:bold">Session 5.A</span></td>
    <td class="tg-0pky"><span style="font-weight:bold">Session 5.B</span></td>
</tr>

```

```

<tr>
  <td class="tg-btxf">12:00 - 12:20</td>
  <td class="tg-btxf">{31}</td>
  <td class="tg-btxf">{35}</td>
</tr>
<tr>
  <td class="tg-0pky">12:20 - 12:40</td>
  <td class="tg-0pky">{63}</td>
  <td class="tg-0pky">{60}</td>
</tr>
<tr>
  <td class="tg-btxf">12:40 - 13:00</td>
  <td class="tg-btxf">{48}</td>
  <td class="tg-btxf">{44}</td>
</tr>
<tr>
  <td class="tg-0pky"><span style="font-weight:normal">13:00 - 13:10</span></td>
  <td class="tg-0pky" colspan="2"><span style="font-weight:normal">Group photo</span></td>
</tr>
<tr>
  <td class="tg-btxf"><span style="font-weight:normal">13:10 - 15:00</span></td>
  <td class="tg-btxf" colspan="2">Lunch (self-arranged)</td>
</tr>
<tr>
  <td class="tg-0pky"><span style="font-weight:normal">15:00 - 16:00</span></td>
  <td class="tg-0pky" colspan="2"><span style="font-weight:normal">Ramon Lull prize talk</span></td>
</tr>
<tr>
  <td class="tg-btxf"><span style="font-weight:normal">16:00 - 16:30</span></td>
  <td class="tg-btxf" colspan="2"><span style="font-weight:normal">Coffee break</span></td>
</tr>
<tr>
  <td class="tg-0pky"></td>
  <td class="tg-0pky"><span style="font-weight:bold">Session 6.A</span></td>
  <td class="tg-0pky"><span style="font-weight:bold">Session 6.B</span></td>
</tr>
<tr>
  <td class="tg-btxf">16:30 - 16:50</td>
  <td class="tg-btxf">{52}</td>
  <td class="tg-btxf">{2}</td>
</tr>
<tr>

```



```

        <td class="tg-0pky">16:50 - 17:10</td>
        <td class="tg-0pky">{56}</td>
        <td class="tg-0pky">{65}</td>
    </tr>
    <tr>
        <td class="tg-btxf"><span style="font-weight:normal">18:30 - 19:30</span></td>
        <td class="tg-btxf" colspan="2"><span style="font-weight:normal">Excursion: Math walk</span></td>
    </tr>
    <tr>
        <td class="tg-0pky"><span style="font-weight:normal">20:30 - 22:30</span></td>
        <td class="tg-0pky" colspan="2"><span style="font-weight:normal">Gala dinner</span></td>
    </tr>
</tbody></table>
`

```

wednesday= `

```

<table class="tg">
    <colgroup>
        <col span="1" style="width: 15%;">
        <col span="1" style="width: 40%;">
        <col span="1" style="width: 40%;">
    </colgroup>

    <thead>
        <tr>
            <th class="tg-0pky"><span style="font-weight:bold">01/07/2026</span></th>
            <th class="tg-0pky"><span style="font-weight:bold">Room F1</span></th>
            <th class="tg-0pky"><span style="font-weight:bold">Room F2</span></th>
        </tr></thead>
    <tbody>
        <tr>
            <td class="tg-btxf"><span style="font-weight:normal">09:30 - 10:30</span></td>
            <td class="tg-btxf" colspan="2">Plenary Talk: {93}</td>
        </tr>
        <tr>
            <td class="tg-0pky"><span style="font-weight:normal">10:30 - 11:00</span></td>
            <td class="tg-0pky" colspan="2"><span style="font-weight:normal">Coffee break</span></td>
        </tr>
        <tr>
            <td class="tg-btxf"></td>
            <td class="tg-btxf"><span style="font-weight:bold">Session 7.A</span></td>
            <td class="tg-btxf"><span style="font-weight:bold">Session 7.B</span></td>
        </tr>
    </tbody>
</table>

```

```

</tr>
<tr>
  <td class="tg-0pky">11:00 - 11:20</td>
  <td class="tg-0pky">{23}</td>
  <td class="tg-0pky">{13}</td>
</tr>
<tr>
  <td class="tg-btxf">11:20 - 11:40</td>
  <td class="tg-btxf">{40}</td>
  <td class="tg-btxf">{17}</td>
</tr>
<tr>
  <td class="tg-0pky"><span style="font-weight:normal">11:40 - 12:00</span></td>
  <td class="tg-0pky">{71}</td>
  <td class="tg-0pky">{64}</td>
</tr>
<tr>
  <td class="tg-btxf"><span style="font-weight:normal">11:00 - 12:20</span></td>
  <td class="tg-btxf" colspan="2"><span style="font-weight:normal">Short break</span></td>
</tr>
<tr>
  <td class="tg-0pky"></td>
  <td class="tg-0pky"><span style="font-weight:bold">Session 8.A</span></td>
  <td class="tg-0pky"><span style="font-weight:bold">Session 8.B</span></td>
</tr>
<tr>
  <td class="tg-btxf">12:20 - 12:40</td>
  <td class="tg-btxf">{36}</td>
  <td class="tg-btxf">{14}</td>
</tr>
<tr>
  <td class="tg-0pky">12:40 - 13:00</td>
  <td class="tg-0pky">{61}</td>
  <td class="tg-0pky">{28}</td>
</tr>
<tr>
  <td class="tg-btxf"><span style="font-weight:normal">13:00 - 13:10</span></td>
  <td class="tg-btxf" colspan="2"><span style="font-weight:normal">Farewell</span></td>
</tr>
</tbody></table>

```

```

cambia = function(day){

  let daynew = day
  listaId.forEach(id => {
    //const did = dataf.filter(d => d.id == id)
    // monday = monday.replace("{" + id + "}", muestra(did))//`<a href="#${id}">${did.Title}</a>`
    const did = dataf.find(d => d.id == id)
    if (!isEmptyOrSpaces(did.abstract)){
      daynew = daynew.replace("{" + id + "}", `${did.Authors}, <a href="#${id}"><em>${did.Title}</em></a>`)
    }else{
      daynew = daynew.replace("{" + id + "}", `${did.Authors}, <em>${did.Title}</em>`)
    }
  })
  return daynew
}

```

1 Programme

1.1 Monday, 29 June 2026

```

//| echo: false
html`${cambia(monday)}`

```

1.2 Tuesday, 30 June 2026

```

//| echo: false
html`${cambia(tuesday)}`

```

1.3 Wednesday, 1 July 2026

```

//| echo: false
html`${cambia(wednesday)}`

```

2 Plenary Talks

```
///| echo: false
datai=dataaf.filter(d => d.type == "I").sort((a, b) => a.Apellidos.localeCompare(b.Apellidos))

html`${muestra_lista(datai)}`

//muestra_lista(datai)
```

3 Talks

```
///| echo: false
datat=dataaf.filter(d => d.type == "T").sort((a, b) => a.Apellidos.localeCompare(b.Apellidos))

html`${muestra_lista(datat)}`
```

4 Posters

```
///| echo: false
datap=dataaf.filter(d => d.type == "P").sort((a, b) => a.Apellidos.localeCompare(b.Apellidos))

html`${muestra_lista(datap)}`
```