

A large, stylized red graphic in the top right corner of the page, consisting of several overlapping, curved, and angled shapes that create a sense of depth and movement.


VPN Client and Mainframe Access Tutorial

Windows Version

1 Download the OpenVPN Client	3
2 Installation and configuration	4
3 Quick user guide to use WC3270	5


1 Download the OpenVPN Client

Go to the url: <https://openvpn.net/community-downloads/> and you will see a screen like this:




Download the right msi package, based on your system's architecture.

Then start the installation process. At the end reboot the pc.




2 Installation and configuration

After the reboot find the OpenVPN GUI icon on the taskbar notification area



Right click on OpenVPN icon and select "Import" and "Import file".



Search the **".ovpn"** files on your pc and then click "Open".


(Note: if you don't have a .ovpn file please contact XStream support)

After the import process has finished, right click on the OpenVPN icon and click "Connect".

3 Quick user guide to use WC3270

1. program reference and documentation link: https://x3270.miraheze.org/wiki/Main_Page
2. extract content of file wc3270-4.1ga11-noinstall-64.zip to windows folder.
3. from cmd prompt in the previous selected folder execute CMD:


wc3270 ZOS23.wc3270



```
C:\Windows\System32\cmd.exe
Microsoft Windows [Versione 10.0.19044.2130]
(c) Microsoft Corporation. Tutti i diritti sono riservati.

E:\tmp\wc3270\wc3270-4.1ga11-noinstall-64>wc3270 ZOS23.wc3270
```

WC3270 start:



```
ZOS23 - wc3270
File Options Keypad

Mainframe Operating System - Xstream S.R.L.                                z/OS V2.3
                                                                              10/26/22
                                                                              16:38:44

                                SYX3 z/OS System

                                Xstream

*****
* CICS x Demo Center *
* CXDEM5A CXDEM5B *
* CXDEM55 CXDEM5X *
*****
* System Applid *
* TSO FEXP *
*****


*****
* CICS sviluppo *
* CXBFX5A *
* CXDEV5A CXDEV5B *
*****

*****
* CICS di Test *
* CXTST5A CXTST5B *
*****

Command ==>
Enter one of above commands in red
```

If you want edit your session or create desktop shortcut select :

Session wizard from file menu:



```
File Options Keypad
Copyright
Status
About wc3270
wc3270> Prompt
Print Screen
File Transfer
Enable Tracing
Save Screen Images in File
Save Screen Images to Printer
Save Input Fields
Restore Input Fields
Display Keymap
Help
Session wizard
Edit Session ZOS23
Re-enable Keyboard
Disconnect
Quit


*****
Command ==>
Enter one of above commands in red

stream S.R.L.                                z/os V2.3
                                              10/26/22
                                              16:38:44

YX3 z/os System

*****
ICS Sviluppo      * * CICS di Test      *
CXBFX5A          * * CXTST5A CXTST5B    *
CXDEV5A CXDEV5B  * *                   *
*****
```

these are the connection options:



```
wc3270 Session Wizard v4.1ga11
wc3270 Session Wizard
Session: ZOS23
Path: E:\tmp\wc3270\wc3270-4.1ga11-noinstall-64\ZOS23.wc3270

Options
1. Host ..... : 10.2.3.6
2. Logical Unit Name ..... : (none)
3. TCP Port ..... : 3270
4. Model Number ..... : 5 (27 rows x 132 columns)
5. Oversize ..... : (none)
6. Code Page ..... : cp1047 (cp1047)
7. Crosshair Cursor ..... : Yes
8. Cursor Type ..... : Block
9. Cursor Blink ..... : Yes
10. TLS (SSL) Tunnel ..... : No
11. Verify host certificates : Yes
12. Accept host name ..... : (none)
13. Proxy ..... : (none)
18. pr3287 Printer Session : No
23. Keymaps ..... : rctrl
24. Embed Keymaps ..... : No
25. Font Size ..... : 21
26. Background Color ..... : black
27. Menu Bar ..... : Yes
28. Trace at start-up ..... : No
29. Always use insert mode . : No
30. Edit miscellaneous resources with Notepad

Enter item number to change: [none]
Replace desktop shortcut (y/n) [y]:
```



Copyright 2018 - 2022 © XStream Labs