

```

DROP DATABASE IF EXISTS incubator_tracker;
CREATE DATABASE incubator_tracker;
USE incubator_tracker;
SET FOREIGN_KEY_CHECKS = 0;

CREATE TABLE People (
    person_id INT PRIMARY KEY,
    name VARCHAR(200),
    gender VARCHAR(20),
    phone VARCHAR(50),
    email VARCHAR(200),
    date_of_birth DATE
) ENGINE=InnoDB;

CREATE TABLE Entrepreneur (
    entrepreneur_id INT PRIMARY KEY,
    university VARCHAR(200),
    major VARCHAR(100),
    person_id INT NOT NULL,
    FOREIGN KEY (person_id) REFERENCES People(person_id) ON DELETE CASCADE
) ENGINE=InnoDB;

CREATE TABLE Mentor (
    mentor_id INT PRIMARY KEY,
    expertise VARCHAR(200),
    organization VARCHAR(200),
    availability VARCHAR(50) DEFAULT 'Available',
    person_id INT NOT NULL,
    FOREIGN KEY (person_id) REFERENCES People(person_id) ON DELETE CASCADE
) ENGINE=InnoDB;

CREATE TABLE Investor (
    investor_id INT PRIMARY KEY,
    organization VARCHAR(200),
    capacity_min DECIMAL(12,2),
    capacity_max DECIMAL(12,2),
    preferred_industries VARCHAR(255),
    person_id INT NOT NULL,
    FOREIGN KEY (person_id) REFERENCES People(person_id) ON DELETE CASCADE
) ENGINE=InnoDB;

CREATE TABLE Event (
    event_id INT PRIMARY KEY,
    title VARCHAR(255),
    type VARCHAR(100),
    location VARCHAR(200),
    host VARCHAR(200),
    event_date DATE
) ENGINE=InnoDB;

CREATE TABLE Startup (
    startup_id INT PRIMARY KEY,
    name VARCHAR(255),

```

```
    industry VARCHAR(100),
    stage VARCHAR(50),
    date_founded DATE,
    description TEXT
) ENGINE=InnoDB;
```

```
CREATE TABLE FundingRound (
    funding_id INT PRIMARY KEY,
    date_of_round DATE,
    amount DECIMAL(15,2),
    round_stage VARCHAR(50),
    notes TEXT,
    startup_id INT NOT NULL,
    FOREIGN KEY (startup_id) REFERENCES Startup(startup_id) ON DELETE
    CASCADE
) ENGINE=InnoDB;
```

```
CREATE TABLE EntrepreneurStartup (
    entrepreneur_id INT,
    startup_id INT,
    role VARCHAR(50),
    PRIMARY KEY (entrepreneur_id, startup_id),
    FOREIGN KEY (entrepreneur_id) REFERENCES Entrepreneur(entrepreneur_id)
    ON DELETE CASCADE,
    FOREIGN KEY (startup_id) REFERENCES Startup(startup_id) ON DELETE
    CASCADE
) ENGINE=InnoDB;
```

```
CREATE TABLE StartupMentor (
    startup_id INT,
    mentor_id INT,
    role VARCHAR(50),
    start_date DATE,
    end_date DATE,
    PRIMARY KEY (startup_id, mentor_id),
    FOREIGN KEY (startup_id) REFERENCES Startup(startup_id) ON DELETE
    CASCADE,
    FOREIGN KEY (mentor_id) REFERENCES Mentor(mentor_id) ON DELETE CASCADE
) ENGINE=InnoDB;
```

```
CREATE TABLE FundingInvestor (
    funding_id INT,
    investor_id INT,
    invested_amount DECIMAL(15,2),
    PRIMARY KEY (funding_id, investor_id),
    FOREIGN KEY (funding_id) REFERENCES FundingRound(funding_id) ON DELETE
    CASCADE,
    FOREIGN KEY (investor_id) REFERENCES Investor(investor_id) ON DELETE
    CASCADE
) ENGINE=InnoDB;
```

```
CREATE TABLE EntrepreneurEvent (
    entrepreneur_id INT,
```

```

    event_id INT,
    role VARCHAR(50),
    PRIMARY KEY (entrepreneur_id, event_id),
    FOREIGN KEY (entrepreneur_id) REFERENCES Entrepreneur(entrepreneur_id)
ON DELETE CASCADE,
    FOREIGN KEY (event_id) REFERENCES Event(event_id) ON DELETE CASCADE
) ENGINE=InnoDB;

```

```

CREATE TABLE StartupEvent (
    startup_id INT,
    event_id INT,
    role VARCHAR(50),
    PRIMARY KEY (startup_id, event_id),
    FOREIGN KEY (startup_id) REFERENCES Startup(startup_id) ON DELETE
CASCADE,
    FOREIGN KEY (event_id) REFERENCES Event(event_id) ON DELETE CASCADE
) ENGINE=InnoDB;

```

```

CREATE TABLE MentorEvent (
    mentor_id INT,
    event_id INT,
    role VARCHAR(50),
    PRIMARY KEY (mentor_id, event_id),
    FOREIGN KEY (mentor_id) REFERENCES Mentor(mentor_id) ON DELETE CASCADE,
    FOREIGN KEY (event_id) REFERENCES Event(event_id) ON DELETE CASCADE
) ENGINE=InnoDB;

```

```

CREATE TABLE InvestorEvent (
    investor_id INT,
    event_id INT,
    role VARCHAR(50),
    PRIMARY KEY (investor_id, event_id),
    FOREIGN KEY (investor_id) REFERENCES Investor(investor_id) ON DELETE
CASCADE,
    FOREIGN KEY (event_id) REFERENCES Event(event_id) ON DELETE CASCADE
) ENGINE=InnoDB;

```

```

CREATE TABLE StartupMentor (
    startup_id INT,
    mentor_id INT,
    role VARCHAR(50),
    start_date DATE,
    end_date DATE,
    PRIMARY KEY (startup_id, mentor_id),
    FOREIGN KEY (startup_id) REFERENCES Startup(startup_id) ON DELETE
CASCADE,
    FOREIGN KEY (mentor_id) REFERENCES Mentor(mentor_id) ON DELETE CASCADE
) ENGINE=InnoDB;

```

```

-- Insert People
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (1, 'Nisha Davis', 'Female', '959-381-5012',
'nisha.davis1@example.com', '1998-03-24');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (2, 'Sofia Baker', 'Female', '804-532-1520',
'sofia.baker2@example.com', '1995-02-07');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (3, 'Aubrey Allen', 'Female', '774-303-9928',
'aubrey.allen3@example.com', '2001-04-15');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (4, 'Farah Moore', 'Female', '977-925-3615',
'farah.moore4@example.com', '2001-06-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (5, 'Grace Wilson', 'Female', '304-194-7224',
'grace.wilson5@example.com', '1996-06-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (6, 'Skylar Hill', 'Female', '244-847-8527',
'skylar.hill6@example.com', '2003-02-13');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (7, 'Abigail Scott', 'Female', '843-733-6925',
'abigail.scott7@example.com', '2004-04-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (8, 'Harper Williams', 'Female', '991-396-2307',
'harper.williams8@example.com', '1998-02-13');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (9, 'Zoe Robinson', 'Female', '366-479-6820',
'zoe.robinson9@example.com', '1998-11-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (10, 'Irene Reyes', 'Female', '823-750-3803',
'irene.reyes10@example.com', '2003-12-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (11, 'Chloe Robinson', 'Non-binary', '476-755-4598',
'chloe.robinson11@example.com', '2000-01-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (12, 'Isabella Phillips', 'Female', '610-374-2084',
'isabella.phillips12@example.com', '1998-10-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (13, 'Savannah Wilson', 'Non-binary', '605-758-8517',
'savannah.wilson13@example.com', '1997-05-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (14, 'Lily Mitchell', 'Female', '964-698-8019',
'lily.mitchell14@example.com', '2004-07-12');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (15, 'Mila Rodríguez', 'Non-binary', '293-873-1771',
'mila.rodriguez15@example.com', '1996-03-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (16, 'Chloe Gomez', 'Non-binary', '810-165-7304',
'chloe.gomez16@example.com', '2001-10-15');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (17, 'Ivy Taylor', 'Female', '896-838-2876',
'ivy.taylor17@example.com', '2003-05-25');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (18, 'Leena Perez', 'Female', '500-545-3591',
'leena.perez18@example.com', '2002-01-24');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (19, 'Yulia Taylor', 'Female', '719-208-5889',
'yulia.taylor19@example.com', '2003-10-07');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (20, 'Grace White', 'Female', '752-897-9689',
'grace.white20@example.com', '1995-10-11');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (21, 'Elena Johnson', 'Female', '571-999-6038',
'elena.johnson21@example.com', '1998-01-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (22, 'Emilia Stewart', 'Female', '287-849-8962',
'emilia.stewart22@example.com', '1996-09-25');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (23, 'Scarlett Rodriguez', 'Non-binary', '762-269-5342',
'scarlett.rodriguez23@example.com', '2003-10-14');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (24, 'Zoey Reyes', 'Female', '930-419-7537',
'zoey.reyes24@example.com', '2000-08-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (25, 'Gabriella Davis', 'Female', '430-165-6539',
'gabriella.davis25@example.com', '1995-10-18');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (26, 'Aubrey Nguyen', 'Female', '207-172-1964',
'aubrey.nguyen26@example.com', '1998-02-02');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (27, 'Bella Jones', 'Female', '485-785-8953',
'bella.jones27@example.com', '1998-09-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (28, 'Yulia Reyes', 'Non-binary', '448-903-8749',
'yulia.reyes28@example.com', '2001-04-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (29, 'Elizabeth Nelson', 'Non-binary', '562-533-7735',
'elizabeth.nelson29@example.com', '2002-12-02');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (30, 'Kavya Adams', 'Female', '262-512-6559',
'kavya.adams30@example.com', '1996-04-07');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (31, 'Layla Wright', 'Non-binary', '343-532-4006',
'layla.wright31@example.com', '1999-08-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (32, 'Evelyn Lewis', 'Female', '251-767-9856',
'evelyn.lewis32@example.com', '1995-02-25');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (33, 'Hannah Hernandez', 'Non-binary', '697-592-4502',
'hannah.hernandez33@example.com', '2001-01-06');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (34, 'Anna Smith', 'Non-binary', '471-902-8454',
'anna.smith34@example.com', '1999-07-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (35, 'Josephine Nelson', 'Non-binary', '358-294-5861',
'josephine.nelson35@example.com', '1998-01-19');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (36, 'Piper Brown', 'Female', '258-151-8811',
'piper.brown36@example.com', '2003-09-06');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (37, 'Amelia Morris', 'Female', '390-170-2113',
'amelia.morris37@example.com', '1998-07-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (38, 'Emilia Thomas', 'Female', '834-183-7868',
'emilia.thomas38@example.com', '2004-10-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (39, 'Savannah Reyes', 'Female', '409-785-6147',
'savannah.reyes39@example.com', '1998-05-13');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (40, 'Scarlett Nelson', 'Female', '668-423-2188',
'scarlett.nelson40@example.com', '1995-08-20');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (41, 'Emilia Miller', 'Female', '750-318-9288',
'emilia.miller41@example.com', '1999-03-12');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (42, 'Harper Cruz', 'Female', '578-391-3584',
'harper.cruz42@example.com', '2002-09-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (43, 'Violet Flores', 'Female', '883-936-5905',
'violet.flores43@example.com', '1996-03-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (44, 'Ella Cruz', 'Female', '960-666-3546',
'ella.cruz44@example.com', '1999-05-20');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (45, 'Nora Rivera', 'Female', '408-803-5325',
'nora.rivera45@example.com', '2003-08-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (46, 'Charlotte Garcia', 'Non-binary', '483-145-1058',
'charlotte.garcia46@example.com', '2000-03-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (47, 'Eleanor Hernandez', 'Non-binary', '764-822-8007',
'eleanor.hernandez47@example.com', '2003-01-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (48, 'Evelyn Stewart', 'Female', '758-136-7049',
'evelyn.stewart48@example.com', '2004-09-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (49, 'Angela Rodriguez', 'Female', '515-473-1653',
'angela.rodriguez49@example.com', '2000-04-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (50, 'Lily Nelson', 'Female', '562-898-7658',
'lily.nelson50@example.com', '2004-12-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (51, 'Hannah Parker', 'Female', '381-522-1406',
'hannah.parker51@example.com', '1997-12-11');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (52, 'Samantha Phillips', 'Female', '473-263-2771',
'samantha.phillips52@example.com', '2001-01-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (53, 'Ruby Anderson', 'Female', '671-458-6000',
'ruby.anderson53@example.com', '1998-04-01');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (54, 'Isha Gonzalez', 'Non-binary', '536-385-2137',
'isha.gonzalez54@example.com', '1999-06-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (55, 'Willow Sanchez', 'Female', '228-218-5279',
'willow.sanchez55@example.com', '1997-10-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (56, 'Isabella Miller', 'Non-binary', '553-846-6139',
'isabella.miller56@example.com', '2001-10-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (57, 'Ella Harris', 'Female', '460-145-8144',
'ella.harris57@example.com', '1995-09-26');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (58, 'Nevaeh Baker', 'Female', '572-541-2146',
'nevaeh.baker58@example.com', '2000-10-11');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (59, 'Isha Diaz', 'Female', '937-407-9308',
'isha.diaz59@example.com', '1999-11-14');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (60, 'Brooklyn Sanchez', 'Female', '767-230-4143',
'brooklyn.sanchez60@example.com', '2001-11-13');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (61, 'Kavya Mitchell', 'Female', '830-682-5930',
'kavya.mitchell61@example.com', '2001-09-27');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (62, 'Ava Martin', 'Female', '415-540-6279',
'ava.martin62@example.com', '2002-08-15');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (63, 'Kavya Wilson', 'Non-binary', '953-273-2389',
'kavya.wilson63@example.com', '1999-09-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (64, 'Nisha Flores', 'Female', '295-938-4848',
'nisha.flores64@example.com', '1999-04-26');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (65, 'Lillian Martinez', 'Female', '247-350-8784',
'lillian.martinez65@example.com', '2004-02-15');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (66, 'Stella Cruz', 'Female', '935-813-7291',
'stella.cruz66@example.com', '2002-07-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (67, 'Aria Adams', 'Female', '968-981-2746',
'aria.adams67@example.com', '2001-04-06');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (68, 'Irene King', 'Non-binary', '251-670-5082',
'irene.king68@example.com', '1996-08-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (69, 'Madelyn Nelson', 'Female', '973-553-9270',
'madelyn.nelson69@example.com', '2001-09-15');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (70, 'Chloe Mitchell', 'Non-binary', '660-365-5050',
'chloe.mitchell70@example.com', '1999-09-16');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (71, 'Meera Thomas', 'Female', '650-179-5681',
'meera.thomas71@example.com', '1998-05-11');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (72, 'Savannah Edwards', 'Female', '341-254-4788',
'savannah.edwards72@example.com', '2001-12-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (73, 'Diana Wilson', 'Female', '624-517-6421',
'diana.wilson73@example.com', '2003-08-14');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (74, 'Amelia Wilson', 'Non-binary', '598-888-1320',
'amelia.wilson74@example.com', '2004-07-16');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (75, 'Ava Stewart', 'Female', '505-871-7389',
'ava.stewart75@example.com', '2001-09-24');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (76, 'Piper Phillips', 'Female', '699-324-5471',
'piper.phillips76@example.com', '2001-08-01');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (77, 'Caroline Perez', 'Non-binary', '941-269-8657',
'caroline.perez77@example.com', '1997-10-18');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (78, 'Sophia Collins', 'Non-binary', '806-677-1444',
'sophia.collins78@example.com', '1996-11-14');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (79, 'Victoria Parker', 'Non-binary', '386-151-5262',
'victoria.parker79@example.com', '2001-06-07');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (80, 'Alice Lee', 'Female', '979-488-5558',
'alice.lee80@example.com', '2001-05-27');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (81, 'Abigail Walker', 'Female', '967-652-1853',
'abigail.walker81@example.com', '2000-04-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (82, 'Harper Roberts', 'Female', '972-131-5051',
'harper.roberts82@example.com', '1998-01-20');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (83, 'Grace Thomas', 'Female', '684-785-2874',
'grace.thomas83@example.com', '2004-04-15');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (84, 'Irene Taylor', 'Female', '371-720-2876',
'irene.taylor84@example.com', '1997-05-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (85, 'Jasmine Johnson', 'Female', '789-793-7149',
'jasmine.johnson85@example.com', '2001-12-07');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (86, 'Evelyn Nguyen', 'Female', '304-813-5941',
'evelyn.nguyen86@example.com', '2004-02-26');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (87, 'Emilia Gomez', 'Female', '555-645-8018',
'emilia.gomez87@example.com', '2000-02-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (88, 'Leena Perez', 'Female', '630-942-9031',
'leena.perez88@example.com', '1996-07-12');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (89, 'Nisha Edwards', 'Non-binary', '924-256-8135',
'nisha.edwards89@example.com', '1997-12-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (90, 'Riya Moore', 'Non-binary', '676-546-5397',
'riya.moore90@example.com', '2000-04-27');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (91, 'Emily Moore', 'Non-binary', '449-868-8613',
'emily.moore91@example.com', '2004-10-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (92, 'Anna Perez', 'Female', '706-971-6325',
'anna.perez92@example.com', '1997-08-07');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (93, 'Lucy Phillips', 'Female', '548-386-5526',
'lucy.phillips93@example.com', '2003-01-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (94, 'Layla Garcia', 'Female', '937-516-9004',
'layla.garcia94@example.com', '2003-04-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (95, 'Ruby Adams', 'Non-binary', '658-911-1282',
'ruby.adams95@example.com', '1996-05-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (96, 'Kennedy Hall', 'Female', '513-779-7046',
'kennedy.hall96@example.com', '2002-09-17');

```



```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (97, 'Skylar Ramirez', 'Female', '560-819-8434',
'skylar.ramirez97@example.com', '1999-05-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (98, 'Aubrey Davis', 'Female', '523-222-9779',
'aubrey.davis98@example.com', '1997-04-07');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (99, 'Naomi Moore', 'Female', '302-952-4180',
'naomi.moore99@example.com', '1999-04-12');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (100, 'Penelope Martin', 'Female', '925-646-3073',
'penelope.martin100@example.com', '1999-01-02');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (101, 'Lydia Jackson', 'Female', '853-989-9042',
'lydia.jackson101@example.com', '1996-01-19');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (102, 'Leah Walker', 'Non-binary', '651-448-4020',
'leah.walker102@example.com', '1995-05-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (103, 'Naomi Davis', 'Female', '610-603-2213',
'naomi.davis103@example.com', '2004-11-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (104, 'Charlotte Martinez', 'Female', '776-411-2395',
'charlotte.martinez104@example.com', '1998-02-18');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (105, 'Stella Hill', 'Female', '994-635-7232',
'stella.hill105@example.com', '2002-08-10');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (106, 'Farah Ramirez', 'Female', '782-735-1986',
'farah.ramirez106@example.com', '2004-12-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (107, 'Nora Green', 'Female', '470-776-2330',
'nora.green107@example.com', '1997-04-06');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (108, 'Lydia Jones', 'Female', '202-518-8381',
'lydia.jones108@example.com', '2004-08-10');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (109, 'Isabella Anderson', 'Female', '923-389-8438',
'isabella.anderson109@example.com', '1996-11-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (110, 'Eleanor Gomez', 'Female', '635-217-9922',
'eleanor.gomez110@example.com', '1998-11-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (111, 'Natalie Evans', 'Female', '273-161-3718',
'natalie.evans111@example.com', '1999-10-24');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (112, 'Emilia Collins', 'Female', '649-227-8679',
'emilia.collins112@example.com', '1999-12-13');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (113, 'Natalie Allen', 'Non-binary', '648-182-1653',
'natalie.allen113@example.com', '2001-12-11');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (114, 'Ananya Taylor', 'Female', '293-334-1339',
'ananya.taylor114@example.com', '1999-10-02');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (115, 'Penelope Walker', 'Non-binary', '484-285-8141',
'penelope.walker115@example.com', '2002-02-16');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (116, 'Skylar Clark', 'Female', '528-786-2713',
'skylar.clark116@example.com', '1997-06-14');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (117, 'Nandini Young', 'Female', '878-510-1601',
'nandini.young117@example.com', '2002-02-11');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (118, 'Addison Lee', 'Female', '991-513-9431',
'addison.leel18@example.com', '1995-11-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (119, 'Piper Robinson', 'Non-binary', '255-292-9494',
'piper.robinson119@example.com', '2000-10-25');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (120, 'Serenity Green', 'Non-binary', '978-152-4335',
'serenity.green120@example.com', '1999-09-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (121, 'Leah Lewis', 'Non-binary', '324-129-4920',
'leah.lewis121@example.com', '1997-05-18');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (122, 'Olivia Scott', 'Non-binary', '295-330-2858',
'olivia.scott122@example.com', '2002-02-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (123, 'Grace Young', 'Female', '721-822-5479',
'grace.young123@example.com', '2001-08-16');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (124, 'Lily Robinson', 'Female', '592-295-9327',
'lily.robinson124@example.com', '1997-02-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (125, 'Stella Perez', 'Female', '202-389-5891',
'stella.perez125@example.com', '2004-10-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (126, 'Elena Parker', 'Female', '657-651-8935',
'elena.parker126@example.com', '2000-06-18');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (127, 'Piper Harris', 'Non-binary', '529-990-4090',
'piper.harris127@example.com', '1998-10-13');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (128, 'Aubrey Diaz', 'Non-binary', '244-425-8749',
'aubrey.diaz128@example.com', '2001-07-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (129, 'Riya Martinez', 'Non-binary', '237-229-9229',
'riya.martinez129@example.com', '2004-06-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (130, 'Elizabeth Parker', 'Non-binary', '302-638-8486',
'elizabeth.parker130@example.com', '1995-12-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (131, 'Samantha Parker', 'Female', '276-580-5342',
'samantha.parker131@example.com', '2000-10-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (132, 'Genesis Adams', 'Female', '536-972-9742',
'genesis.adams132@example.com', '2001-06-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (133, 'Olga Cruz', 'Non-binary', '754-136-2121',
'olga.cruz133@example.com', '1998-11-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (134, 'Leah Anderson', 'Female', '644-200-2646',
'leah.anderson134@example.com', '2002-03-23');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (135, 'Violet Edwards', 'Female', '247-432-1919',
'violet.edwards135@example.com', '1999-06-12');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (136, 'Angela Martinez', 'Female', '743-521-3950',
'angela.martinez136@example.com', '1997-03-03');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (137, 'Priya Parker', 'Non-binary', '834-799-4945',
'priya.parker137@example.com', '2002-10-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (138, 'Aubrey Robinson', 'Female', '670-361-1153',
'aubrey.robinson138@example.com', '2002-05-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (139, 'Piper Hernandez', 'Female', '652-453-5901',
'piper.hernandez139@example.com', '2001-12-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (140, 'Alice Diaz', 'Female', '403-493-8916',
'alice.diaz140@example.com', '1996-04-13');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (141, 'Kaylee Thompson', 'Female', '916-402-1359',
'kaylee.thompson141@example.com', '2001-05-01');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (142, 'Emilia Parker', 'Female', '820-863-9138',
'emilia.parker142@example.com', '1999-04-20');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (143, 'Lucy Anderson', 'Female', '835-356-3240',
'lucy.anderson143@example.com', '1996-11-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (144, 'Mia Martin', 'Non-binary', '234-693-6977',
'mia.martin144@example.com', '1997-02-10');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (145, 'Brooklyn Mitchell', 'Non-binary', '379-305-3165',
'brooklyn.mitchell145@example.com', '2003-06-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (146, 'Autumn Collins', 'Female', '368-363-8894',
'autumn.collins146@example.com', '1999-12-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (147, 'Claire Phillips', 'Female', '679-177-3306',
'claire.phillips147@example.com', '1998-11-24');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (148, 'Kavya Sanchez', 'Female', '292-909-7464',
'kavya.sanchez148@example.com', '1995-05-18');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (149, 'Madison Robinson', 'Female', '888-866-5295',
'madison.robinson149@example.com', '2004-07-27');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (150, 'Nisha Stewart', 'Female', '310-791-4830',
'nisha.stewart150@example.com', '2002-01-20');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (151, 'Josephine Lee', 'Female', '863-164-8606',
'josephine.lee151@example.com', '1999-11-14');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (152, 'Ella Rodriguez', 'Female', '238-411-9071',
'ella.rodriguez152@example.com', '1996-02-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (153, 'Nevaeh Rodriguez', 'Non-binary', '664-479-9850',
'nevaeh.rodriguez153@example.com', '2001-10-24');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (154, 'Grace Cruz', 'Non-binary', '870-201-9017',
'grace.cruz154@example.com', '2004-07-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (155, 'Isabella Hall', 'Female', '422-554-8285',
'isabella.hall155@example.com', '1998-06-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (156, 'Divya White', 'Female', '262-507-5520',
'divya.whitel56@example.com', '1998-02-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (157, 'Alice Garcia', 'Female', '857-754-1349',
'alice.garcia157@example.com', '1995-06-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (158, 'Scarlett Gomez', 'Female', '270-949-4394',
'scarlett.gomez158@example.com', '2004-04-27');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (159, 'Aubrey Perez', 'Female', '810-102-5542',
'aubrey.perez159@example.com', '1997-03-18');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (160, 'Addison Phillips', 'Female', '312-776-1422',
'addison.phillips160@example.com', '1997-01-12');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (161, 'Hannah Nguyen', 'Female', '216-278-5347',
'hannah.nguyen161@example.com', '1995-03-24');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (162, 'Stella King', 'Female', '963-165-8802',
'stella.king162@example.com', '2002-06-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (163, 'Farah Miller', 'Non-binary', '715-326-1710',
'farah.miller163@example.com', '2003-05-15');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (164, 'Leena Morris', 'Female', '262-590-7580',
'leena.morris164@example.com', '2001-11-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (165, 'Elena Rivera', 'Non-binary', '275-182-6277',
'elena.rivera165@example.com', '2004-03-03');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (166, 'Scarlett Moore', 'Female', '590-711-9692',
'scarlett.moore166@example.com', '1999-08-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (167, 'Ananya Ramirez', 'Female', '918-217-4522',
'ananya.ramirez167@example.com', '2001-08-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (168, 'Samantha Perez', 'Non-binary', '608-525-2557',
'samantha.perez168@example.com', '2000-07-11');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (169, 'Maya Taylor', 'Female', '356-803-8770',
'maya.taylor169@example.com', '1996-02-27');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (170, 'Abigail Garcia', 'Non-binary', '298-862-7105',
'abigail.garcia170@example.com', '1997-09-02');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (171, 'Farah Morris', 'Female', '886-225-7730',
'farah.morris171@example.com', '2000-11-25');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (172, 'Allison Parker', 'Female', '494-714-6119',
'allison.parker172@example.com', '2000-02-19');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (173, 'Autumn Wilson', 'Female', '872-593-4674',
'autumn.wilson173@example.com', '1996-06-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (174, 'Josephine White', 'Female', '980-385-4705',
'josephine.white174@example.com', '2001-09-25');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (175, 'Sara Flores', 'Female', '823-773-5381',
'sara.flores175@example.com', '1995-03-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (176, 'Irene Carter', 'Female', '547-459-1100',
'irene.carter176@example.com', '1997-03-19');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (177, 'Isha Sanchez', 'Female', '345-858-1502',
'isha.sanchez177@example.com', '1996-12-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (178, 'Zoey Harris', 'Non-binary', '664-449-3578',
'zoey.harris178@example.com', '2000-05-24');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (179, 'Brooklyn Roberts', 'Female', '253-259-3579',
'brooklyn.roberts179@example.com', '2004-01-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (180, 'Abigail Moore', 'Non-binary', '877-534-8957',
'abigail.moore180@example.com', '2004-08-14');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (181, 'Natalie Wilson', 'Female', '553-540-2816',
'natalie.wilson181@example.com', '1999-11-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (182, 'Farah Young', 'Female', '246-325-7475',
'farah.young182@example.com', '2004-01-01');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (183, 'Nora Martin', 'Female', '985-240-5186',
'nora.martin183@example.com', '1999-06-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (184, 'Ava Young', 'Non-binary', '379-232-7229',
'ava.young184@example.com', '2003-12-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (185, 'Autumn Scott', 'Female', '273-506-1693',
'autumn.scott185@example.com', '2001-01-15');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (186, 'Evelyn Parker', 'Female', '789-539-7626',
'evelyn.parker186@example.com', '2001-05-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (187, 'Kennedy Johnson', 'Female', '375-920-8538',
'kennedy.johnson187@example.com', '2000-02-14');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (188, 'Sofia Thomas', 'Non-binary', '803-510-9584',
'sofia.thomas188@example.com', '1996-07-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (189, 'Aurora Mitchell', 'Female', '426-441-3754',
'aurora.mitchell189@example.com', '1996-09-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (190, 'Ella King', 'Female', '994-457-6752',
'ella.king190@example.com', '1997-04-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (191, 'Aria Taylor', 'Female', '377-716-3504',
'aria.taylor191@example.com', '1996-03-25');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (192, 'Meera Young', 'Non-binary', '972-677-8354',
'meera.young192@example.com', '2004-11-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (193, 'Sara Lee', 'Female', '354-550-2118',
'sara.lee193@example.com', '2002-08-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (194, 'Violet Gomez', 'Female', '805-157-6766',
'violet.gomez194@example.com', '2003-02-10');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (195, 'Madelyn Lewis', 'Female', '258-477-5703',
'madelyn.lewis195@example.com', '1996-11-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (196, 'Emily Flores', 'Non-binary', '673-694-1672',
'emily.flores196@example.com', '2002-10-21');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (197, 'Layla Lee', 'Non-binary', '713-254-2013',
'layla.lee197@example.com', '2002-02-26');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (198, 'Claire Rivera', 'Female', '716-761-3827',
'claire.rivera198@example.com', '1995-04-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (199, 'Ariana Lewis', 'Female', '572-481-5634',
'ariana.lewis199@example.com', '2001-07-25');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (200, 'Claire Baker', 'Female', '846-762-6482',
'claire.baker200@example.com', '1996-06-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (201, 'Josephine Baker', 'Non-binary', '490-358-3463',
'josephine.baker201@example.com', '2000-02-19');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (202, 'Isha Martinez', 'Female', '517-771-7421',
'isha.martinez202@example.com', '1997-10-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (203, 'Abigail Martin', 'Non-binary', '858-910-6381',
'abigail.martin203@example.com', '1997-11-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (204, 'Divya Collins', 'Female', '861-786-7937',
'divya.collins204@example.com', '2003-06-01');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (205, 'Paisley Martin', 'Female', '419-449-8967',
'paisley.martin205@example.com', '1998-04-05');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (206, 'Grace Jones', 'Female', '303-619-9843',
'grace.jones206@example.com', '2003-01-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (207, 'Claire Cruz', 'Female', '811-485-3527',
'claire.cruz207@example.com', '1997-03-27');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (208, 'Nandini Roberts', 'Female', '938-548-1715',
'nandini.roberts208@example.com', '2001-06-22');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (209, 'Yulia Thomas', 'Non-binary', '825-391-8355',
'yulia.thomas209@example.com', '1998-09-08');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (210, 'Aurora Morris', 'Non-binary', '398-476-8218',
'aurora.morris210@example.com', '2002-05-25');

```

```

INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (211, 'Anna Allen', 'Non-binary', '365-936-4271',
'anna.allen211@example.com', '2004-03-28');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (212, 'Addison Brown', 'Non-binary', '580-667-2680',
'addison.brown212@example.com', '2003-02-10');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (213, 'Abigail Carter', 'Female', '479-560-9410',
'abigail.carter213@example.com', '1997-07-03');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (214, 'Mila Evans', 'Non-binary', '557-127-7797',
'mila.evans214@example.com', '1995-07-17');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (215, 'Everly Thomas', 'Non-binary', '283-483-4678',
'everly.thomas215@example.com', '1995-06-04');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (216, 'Olga Adams', 'Female', '349-240-1627',
'olga.adams216@example.com', '1999-08-23');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (217, 'Victoria Carter', 'Non-binary', '659-730-1086',
'victoria.carter217@example.com', '1996-01-09');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (218, 'Zoey Turner', 'Female', '761-844-9647',
'zoey.turner218@example.com', '2001-02-25');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (219, 'Leah Thomas', 'Female', '324-148-4906',
'leah.thomas219@example.com', '2001-11-26');
INSERT INTO People(person_id, name, gender, phone, email, date_of_birth)
VALUES (220, 'Sara Robinson', 'Female', '313-956-9189',
'sara.robinson220@example.com', '2004-09-01');

```

-- Insert Entrepreneurs

```

INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (1, 'Harvard', 'Economics', 162);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (2, 'MIT', 'CS', 132);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (3, 'Harvard', 'Biology', 148);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (4, 'Suffolk University', 'Biology', 62);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (5, 'Harvard', 'Design', 184);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (6, 'Tufts University', 'Biology', 37);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (7, 'Boston University', 'EE', 75);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (8, 'MIT', 'Business', 110);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (9, 'Emerson College', 'Economics', 1);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (10, 'Harvard', 'Economics', 158);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (11, 'Tufts University', 'Design', 91);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (12, 'Boston University', 'Biology', 217);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (13, 'Harvard', 'Design', 147);

```

```

INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (14, 'Harvard', 'Business', 107);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (15, 'Harvard', 'Data Science', 48);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (16, 'Harvard', 'Biology', 171);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (17, 'Northeastern University', 'Design', 172);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (18, 'Northeastern University', 'Data Science', 22);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (19, 'Tufts University', 'Data Science', 135);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (20, 'Northeastern University', 'Business', 93);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (21, 'Emerson College', 'Business', 18);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (22, 'Boston University', 'CS', 202);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (23, 'Suffolk University', 'EE', 140);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (24, 'Suffolk University', 'Business', 130);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (25, 'Northeastern University', 'CS', 197);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (26, 'MIT', 'Economics', 142);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (27, 'Harvard', 'CS', 6);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (28, 'Suffolk University', 'EE', 100);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (29, 'Harvard', 'Data Science', 121);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (30, 'Harvard', 'Economics', 12);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (31, 'Harvard', 'Business', 163);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (32, 'Northeastern University', 'Biology', 193);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (33, 'Tufts University', 'Business', 96);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (34, 'Suffolk University', 'CS', 65);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (35, 'Harvard', 'Data Science', 5);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (36, 'Boston University', 'Data Science', 92);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (37, 'MIT', 'Data Science', 200);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (38, 'Tufts University', 'Business', 89);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (39, 'BC', 'Biology', 209);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (40, 'Harvard', 'CS', 169);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (41, 'MIT', 'CS', 161);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (42, 'Boston University', 'Economics', 27);

```



```

INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (43, 'Boston University', 'Business', 149);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (44, 'BC', 'Biology', 86);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (45, 'Tufts University', 'Economics', 35);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (46, 'Harvard', 'Business', 191);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (47, 'BC', 'EE', 210);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (48, 'Harvard', 'Biology', 198);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (49, 'Emerson College', 'Biology', 87);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (50, 'Tufts University', 'Data Science', 165);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (51, 'Emerson College', 'Economics', 45);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (52, 'Suffolk University', 'Data Science', 119);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (53, 'Emerson College', 'Economics', 123);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (54, 'Boston University', 'CS', 220);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (55, 'Boston University', 'Economics', 47);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (56, 'MIT', 'Data Science', 176);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (57, 'Boston University', 'CS', 17);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (58, 'Emerson College', 'Design', 118);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (59, 'Suffolk University', 'Data Science', 10);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (60, 'Suffolk University', 'EE', 76);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (61, 'Emerson College', 'Data Science', 52);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (62, 'BC', 'Design', 175);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (63, 'MIT', 'Data Science', 160);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (64, 'Boston University', 'Biology', 11);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (65, 'Suffolk University', 'CS', 81);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (66, 'Emerson College', 'Biology', 80);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (67, 'MIT', 'CS', 219);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (68, 'Tufts University', 'Economics', 102);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (69, 'BC', 'CS', 173);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (70, 'Northeastern University', 'Economics', 122);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (71, 'BC', 'Design', 187);

```

```

INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (72, 'Harvard', 'Biology', 167);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (73, 'Northeastern University', 'Biology', 49);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (74, 'BC', 'Economics', 74);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (75, 'Emerson College', 'EE', 185);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (76, 'MIT', 'CS', 13);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (77, 'Boston University', 'Design', 85);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (78, 'Suffolk University', 'Data Science', 70);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (79, 'Suffolk University', 'Data Science', 32);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (80, 'Boston University', 'CS', 95);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (81, 'Suffolk University', 'Business', 112);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (82, 'Northeastern University', 'Business', 103);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (83, 'Tufts University', 'CS', 113);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (84, 'Northeastern University', 'Design', 99);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (85, 'Emerson College', 'Biology', 204);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (86, 'Northeastern University', 'CS', 206);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (87, 'Suffolk University', 'Biology', 128);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (88, 'Suffolk University', 'CS', 134);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (89, 'Suffolk University', 'Biology', 141);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (90, 'BC', 'CS', 69);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (91, 'Suffolk University', 'Economics', 203);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (92, 'MIT', 'CS', 109);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (93, 'Emerson College', 'Biology', 21);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (94, 'MIT', 'Design', 56);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (95, 'MIT', 'Data Science', 78);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (96, 'Harvard', 'Data Science', 106);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (97, 'Tufts University', 'Design', 24);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (98, 'Northeastern University', 'Economics', 143);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (99, 'Suffolk University', 'Business', 38);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (100, 'BC', 'Data Science', 42);

```

```

INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (101, 'MIT', 'Data Science', 14);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (102, 'Northeastern University', 'Data Science', 157);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (103, 'Suffolk University', 'Business', 192);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (104, 'Suffolk University', 'Economics', 144);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (105, 'BC', 'Economics', 151);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (106, 'Suffolk University', 'CS', 40);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (107, 'Harvard', 'Data Science', 58);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (108, 'Northeastern University', 'CS', 126);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (109, 'BC', 'Business', 146);
INSERT INTO Entrepreneur(entrepreneur_id, university, major, person_id)
VALUES (110, 'Tufts University', 'Design', 55);

```

-- Insert Mentors

```

INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (1, 'Product', 'StartupX', 'Available', 41);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (2, 'Marketing', 'CompanyB', 'Available', 181);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (3, 'Tech', 'ConsultancyY', 'Available', 114);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (4, 'Finance', 'VCZ', 'Available', 83);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (5, 'Tech', 'CompanyA', 'Available', 115);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (6, 'Tech', 'ConsultancyY', 'Available', 9);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (7, 'Legal', 'StartupX', 'Available', 189);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (8, 'Fundraising', 'ConsultancyY', 'Available', 84);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (9, 'Legal', 'VCZ', 'Available', 159);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (10, 'Fundraising', 'ConsultancyY', 'Available', 111);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (11, 'Legal', 'VCZ', 'By Appointment', 66);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (12, 'Tech', 'ConsultancyY', 'Available', 168);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (13, 'Product', 'CompanyA', 'By Appointment', 16);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (14, 'Operations', 'VCZ', 'Available', 20);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (15, 'Product', 'CompanyB', 'By Appointment', 178);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (16, 'Tech', 'CompanyB', 'Available', 199);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (17, 'Operations', 'VCZ', 'By Appointment', 101);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (18, 'Finance', 'VCZ', 'Available', 88);

```

```

INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (19, 'Operations', 'VCZ', 'Available', 131);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (20, 'Finance', 'ConsultancyY', 'Busy', 179);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (21, 'Finance', 'ConsultancyY', 'Available', 39);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (22, 'Tech', 'ConsultancyY', 'By Appointment', 7);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (23, 'Legal', 'VCZ', 'Busy', 34);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (24, 'Fundraising', 'VCZ', 'Busy', 156);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (25, 'Legal', 'VCZ', 'Available', 215);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (26, 'Tech', 'CompanyB', 'By Appointment', 8);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (27, 'Legal', 'StartupX', 'Busy', 31);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (28, 'Legal', 'CompanyB', 'Available', 19);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (29, 'Product', 'VCZ', 'Busy', 59);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (30, 'Legal', 'CompanyA', 'Busy', 188);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (31, 'Product', 'ConsultancyY', 'By Appointment', 166);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (32, 'Product', 'ConsultancyY', 'By Appointment', 97);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (33, 'Finance', 'ConsultancyY', 'Available', 150);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (34, 'Product', 'CompanyA', 'Available', 177);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (35, 'Operations', 'CompanyB', 'Available', 36);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (36, 'Legal', 'CompanyA', 'Available', 213);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (37, 'Finance', 'CompanyB', 'Busy', 90);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (38, 'Legal', 'StartupX', 'Available', 152);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (39, 'Fundraising', 'CompanyA', 'Busy', 194);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (40, 'Tech', 'VCZ', 'Available', 195);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (41, 'Finance', 'ConsultancyY', 'Available', 33);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (42, 'Product', 'VCZ', 'Available', 136);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (43, 'Legal', 'VCZ', 'Available', 164);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (44, 'Tech', 'VCZ', 'Busy', 98);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (45, 'Legal', 'CompanyA', 'Available', 73);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (46, 'Operations', 'ConsultancyY', 'Busy', 201);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (47, 'Product', 'CompanyA', 'Available', 60);

```

```

INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (48, 'Legal', 'StartupX', 'Available', 124);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (49, 'Product', 'ConsultancyY', 'Available', 196);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (50, 'Legal', 'StartupX', 'By Appointment', 3);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (51, 'Product', 'VCZ', 'Available', 183);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (52, 'Fundraising', 'CompanyB', 'Busy', 25);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (53, 'Operations', 'CompanyB', 'Available', 127);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (54, 'Tech', 'CompanyB', 'By Appointment', 63);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (55, 'Marketing', 'ConsultancyY', 'Available', 46);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (56, 'Operations', 'StartupX', 'By Appointment', 129);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (57, 'Finance', 'CompanyB', 'Available', 125);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (58, 'Product', 'StartupX', 'Available', 174);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (59, 'Finance', 'ConsultancyY', 'Available', 207);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (60, 'Marketing', 'CompanyB', 'Busy', 104);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (61, 'Product', 'CompanyA', 'By Appointment', 208);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (62, 'Fundraising', 'StartupX', 'Available', 54);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (63, 'Fundraising', 'VCZ', 'By Appointment', 28);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (64, 'Finance', 'CompanyA', 'Busy', 72);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (65, 'Product', 'CompanyB', 'Available', 180);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (66, 'Product', 'CompanyA', 'By Appointment', 214);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (67, 'Tech', 'ConsultancyY', 'By Appointment', 153);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (68, 'Product', 'ConsultancyY', 'Available', 26);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (69, 'Finance', 'CompanyB', 'Available', 105);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (70, 'Legal', 'StartupX', 'Busy', 170);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (71, 'Finance', 'StartupX', 'Available', 155);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (72, 'Fundraising', 'VCZ', 'By Appointment', 94);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (73, 'Operations', 'VCZ', 'Available', 116);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (74, 'Marketing', 'StartupX', 'Available', 71);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (75, 'Tech', 'VCZ', 'By Appointment', 212);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (76, 'Tech', 'CompanyA', 'Busy', 182);

```

```

INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (77, 'Operations', 'CompanyA', 'Available', 43);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (78, 'Finance', 'VCZ', 'Busy', 137);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (79, 'Marketing', 'VCZ', 'Busy', 211);
INSERT INTO Mentor(mentor_id, expertise, organization, availability,
person_id) VALUES (80, 'Product', 'VCZ', 'Available', 67);

-- Insert Investors
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (1, 'VC Beta',
5000, 50000, 'Health,Biotech', 71);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (2, 'VC Alpha',
5000, 25000, 'Health,Biotech', 216);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (3, 'Syndicate Co',
5000, 100000, 'Tech,AI', 39);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (4, 'Seed Fund',
10000, 200000, 'Sustainability,Fashion', 186);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (5, 'Angel Group',
10000, 200000, 'Sustainability,Fashion', 183);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (6, 'Angel Group',
10000, 50000, 'Sustainability,Fashion', 182);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (7, 'VC Alpha',
5000, 25000, 'Tech,AI', 168);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (8, 'Angel Group',
10000, 100000, 'EdTech', 43);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (9, 'Angel Group',
10000, 100000, 'Sustainability,Fashion', 207);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (10, 'VC Beta',
50000, 1000000, 'Sustainability,Fashion', 88);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (11, 'VC Beta',
25000, 125000, 'Sustainability,Fashion', 131);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (12, 'Angel Group',
5000, 100000, 'EdTech', 54);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (13, 'Angel Group',
5000, 100000, 'Tech,AI', 30);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (14, 'VC Alpha',
5000, 50000, 'FinTech,Data', 50);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (15, 'Syndicate
Co', 5000, 50000, 'Sustainability,Fashion', 33);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (16, 'VC Beta',
50000, 1000000, 'Tech,AI', 59);

```

```

INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (17, 'VC Beta',
10000, 200000, 'Health,Biotech', 127);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (18, 'Seed Fund',
50000, 1000000, 'FinTech,Data', 7);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (19, 'Seed Fund',
25000, 500000, 'FinTech,Data', 205);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (20, 'Angel Group',
10000, 50000, 'Tech,AI', 139);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (21, 'Angel Group',
50000, 1000000, 'EdTech', 152);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (22, 'Angel Group',
25000, 125000, 'FinTech,Data', 90);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (23, 'Seed Fund',
50000, 1000000, 'EdTech', 117);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (24, 'Seed Fund',
10000, 50000, 'Health,Biotech', 213);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (25, 'Syndicate
Co', 25000, 125000, 'Tech,AI', 31);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (26, 'Seed Fund',
5000, 100000, 'Sustainability,Fashion', 159);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (27, 'Syndicate
Co', 5000, 50000, 'Tech,AI', 25);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (28, 'VC Alpha',
5000, 25000, 'EdTech', 19);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (29, 'VC Beta',
25000, 250000, 'Health,Biotech', 72);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (30, 'Seed Fund',
5000, 50000, 'EdTech', 98);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (31, 'Angel Group',
10000, 100000, 'Sustainability,Fashion', 124);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (32, 'VC Beta',
25000, 500000, 'FinTech,Data', 136);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (33, 'Syndicate
Co', 10000, 200000, 'EdTech', 104);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (34, 'VC Alpha',
25000, 250000, 'Health,Biotech', 156);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (35, 'Angel Group',
25000, 125000, 'Health,Biotech', 212);

```

```

INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (36, 'VC Beta',
25000, 250000, 'Health,Biotech', 20);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (37, 'VC Alpha',
50000, 500000, 'Sustainability,Fashion', 178);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (38, 'VC Alpha',
25000, 250000, 'EdTech', 73);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (39, 'Angel Group',
10000, 200000, 'EdTech', 153);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (40, 'Angel Group',
25000, 125000, 'EdTech', 115);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (41, 'Seed Fund',
25000, 500000, 'Tech,AI', 180);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (42, 'Angel Group',
5000, 100000, 'Tech,AI', 133);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (43, 'Syndicate
Co', 50000, 1000000, 'Health,Biotech', 83);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (44, 'Angel Group',
25000, 500000, 'EdTech', 154);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (45, 'VC Beta',
10000, 100000, 'Sustainability,Fashion', 44);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (46, 'Seed Fund',
25000, 125000, 'Sustainability,Fashion', 137);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (47, 'Syndicate
Co', 5000, 50000, 'FinTech,Data', 111);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (48, 'Syndicate
Co', 5000, 100000, 'Health,Biotech', 61);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (49, 'Syndicate
Co', 10000, 200000, 'Health,Biotech', 116);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (50, 'VC Beta',
10000, 50000, 'EdTech', 189);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (51, 'Syndicate
Co', 10000, 200000, 'Sustainability,Fashion', 188);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (52, 'VC Alpha',
5000, 25000, 'Sustainability,Fashion', 105);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (53, 'Seed Fund',
5000, 50000, 'FinTech,Data', 16);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (54, 'Seed Fund',
5000, 100000, 'Health,Biotech', 63);

```



```

INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (55, 'Syndicate
Co', 25000, 250000, 'Sustainability,Fashion', 145);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (56, 'VC Beta',
5000, 25000, 'FinTech,Data', 36);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (57, 'Angel Group',
25000, 500000, 'FinTech,Data', 23);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (58, 'Syndicate
Co', 10000, 100000, 'Sustainability,Fashion', 164);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (59, 'VC Alpha',
5000, 100000, 'FinTech,Data', 215);
INSERT INTO Investor(investor_id, organization, capacity_min,
capacity_max, preferred_industries, person_id) VALUES (60, 'VC Beta',
10000, 200000, 'Sustainability,Fashion', 84);

```

-- Insert Startups

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (1, 'BlueSolutions1', 'AI', 'Early Revenue', '2024-
02-09', 'BlueSolutions1 is a AI startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (2, 'BlueApps2', 'AI', 'Early Revenue', '2019-11-10',
'BlueApps2 is a AI startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (3, 'FusionDesigns3', 'Health', 'Prototype', '2022-
10-05', 'FusionDesigns3 is a Health startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (4, 'BrightApps4', 'E-commerce', 'Early Revenue',
'2024-10-02', 'BrightApps4 is a E-commerce startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (5, 'EcoTech5', 'Tech', 'Early Revenue', '2023-04-
25', 'EcoTech5 is a Tech startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (6, 'FusionWorks6', 'E-commerce', 'Idea', '2021-11-
18', 'FusionWorks6 is a E-commerce startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (7, 'GreenApps7', 'Sustainability', 'Growth', '2019-
11-13', 'GreenApps7 is a Sustainability startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (8, 'GreenWorks8', 'Health', 'Idea', '2019-08-14',
'GreenWorks8 is a Health startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (9, 'BetaWorks9', 'Fashion', 'Early Revenue', '2022-
03-11', 'BetaWorks9 is a Fashion startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (10, 'NextApps10', 'Food', 'Growth', '2019-06-17',
'NextApps10 is a Food startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (11, 'OmniTech11', 'Food', 'Prototype', '2021-02-09',
'OmniTech11 is a Food startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (12, 'BetaLabs12', 'Education', 'Idea', '2018-05-13',
'BetaLabs12 is a Education startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (13, 'FusionWorks13', 'Fashion', 'Prototype', '2024-
06-19', 'FusionWorks13 is a Fashion startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (14, 'NextLabs14', 'Education', 'Growth', '2022-08-
16', 'NextLabs14 is a Education startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (15, 'GreenWorks15', 'Tech', 'Idea', '2021-09-15',
'GreenWorks15 is a Tech startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (16, 'BlueLabs16', 'E-commerce', 'Early Revenue',
'2018-01-10', 'BlueLabs16 is a E-commerce startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (17, 'BetaDesigns17', 'Biotech', 'Early Revenue',
'2022-01-28', 'BetaDesigns17 is a Biotech startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (18, 'NovaWorks18', 'Education', 'Early Revenue',
'2023-06-25', 'NovaWorks18 is a Education startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (19, 'AlphaSolutions19', 'Tech', 'Growth', '2018-10-
18', 'AlphaSolutions19 is a Tech startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (20, 'BlueSolutions20', 'AI', 'Early Revenue', '2018-
07-17', 'BlueSolutions20 is a AI startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (21, 'BetaSystems21', 'AI', 'Early Revenue', '2024-
10-22', 'BetaSystems21 is a AI startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (22, 'FusionTech22', 'Education', 'Idea', '2021-06-
26', 'FusionTech22 is a Education startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (23, 'NextDesigns23', 'Food', 'Prototype', '2019-10-
17', 'NextDesigns23 is a Food startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (24, 'AlphaDesigns24', 'Tech', 'Idea', '2018-03-23',
'AlphaDesigns24 is a Tech startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (25, 'NextSystems25', 'Biotech', 'Growth', '2019-10-
17', 'NextSystems25 is a Biotech startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (26, 'BrightSolutions26', 'E-commerce', 'Early
```

```

Revenue', '2019-07-20', 'BrightSolutions26 is a E-commerce startup
focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (27, 'GreenDesigns27', 'Food', 'Growth', '2023-10-
10', 'GreenDesigns27 is a Food startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (28, 'BetaSystems28', 'Tech', 'Early Revenue', '2020-
11-04', 'BetaSystems28 is a Tech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (29, 'AlphaDesigns29', 'Sustainability', 'Idea',
'2022-08-09', 'AlphaDesigns29 is a Sustainability startup focused on
innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (30, 'SparkSystems30', 'E-commerce', 'Prototype',
'2023-01-19', 'SparkSystems30 is a E-commerce startup focused on
innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (31, 'BetaLabs31', 'AI', 'Growth', '2019-11-08',
'BetaLabs31 is a AI startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (32, 'EcoDesigns32', 'Health', 'Prototype', '2018-08-
11', 'EcoDesigns32 is a Health startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (33, 'AlphaLabs33', 'FinTech', 'Prototype', '2021-09-
25', 'AlphaLabs33 is a FinTech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (34, 'FusionWorks34', 'Tech', 'Prototype', '2022-04-
18', 'FusionWorks34 is a Tech startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (35, 'NextApps35', 'Biotech', 'Growth', '2020-03-15',
'NextApps35 is a Biotech startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (36, 'OmniSolutions36', 'AI', 'Early Revenue', '2023-
12-22', 'OmniSolutions36 is a AI startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (37, 'SparkSystems37', 'Sustainability', 'Growth',
'2019-04-09', 'SparkSystems37 is a Sustainability startup focused on
innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (38, 'OmniSolutions38', 'Fashion', 'Early Revenue',
'2024-05-23', 'OmniSolutions38 is a Fashion startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (39, 'BlueApps39', 'Biotech', 'Early Revenue', '2021-
06-18', 'BlueApps39 is a Biotech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (40, 'GreenSolutions40', 'Health', 'Growth', '2021-
06-25', 'GreenSolutions40 is a Health startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (41, 'BrightSolutions41', 'Tech', 'Early Revenue',

```

```

'2023-02-12', 'BrightSolutions41 is a Tech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (42, 'BetaApps42', 'Sustainability', 'Growth', '2019-
04-27', 'BetaApps42 is a Sustainability startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (43, 'OmniSolutions43', 'AI', 'Early Revenue', '2019-
02-20', 'OmniSolutions43 is a AI startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (44, 'FusionLabs44', 'Fashion', 'Idea', '2023-09-08',
'FusionLabs44 is a Fashion startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (45, 'SparkLabs45', 'Tech', 'Idea', '2021-06-23',
'SparkLabs45 is a Tech startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (46, 'BetaTech46', 'Education', 'Idea', '2022-03-14',
'BetaTech46 is a Education startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (47, 'SparkWorks47', 'Biotech', 'Prototype', '2024-
05-11', 'SparkWorks47 is a Biotech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (48, 'GreenApps48', 'Tech', 'Idea', '2023-10-08',
'GreenApps48 is a Tech startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (49, 'OmniApps49', 'Tech', 'Prototype', '2021-03-02',
'OmniApps49 is a Tech startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (50, 'AlphaSystems50', 'Biotech', 'Prototype', '2023-
05-02', 'AlphaSystems50 is a Biotech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (51, 'EcoSolutions51', 'E-commerce', 'Idea', '2020-
05-15', 'EcoSolutions51 is a E-commerce startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (52, 'SparkDesigns52', 'AI', 'Growth', '2019-09-15',
'SparkDesigns52 is a AI startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (53, 'GreenLabs53', 'Health', 'Early Revenue', '2019-
12-15', 'GreenLabs53 is a Health startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (54, 'SparkSolutions54', 'Education', 'Idea', '2023-
06-26', 'SparkSolutions54 is a Education startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (55, 'GreenDesigns55', 'Fashion', 'Prototype', '2022-
11-13', 'GreenDesigns55 is a Fashion startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (56, 'AlphaDesigns56', 'Food', 'Idea', '2021-11-04',
'AlphaDesigns56 is a Food startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (57, 'BrightLabs57', 'Biotech', 'Early Revenue',
```

```
'2019-01-09', 'BrightLabs57 is a Biotech startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (58, 'AlphaLabs58', 'Biotech', 'Early Revenue',
'2020-05-19', 'AlphaLabs58 is a Biotech startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (59, 'FusionTech59', 'Sustainability', 'Early
Revenue', '2023-04-02', 'FusionTech59 is a Sustainability startup focused
on innovative solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (60, 'SparkTech60', 'Biotech', 'Early Revenue',
'2019-07-22', 'SparkTech60 is a Biotech startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (61, 'OmniApps61', 'Sustainability', 'Idea', '2023-
05-12', 'OmniApps61 is a Sustainability startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (62, 'FusionLabs62', 'Fashion', 'Prototype', '2021-
03-15', 'FusionLabs62 is a Fashion startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (63, 'FusionSolutions63', 'FinTech', 'Growth', '2024-
09-26', 'FusionSolutions63 is a FinTech startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (64, 'SparkSystems64', 'Fashion', 'Prototype', '2023-
10-28', 'SparkSystems64 is a Fashion startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (65, 'NovaDesigns65', 'Biotech', 'Early Revenue',
'2018-10-04', 'NovaDesigns65 is a Biotech startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (66, 'EcoSystems66', 'AI', 'Prototype', '2022-09-05',
'EcoSystems66 is a AI startup focused on innovative solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (67, 'BrightSolutions67', 'AI', 'Growth', '2018-11-
07', 'BrightSolutions67 is a AI startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (68, 'FusionWorks68', 'Health', 'Growth', '2024-01-
15', 'FusionWorks68 is a Health startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (69, 'BrightDesigns69', 'FinTech', 'Growth', '2022-
01-18', 'BrightDesigns69 is a FinTech startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (70, 'BetaApps70', 'Sustainability', 'Idea', '2021-
05-27', 'BetaApps70 is a Sustainability startup focused on innovative
solutions.');"
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (71, 'EcoApps71', 'Fashion', 'Idea', '2018-07-12',
'EcoApps71 is a Fashion startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (72, 'NovaDesigns72', 'Tech', 'Idea', '2021-01-10',
'NovaDesigns72 is a Tech startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (73, 'AlphaLabs73', 'Education', 'Growth', '2020-07-
15', 'AlphaLabs73 is a Education startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (74, 'AlphaWorks74', 'Health', 'Prototype', '2023-06-
04', 'AlphaWorks74 is a Health startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (75, 'BrightDesigns75', 'FinTech', 'Prototype',
'2023-04-27', 'BrightDesigns75 is a FinTech startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (76, 'EcoSystems76', 'Tech', 'Early Revenue', '2021-
11-24', 'EcoSystems76 is a Tech startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (77, 'OmniWorks77', 'AI', 'Growth', '2024-04-08',
'OmniWorks77 is a AI startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (78, 'BetaSolutions78', 'Education', 'Early Revenue',
'2019-12-25', 'BetaSolutions78 is a Education startup focused on
innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (79, 'NovaTech79', 'FinTech', 'Idea', '2019-04-03',
'NovaTech79 is a FinTech startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (80, 'NovaDesigns80', 'Tech', 'Growth', '2022-11-23',
'NovaDesigns80 is a Tech startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (81, 'EcoLabs81', 'Tech', 'Growth', '2021-04-18',
'EcoLabs81 is a Tech startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (82, 'BlueSystems82', 'Tech', 'Prototype', '2022-05-
08', 'BlueSystems82 is a Tech startup focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (83, 'FusionSolutions83', 'E-commerce', 'Early
Revenue', '2019-05-05', 'FusionSolutions83 is a E-commerce startup
focused on innovative solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (84, 'SparkDesigns84', 'Fashion', 'Growth', '2020-05-
02', 'SparkDesigns84 is a Fashion startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (85, 'OmniDesigns85', 'Education', 'Growth', '2022-
08-02', 'OmniDesigns85 is a Education startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (86, 'NextApps86', 'FinTech', 'Early Revenue', '2023-
07-14', 'NextApps86 is a FinTech startup focused on innovative
solutions.');
```

```
INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (87, 'BrightSolutions87', 'FinTech', 'Prototype',
'2024-09-16', 'BrightSolutions87 is a FinTech startup focused on
innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (88, 'BlueSystems88', 'Fashion', 'Early Revenue',
'2024-12-05', 'BlueSystems88 is a Fashion startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (89, 'BetaTech89', 'AI', 'Growth', '2021-09-17',
'BetaTech89 is a AI startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (90, 'BrightWorks90', 'Fashion', 'Early Revenue',
'2019-06-21', 'BrightWorks90 is a Fashion startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (91, 'NovaWorks91', 'Food', 'Idea', '2022-12-27',
'NovaWorks91 is a Food startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (92, 'BlueTech92', 'Sustainability', 'Growth', '2023-
10-20', 'BlueTech92 is a Sustainability startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (93, 'EcoSystems93', 'Health', 'Prototype', '2024-10-
24', 'EcoSystems93 is a Health startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (94, 'SparkDesigns94', 'Fashion', 'Growth', '2019-06-
10', 'SparkDesigns94 is a Fashion startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (95, 'EcoLabs95', 'Fashion', 'Idea', '2023-08-08',
'EcoLabs95 is a Fashion startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (96, 'FusionApps96', 'Fashion', 'Growth', '2019-09-
11', 'FusionApps96 is a Fashion startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (97, 'GreenWorks97', 'Biotech', 'Early Revenue',
'2020-05-12', 'GreenWorks97 is a Biotech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (98, 'OmniWorks98', 'Biotech', 'Idea', '2024-12-16',
'OmniWorks98 is a Biotech startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (99, 'NextLabs99', 'Food', 'Early Revenue', '2021-01-
19', 'NextLabs99 is a Food startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (100, 'BlueApps100', 'Education', 'Idea', '2020-09-
19', 'BlueApps100 is a Education startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (101, 'FusionApps101', 'FinTech', 'Early Revenue',
'2019-04-11', 'FusionApps101 is a FinTech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (102, 'BlueWorks102', 'E-commerce', 'Prototype',
'2021-09-21', 'BlueWorks102 is a E-commerce startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (103, 'SparkSolutions103', 'Sustainability',
```

```

'Growth', '2023-11-24', 'SparkSolutions103 is a Sustainability startup
focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (104, 'BetaWorks104', 'Education', 'Early Revenue',
'2019-03-24', 'BetaWorks104 is a Education startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (105, 'OmniWorks105', 'Education', 'Idea', '2022-01-
27', 'OmniWorks105 is a Education startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (106, 'NovaSystems106', 'Tech', 'Idea', '2021-03-27',
'NovaSystems106 is a Tech startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (107, 'SparkLabs107', 'Health', 'Prototype', '2018-
04-17', 'SparkLabs107 is a Health startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (108, 'BetaSolutions108', 'Tech', 'Growth', '2023-08-
01', 'BetaSolutions108 is a Tech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (109, 'EcoDesigns109', 'AI', 'Growth', '2018-01-17',
'EcoDesigns109 is a AI startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (110, 'GreenDesigns110', 'Sustainability', 'Idea',
'2022-12-22', 'GreenDesigns110 is a Sustainability startup focused on
innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (111, 'AlphaSystems111', 'Education', 'Idea', '2018-
09-05', 'AlphaSystems111 is a Education startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (112, 'BlueLabs112', 'E-commerce', 'Early Revenue',
'2024-06-09', 'BlueLabs112 is a E-commerce startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (113, 'AlphaTech113', 'Food', 'Growth', '2021-10-08',
'AlphaTech113 is a Food startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (114, 'BlueSolutions114', 'Health', 'Idea', '2018-07-
13', 'BlueSolutions114 is a Health startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (115, 'AlphaDesigns115', 'Biotech', 'Idea', '2023-01-
23', 'AlphaDesigns115 is a Biotech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (116, 'BrightTech116', 'Biotech', 'Growth', '2023-06-
19', 'BrightTech116 is a Biotech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (117, 'NovaDesigns117', 'Tech', 'Prototype', '2019-
12-19', 'NovaDesigns117 is a Tech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (118, 'BetaSolutions118', 'Tech', 'Idea', '2023-05-
```



```

18', 'BetaSolutions118 is a Tech startup focused on innovative
solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (119, 'FusionApps119', 'Tech', 'Prototype', '2024-06-
01', 'FusionApps119 is a Tech startup focused on innovative solutions.');
```

```

INSERT INTO Startup(startup_id, name, industry, stage, date_founded,
description) VALUES (120, 'BlueDesigns120', 'Education', 'Growth', '2018-
05-06', 'BlueDesigns120 is a Education startup focused on innovative
solutions.');
```

```

-- Insert FundingRounds
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (1, '2020-10-27', 803110, 'Series A', 'Series A
funding for startup 73', 73);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (2, '2025-12-05', 25007, 'Series A', 'Series A
funding for startup 50', 50);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (3, '2019-07-08', 23405, 'Pre-Seed', 'Pre-Seed
funding for startup 7', 7);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (4, '2021-01-21', 222683, 'Pre-Seed', 'Pre-Seed
funding for startup 100', 100);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (5, '2020-06-18', 729554, 'Pre-Seed', 'Pre-Seed
funding for startup 63', 63);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (6, '2025-10-10', 108524, 'Seed', 'Seed funding
for startup 11', 11);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (7, '2020-07-23', 54793, 'Series A', 'Series A
funding for startup 35', 35);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (8, '2019-02-01', 195578, 'Series A', 'Series A
funding for startup 47', 47);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (9, '2020-02-06', 734653, 'Pre-Seed', 'Pre-Seed
funding for startup 14', 14);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (10, '2019-02-12', 2511677, 'Series A', 'Series
A funding for startup 14', 14);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (11, '2022-01-10', 716339, 'Seed', 'Seed
funding for startup 111', 111);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (12, '2023-04-19', 2603499, 'Pre-Seed', 'Pre-
Seed funding for startup 93', 93);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (13, '2020-05-10', 199449, 'Seed', 'Seed
funding for startup 22', 22);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (14, '2022-05-14', 198738, 'Seed', 'Seed
funding for startup 22', 22);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (15, '2021-04-24', 1556283, 'Angel', 'Angel
funding for startup 47', 47);
```

```

INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (16, '2019-03-10', 11795, 'Series A', 'Series A
funding for startup 59', 59);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (17, '2023-07-26', 390435, 'Pre-Seed', 'Pre-
Seed funding for startup 108', 108);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (18, '2025-11-20', 46008, 'Angel', 'Angel
funding for startup 105', 105);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (19, '2021-03-13', 366631, 'Pre-Seed', 'Pre-
Seed funding for startup 62', 62);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (20, '2025-04-11', 684090, 'Pre-Seed', 'Pre-
Seed funding for startup 74', 74);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (21, '2019-10-07', 2615912, 'Seed', 'Seed
funding for startup 47', 47);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (22, '2022-12-07', 1678611, 'Seed', 'Seed
funding for startup 94', 94);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (23, '2025-07-22', 1283507, 'Series A', 'Series
A funding for startup 105', 105);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (24, '2021-11-05', 836723, 'Seed', 'Seed
funding for startup 31', 31);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (25, '2023-08-19', 760310, 'Pre-Seed', 'Pre-
Seed funding for startup 58', 58);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (26, '2019-06-23', 3112583, 'Seed', 'Seed
funding for startup 70', 70);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (27, '2025-04-22', 346614, 'Seed', 'Seed
funding for startup 14', 14);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (28, '2024-11-21', 890043, 'Series A', 'Series
A funding for startup 73', 73);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (29, '2022-02-01', 22587, 'Angel', 'Angel
funding for startup 102', 102);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (30, '2021-07-15', 2580893, 'Seed', 'Seed
funding for startup 58', 58);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (31, '2019-05-14', 21160, 'Angel', 'Angel
funding for startup 62', 62);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (32, '2021-06-15', 100844, 'Series A', 'Series
A funding for startup 45', 45);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (33, '2019-08-24', 1391345, 'Series A', 'Series
A funding for startup 61', 61);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (34, '2025-12-04', 11396, 'Seed', 'Seed funding
for startup 6', 6);

```

```

INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (35, '2025-03-24', 100639, 'Angel', 'Angel
funding for startup 87', 87);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (36, '2023-07-15', 111910, 'Angel', 'Angel
funding for startup 43', 43);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (37, '2024-11-14', 608757, 'Angel', 'Angel
funding for startup 24', 24);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (38, '2023-07-13', 10818, 'Angel', 'Angel
funding for startup 58', 58);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (39, '2025-12-26', 25773, 'Angel', 'Angel
funding for startup 36', 36);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (40, '2021-04-15', 22623, 'Pre-Seed', 'Pre-Seed
funding for startup 47', 47);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (41, '2024-06-20', 783392, 'Seed', 'Seed
funding for startup 68', 68);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (42, '2021-08-20', 56274, 'Series A', 'Series A
funding for startup 45', 45);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (43, '2023-10-03', 46263, 'Angel', 'Angel
funding for startup 118', 118);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (44, '2019-03-12', 50216, 'Pre-Seed', 'Pre-Seed
funding for startup 40', 40);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (45, '2020-10-13', 655726, 'Angel', 'Angel
funding for startup 77', 77);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (46, '2020-08-10', 43741, 'Pre-Seed', 'Pre-Seed
funding for startup 72', 72);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (47, '2019-06-01', 1281920, 'Pre-Seed', 'Pre-
Seed funding for startup 80', 80);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (48, '2023-11-16', 805409, 'Pre-Seed', 'Pre-
Seed funding for startup 72', 72);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (49, '2025-08-16', 41653, 'Seed', 'Seed funding
for startup 91', 91);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (50, '2025-04-10', 9099, 'Series A', 'Series A
funding for startup 102', 102);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (51, '2025-08-19', 1529835, 'Seed', 'Seed
funding for startup 22', 22);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (52, '2019-05-25', 3387939, 'Series A', 'Series
A funding for startup 74', 74);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (53, '2025-01-25', 1527811, 'Pre-Seed', 'Pre-
Seed funding for startup 70', 70);

```

```

INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (54, '2024-11-25', 91908, 'Seed', 'Seed funding
for startup 14', 14);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (55, '2021-06-28', 24390, 'Seed', 'Seed funding
for startup 58', 58);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (56, '2025-04-07', 457767, 'Pre-Seed', 'Pre-
Seed funding for startup 100', 100);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (57, '2023-03-26', 112541, 'Seed', 'Seed
funding for startup 22', 22);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (58, '2021-09-09', 2602052, 'Series A', 'Series
A funding for startup 73', 73);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (59, '2023-05-28', 3582585, 'Seed', 'Seed
funding for startup 38', 38);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (60, '2025-07-02', 229363, 'Angel', 'Angel
funding for startup 18', 18);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (61, '2025-03-08', 54227, 'Angel', 'Angel
funding for startup 90', 90);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (62, '2025-11-13', 1285302, 'Series A', 'Series
A funding for startup 98', 98);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (63, '2022-07-15', 26336, 'Seed', 'Seed funding
for startup 81', 81);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (64, '2023-12-09', 392751, 'Pre-Seed', 'Pre-
Seed funding for startup 52', 52);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (65, '2023-01-28', 27309, 'Pre-Seed', 'Pre-Seed
funding for startup 42', 42);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (66, '2024-12-12', 27956, 'Pre-Seed', 'Pre-Seed
funding for startup 82', 82);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (67, '2022-04-16', 185829, 'Series A', 'Series
A funding for startup 28', 28);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (68, '2023-10-05', 1672982, 'Seed', 'Seed
funding for startup 44', 44);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (69, '2019-11-26', 1209768, 'Angel', 'Angel
funding for startup 6', 6);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (70, '2022-01-14', 119827, 'Angel', 'Angel
funding for startup 57', 57);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (71, '2024-05-06', 167467, 'Series A', 'Series
A funding for startup 113', 113);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (72, '2019-06-22', 41035, 'Series A', 'Series A
funding for startup 33', 33);

```

```

INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (73, '2024-04-14', 27036, 'Seed', 'Seed funding
for startup 93', 93);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (74, '2022-02-05', 100777, 'Pre-Seed', 'Pre-
Seed funding for startup 28', 28);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (75, '2019-12-11', 29881, 'Pre-Seed', 'Pre-Seed
funding for startup 2', 2);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (76, '2020-08-03', 95322, 'Seed', 'Seed funding
for startup 89', 89);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (77, '2021-06-10', 47654, 'Angel', 'Angel
funding for startup 14', 14);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (78, '2024-03-03', 3075949, 'Angel', 'Angel
funding for startup 83', 83);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (79, '2021-12-07', 58397, 'Pre-Seed', 'Pre-Seed
funding for startup 57', 57);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (80, '2020-02-04', 55048, 'Pre-Seed', 'Pre-Seed
funding for startup 111', 111);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (81, '2022-06-26', 44955, 'Seed', 'Seed funding
for startup 45', 45);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (82, '2023-10-20', 222317, 'Seed', 'Seed
funding for startup 32', 32);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (83, '2025-11-10', 100709, 'Angel', 'Angel
funding for startup 109', 109);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (84, '2022-05-21', 11135, 'Angel', 'Angel
funding for startup 96', 96);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (85, '2022-02-08', 1582849, 'Seed', 'Seed
funding for startup 64', 64);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (86, '2019-06-11', 47736, 'Pre-Seed', 'Pre-Seed
funding for startup 68', 68);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (87, '2023-11-06', 1772671, 'Seed', 'Seed
funding for startup 47', 47);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (88, '2023-02-01', 177259, 'Seed', 'Seed
funding for startup 3', 3);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (89, '2022-09-10', 3320532, 'Pre-Seed', 'Pre-
Seed funding for startup 102', 102);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (90, '2022-02-21', 3045186, 'Angel', 'Angel
funding for startup 90', 90);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (91, '2019-05-03', 3505109, 'Angel', 'Angel
funding for startup 36', 36);

```

```

INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (92, '2021-07-19', 23101, 'Pre-Seed', 'Pre-Seed
funding for startup 69', 69);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (93, '2025-04-02', 83448, 'Pre-Seed', 'Pre-Seed
funding for startup 94', 94);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (94, '2022-10-20', 9237, 'Angel', 'Angel
funding for startup 15', 15);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (95, '2019-12-05', 8655, 'Series A', 'Series A
funding for startup 16', 16);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (96, '2023-12-09', 47437, 'Series A', 'Series A
funding for startup 67', 67);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (97, '2019-01-11', 681594, 'Seed', 'Seed
funding for startup 94', 94);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (98, '2024-10-21', 24961, 'Series A', 'Series A
funding for startup 34', 34);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (99, '2022-10-06', 345169, 'Seed', 'Seed
funding for startup 8', 8);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (100, '2023-11-24', 22284, 'Seed', 'Seed
funding for startup 115', 115);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (101, '2025-01-08', 9887, 'Pre-Seed', 'Pre-Seed
funding for startup 6', 6);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (102, '2020-03-28', 10211, 'Pre-Seed', 'Pre-
Seed funding for startup 118', 118);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (103, '2021-04-14', 363401, 'Seed', 'Seed
funding for startup 29', 29);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (104, '2021-02-17', 8717, 'Seed', 'Seed funding
for startup 74', 74);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (105, '2019-08-28', 221882, 'Series A', 'Series
A funding for startup 52', 52);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (106, '2019-09-15', 9475, 'Series A', 'Series A
funding for startup 42', 42);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (107, '2025-05-24', 98557, 'Pre-Seed', 'Pre-
Seed funding for startup 73', 73);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (108, '2025-04-24', 3312578, 'Angel', 'Angel
funding for startup 99', 99);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (109, '2019-07-01', 101661, 'Seed', 'Seed
funding for startup 20', 20);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (110, '2019-11-13', 168315, 'Angel', 'Angel
funding for startup 43', 43);

```

```

INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (111, '2022-01-05', 167442, 'Angel', 'Angel
funding for startup 54', 54);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (112, '2025-09-14', 393353, 'Seed', 'Seed
funding for startup 115', 115);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (113, '2019-09-05', 622449, 'Seed', 'Seed
funding for startup 75', 75);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (114, '2024-03-08', 180879, 'Series A', 'Series
A funding for startup 56', 56);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (115, '2025-07-23', 370889, 'Series A', 'Series
A funding for startup 119', 119);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (116, '2019-04-05', 21554, 'Angel', 'Angel
funding for startup 30', 30);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (117, '2022-06-14', 25359, 'Angel', 'Angel
funding for startup 58', 58);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (118, '2021-08-09', 20904, 'Series A', 'Series
A funding for startup 58', 58);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (119, '2024-12-20', 8860, 'Series A', 'Series A
funding for startup 106', 106);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (120, '2019-12-08', 383399, 'Seed', 'Seed
funding for startup 19', 19);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (121, '2021-05-27', 40621, 'Pre-Seed', 'Pre-
Seed funding for startup 87', 87);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (122, '2022-09-24', 2699823, 'Pre-Seed', 'Pre-
Seed funding for startup 110', 110);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (123, '2025-03-04', 8246, 'Angel', 'Angel
funding for startup 14', 14);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (124, '2020-07-12', 25823, 'Series A', 'Series
A funding for startup 17', 17);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (125, '2025-02-01', 21977, 'Pre-Seed', 'Pre-
Seed funding for startup 118', 118);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (126, '2020-02-28', 339604, 'Pre-Seed', 'Pre-
Seed funding for startup 104', 104);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (127, '2020-10-14', 748837, 'Pre-Seed', 'Pre-
Seed funding for startup 7', 7);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (128, '2022-03-12', 116332, 'Series A', 'Series
A funding for startup 88', 88);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (129, '2022-03-02', 105891, 'Pre-Seed', 'Pre-
Seed funding for startup 36', 36);

```

```

INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (130, '2023-08-02', 22797, 'Angel', 'Angel
funding for startup 53', 53);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (131, '2020-11-26', 2698977, 'Seed', 'Seed
funding for startup 54', 54);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (132, '2025-12-12', 1526710, 'Pre-Seed', 'Pre-
Seed funding for startup 49', 49);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (133, '2023-09-11', 681130, 'Seed', 'Seed
funding for startup 45', 45);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (134, '2023-04-01', 164687, 'Pre-Seed', 'Pre-
Seed funding for startup 41', 41);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (135, '2021-10-08', 42002, 'Angel', 'Angel
funding for startup 68', 68);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (136, '2023-12-02', 103027, 'Pre-Seed', 'Pre-
Seed funding for startup 35', 35);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (137, '2025-03-06', 103700, 'Series A', 'Series
A funding for startup 46', 46);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (138, '2023-01-23', 471609, 'Angel', 'Angel
funding for startup 117', 117);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (139, '2020-08-18', 174044, 'Seed', 'Seed
funding for startup 73', 73);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (140, '2019-04-20', 80797, 'Pre-Seed', 'Pre-
Seed funding for startup 12', 12);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (141, '2021-10-07', 46815, 'Angel', 'Angel
funding for startup 1', 1);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (142, '2025-06-02', 8590, 'Angel', 'Angel
funding for startup 118', 118);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (143, '2019-09-28', 473689, 'Series A', 'Series
A funding for startup 100', 100);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (144, '2024-07-19', 23365, 'Series A', 'Series
A funding for startup 91', 91);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (145, '2020-12-14', 1589508, 'Angel', 'Angel
funding for startup 18', 18);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (146, '2023-12-20', 355717, 'Angel', 'Angel
funding for startup 91', 91);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (147, '2021-12-23', 170187, 'Seed', 'Seed
funding for startup 49', 49);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (148, '2023-07-28', 8728, 'Series A', 'Series A
funding for startup 90', 90);

```



```

INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (149, '2025-10-08', 29366, 'Angel', 'Angel
funding for startup 118', 118);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (150, '2024-02-08', 477180, 'Angel', 'Angel
funding for startup 43', 43);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (151, '2019-12-22', 391460, 'Series A', 'Series
A funding for startup 82', 82);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (152, '2020-12-03', 361065, 'Seed', 'Seed
funding for startup 27', 27);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (153, '2019-01-13', 1639550, 'Angel', 'Angel
funding for startup 93', 93);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (154, '2022-08-13', 407363, 'Seed', 'Seed
funding for startup 114', 114);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (155, '2022-10-21', 86506, 'Seed', 'Seed
funding for startup 107', 107);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (156, '2025-01-10', 9274, 'Seed', 'Seed funding
for startup 103', 103);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (157, '2021-03-13', 54639, 'Seed', 'Seed
funding for startup 10', 10);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (158, '2023-10-16', 9725, 'Angel', 'Angel
funding for startup 44', 44);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (159, '2022-03-02', 23310, 'Angel', 'Angel
funding for startup 78', 78);
INSERT INTO FundingRound(funding_id, date_of_round, amount, round_stage,
notes, startup_id) VALUES (160, '2024-09-24', 2718317, 'Series A',
'Series A funding for startup 53', 53);

```

-- Insert Events

```

INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (1, 'Harvard Workshop 1', 'Pitch', 'Cambridge', 'Student Org',
'2023-09-27');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (2, 'NU Workshop 2', 'Pitch', 'Allston', 'Incubator', '2022-02-
10');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (3, 'Student Investor Networking 3', 'Workshop', 'Cambridge',
'Incubator', '2020-03-21');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (4, 'Harvard Pitch Day 4', 'Demo Day', 'South End', 'Incubator',
'2021-07-16');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (5, 'NU Demo Night 5', 'Pitch', 'Beacon Hill', 'Student Org',
'2020-06-13');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (6, 'Harvard Workshop 6', 'Demo Day', 'Cambridge', 'VC Firm',
'2022-08-09');

```

```

INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (7, 'MIT Demo Night 7', 'Investor Forum', 'Cambridge',
'University', '2025-12-22');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (8, 'Boston Pitch Day 8', 'Networking', 'South End', 'Student
Org', '2025-10-08');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (9, 'Student Pitch Day 9', 'Demo Day', 'South End', 'Student Org',
'2023-11-28');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (10, 'NU Bootcamp 10', 'Workshop', 'Back Bay', 'VC Firm', '2019-
07-28');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (11, 'Boston Bootcamp 11', 'Investor Forum', 'Fenway',
'University', '2019-08-06');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (12, 'MIT Workshop 12', 'Workshop', 'Boston', 'Incubator', '2022-
02-22');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (13, 'NU Workshop 13', 'Workshop', 'South End', 'VC Firm', '2021-
12-26');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (14, 'Boston Pitch Day 14', 'Demo Day', 'Fenway', 'Student Org',
'2023-06-28');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (15, 'Harvard Bootcamp 15', 'Demo Day', 'South End', 'Incubator',
'2025-12-20');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (16, 'Student Bootcamp 16', 'Demo Day', 'Cambridge', 'Student
Org', '2020-03-19');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (17, 'Student Bootcamp 17', 'Pitch', 'Cambridge', 'Incubator',
'2025-05-28');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (18, 'Student Demo Night 18', 'Demo Day', 'Allston', 'Student
Org', '2024-08-19');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (19, 'Student Investor Networking 19', 'Pitch', 'Boston', 'VC
Firm', '2022-03-20');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (20, 'Student Investor Networking 20', 'Pitch', 'Back Bay', 'VC
Firm', '2024-04-02');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (21, 'NU Demo Night 21', 'Networking', 'Cambridge', 'VC Firm',
'2025-05-10');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (22, 'Harvard Investor Networking 22', 'Pitch', 'South End',
'University', '2020-05-24');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (23, 'NU Demo Night 23', 'Networking', 'Beacon Hill', 'Student
Org', '2023-11-03');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (24, 'MIT Investor Networking 24', 'Workshop', 'South End',
'Student Org', '2024-08-25');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (25, 'Student Demo Night 25', 'Pitch', 'Fenway', 'University',
'2019-05-23');

```

```

INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (26, 'Student Investor Networking 26', 'Workshop', 'South End',
'Incubator', '2020-04-27');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (27, 'MIT Pitch Day 27', 'Workshop', 'Cambridge', 'Student Org',
'2019-06-23');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (28, 'MIT Demo Night 28', 'Networking', 'South End', 'Student
Org', '2023-07-21');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (29, 'Boston Pitch Day 29', 'Workshop', 'Allston', 'Student Org',
'2023-08-06');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (30, 'NU Bootcamp 30', 'Investor Forum', 'Allston', 'VC Firm',
'2020-05-24');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (31, 'Boston Demo Night 31', 'Pitch', 'Back Bay', 'Incubator',
'2020-10-25');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (32, 'MIT Workshop 32', 'Workshop', 'Beacon Hill', 'University',
'2021-11-14');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (33, 'Student Pitch Day 33', 'Pitch', 'Back Bay', 'University',
'2024-03-20');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (34, 'Boston Workshop 34', 'Networking', 'Fenway', 'VC Firm',
'2024-12-21');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (35, 'Harvard Investor Networking 35', 'Demo Day', 'South End',
'VC Firm', '2022-05-07');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (36, 'NU Demo Night 36', 'Investor Forum', 'South End', 'Student
Org', '2023-02-01');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (37, 'Student Demo Night 37', 'Investor Forum', 'Beacon Hill', 'VC
Firm', '2021-11-04');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (38, 'NU Pitch Day 38', 'Networking', 'Allston', 'VC Firm', '2025-
05-09');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (39, 'Harvard Workshop 39', 'Workshop', 'Fenway', 'University',
'2019-10-13');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (40, 'Harvard Workshop 40', 'Pitch', 'Beacon Hill', 'Student Org',
'2021-05-14');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (41, 'NU Investor Networking 41', 'Pitch', 'Fenway', 'University',
'2021-12-23');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (42, 'MIT Bootcamp 42', 'Demo Day', 'Beacon Hill', 'VC Firm',
'2023-05-28');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (43, 'MIT Bootcamp 43', 'Workshop', 'Allston', 'Incubator', '2022-
03-24');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (44, 'Harvard Bootcamp 44', 'Workshop', 'Beacon Hill', 'VC Firm',
'2024-02-08');

```

```

INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (45, 'Harvard Workshop 45', 'Networking', 'Back Bay', 'VC Firm',
'2021-05-19');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (46, 'Harvard Investor Networking 46', 'Pitch', 'Back Bay',
'Incubator', '2025-11-19');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (47, 'Student Bootcamp 47', 'Pitch', 'Back Bay', 'University',
'2023-02-28');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (48, 'NU Bootcamp 48', 'Networking', 'Back Bay', 'Incubator',
'2025-03-05');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (49, 'MIT Demo Night 49', 'Demo Day', 'Fenway', 'Student Org',
'2020-06-28');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (50, 'MIT Pitch Day 50', 'Demo Day', 'Allston', 'University',
'2021-11-02');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (51, 'Boston Investor Networking 51', 'Networking', 'Boston',
'University', '2023-03-16');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (52, 'Boston Workshop 52', 'Investor Forum', 'Back Bay', 'Student
Org', '2022-07-16');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (53, 'NU Pitch Day 53', 'Pitch', 'Fenway', 'University', '2024-06-
01');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (54, 'Harvard Bootcamp 54', 'Workshop', 'Cambridge', 'Incubator',
'2024-12-08');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (55, 'MIT Demo Night 55', 'Networking', 'Boston', 'Incubator',
'2022-09-19');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (56, 'Harvard Workshop 56', 'Pitch', 'South End', 'Incubator',
'2021-05-15');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (57, 'Student Bootcamp 57', 'Investor Forum', 'Allston', 'Student
Org', '2024-03-11');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (58, 'NU Demo Night 58', 'Workshop', 'Boston', 'Student Org',
'2019-04-08');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (59, 'MIT Workshop 59', 'Pitch', 'Fenway', 'University', '2019-06-
23');
INSERT INTO Event(event_id, title, type, location, host, event_date)
VALUES (60, 'Boston Investor Networking 60', 'Networking', 'South End',
'Incubator', '2023-01-22');

```

-- Insert EntrepreneurStartup (Founders)

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(105, 1, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(102, 2, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(1, 3, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(65, 3, 'CEO');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(30, 4, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(83, 5, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(36, 5, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(21, 6, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(92, 7, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(105, 7, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(104, 8, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(15, 9, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(62, 9, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(76, 10, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(107, 11, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(53, 11, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(17, 12, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(81, 13, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(19, 14, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(8, 14, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(67, 15, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(73, 16, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(82, 16, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(28, 17, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(61, 18, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(62, 18, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(77, 19, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(106, 20, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(99, 20, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(93, 21, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(77, 22, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(49, 23, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(14, 24, 'Founder');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(67, 25, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(78, 26, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(61, 27, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(65, 28, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(97, 28, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(85, 29, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(70, 30, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(106, 30, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(54, 31, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(48, 31, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(103, 32, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(45, 33, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(18, 34, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(99, 35, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(37, 36, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(25, 37, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(96, 38, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(102, 38, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(1, 39, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(49, 39, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(47, 40, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(55, 41, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(110, 42, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(47, 43, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(79, 43, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(53, 44, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(48, 45, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(40, 46, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(51, 47, 'Co-Founder');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(95, 47, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(30, 48, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(58, 48, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(66, 49, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(103, 50, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(50, 51, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(106, 52, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(77, 53, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(9, 54, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(48, 55, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(5, 56, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(93, 56, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(84, 57, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(67, 57, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(82, 58, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(2, 59, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(103, 60, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(67, 60, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(101, 61, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(22, 62, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(87, 62, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(84, 63, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(12, 64, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(46, 65, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(76, 66, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(2, 67, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(95, 67, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(37, 68, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(93, 68, 'CTO');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(29, 69, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(52, 70, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(23, 71, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(14, 72, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(72, 72, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(15, 73, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(105, 74, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(102, 74, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(73, 75, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(97, 76, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(88, 77, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(4, 78, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(62, 78, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(49, 79, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(90, 80, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(30, 80, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(67, 81, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(107, 82, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(34, 82, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(52, 83, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(71, 84, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(41, 85, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(74, 86, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(96, 87, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(95, 88, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(95, 89, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(27, 90, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(107, 91, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(46, 92, 'Founder');

```



```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(20, 92, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(87, 93, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(1, 94, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(98, 94, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(80, 95, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(74, 96, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(24, 97, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(29, 98, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(68, 99, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(70, 100, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(45, 101, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(51, 101, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(90, 102, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(89, 103, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(87, 104, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(75, 105, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(47, 106, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(71, 107, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(35, 108, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(44, 109, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(47, 109, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(27, 110, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(97, 111, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(48, 111, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(58, 112, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(17, 113, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(74, 113, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(35, 114, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(103, 114, 'CEO');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(26, 115, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(20, 116, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(61, 116, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(64, 117, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(67, 118, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(69, 118, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(33, 119, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(13, 120, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(8, 28, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(61, 108, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(58, 96, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(34, 47, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(72, 72, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(45, 3, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(16, 45, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(74, 74, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(100, 37, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(42, 87, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(100, 95, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(11, 49, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(60, 81, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(22, 82, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(54, 81, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(109, 117, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(11, 21, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(30, 41, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(84, 38, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(78, 83, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(35, 114, 'CEO');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(100, 111, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(96, 76, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(53, 22, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(110, 3, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(94, 31, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(96, 90, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(27, 22, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(14, 13, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(61, 71, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(4, 99, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(68, 98, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(14, 34, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(11, 84, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(40, 30, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(95, 37, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(81, 17, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(68, 108, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(4, 5, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(42, 111, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(60, 112, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(71, 57, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(90, 70, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(76, 77, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(81, 96, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(68, 82, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(45, 62, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(104, 12, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(40, 47, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(34, 20, 'CTO');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(2, 1, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(45, 37, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(69, 2, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(97, 62, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(2, 99, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(103, 38, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(102, 1, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(25, 53, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(51, 32, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(92, 95, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(107, 49, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(34, 11, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(81, 31, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(37, 84, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(53, 25, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(24, 18, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(15, 82, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(80, 58, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(90, 80, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(25, 42, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(20, 7, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(24, 14, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(35, 17, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(94, 2, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(12, 20, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(64, 28, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(54, 40, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(48, 60, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(43, 11, 'Co-Founder');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(8, 35, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(10, 70, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(24, 25, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(105, 49, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(16, 99, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(50, 99, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(32, 95, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(26, 59, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(67, 86, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(61, 50, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(42, 21, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(96, 120, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(33, 62, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(26, 47, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(86, 28, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(31, 82, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(42, 2, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(102, 36, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(51, 102, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(2, 6, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(89, 77, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(48, 99, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(32, 21, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(12, 88, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(98, 81, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(8, 46, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(90, 69, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(17, 63, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(41, 72, 'CTO');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(104, 115, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(94, 25, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(89, 49, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(93, 18, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(6, 63, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(72, 38, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(25, 73, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(70, 45, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(94, 60, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(107, 77, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(9, 68, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(58, 38, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(70, 47, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(1, 100, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(94, 24, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(80, 110, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(100, 80, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(42, 93, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(85, 69, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(25, 68, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(99, 71, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(79, 37, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(53, 83, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(15, 13, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(6, 107, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(23, 112, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(26, 14, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(25, 13, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(74, 83, 'CEO');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(85, 63, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(7, 47, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(78, 92, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(2, 120, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(84, 63, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(60, 103, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(47, 72, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(106, 48, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(106, 79, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(68, 6, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(107, 39, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(28, 67, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(13, 93, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(69, 50, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(25, 68, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(73, 81, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(72, 96, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(96, 14, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(87, 59, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(14, 22, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(71, 52, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(85, 21, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(46, 116, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(71, 42, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(53, 98, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(106, 93, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(78, 31, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(49, 99, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(47, 58, 'CEO');

```

```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(51, 1, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(37, 77, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(67, 18, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(1, 39, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(28, 110, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(3, 99, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(71, 66, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(13, 5, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(46, 20, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(34, 47, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(30, 33, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(12, 74, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(73, 118, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(94, 10, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(102, 62, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(63, 106, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(77, 83, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(5, 94, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(11, 100, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(99, 43, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(105, 56, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(16, 112, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(96, 84, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(82, 100, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(7, 40, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(41, 70, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(42, 65, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(20, 7, 'CEO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(58, 97, 'Founder');

```



```

INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(29, 56, 'CTO');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(101, 51, 'Co-Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(17, 44, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(61, 74, 'Founder');
INSERT INTO EntrepreneurStartup(entrepreneur_id, startup_id, role) VALUES
(71, 52, 'CTO');

```

```

-- Insert StartupMentor (Mentors)

```

```

INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (2, 65, 'Lead Mentor', '2022-12-05', '2025-09-07');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (3, 74, 'Lead Mentor', '2020-09-20', '2023-04-03');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (4, 42, 'Lead Mentor', '2024-10-03', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (5, 47, 'Technical Mentor', '2021-04-11', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (7, 22, 'Lead Mentor', '2021-10-27', '2025-10-05');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (11, 48, 'Technical Mentor', '2019-12-02', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (11, 20, 'Advisor', '2020-05-01', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (11, 11, 'Advisor', '2021-08-16', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (12, 69, 'Lead Mentor', '2023-09-25', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (12, 28, 'Technical Mentor', '2023-12-05', '2022-07-
19');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (12, 27, 'Lead Mentor', '2023-01-09', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (14, 80, 'Technical Mentor', '2022-11-01', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (14, 35, 'Lead Mentor', '2021-11-28', '2024-02-01');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (14, 7, 'Technical Mentor', '2024-07-08', '2022-06-16');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (15, 12, 'Technical Mentor', '2020-09-15', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (15, 24, 'Lead Mentor', '2019-01-08', '2024-06-16');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (16, 21, 'Advisor', '2024-06-12', '2023-09-09');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (16, 3, 'Advisor', '2024-05-13', '2022-09-09');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (16, 45, 'Technical Mentor', '2020-06-13', '2022-12-
13');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (17, 79, 'Lead Mentor', '2020-10-05', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (17, 30, 'Advisor', '2023-06-15', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (17, 54, 'Advisor', '2024-03-19', NULL);

```

```

INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (19, 68, 'Technical Mentor', '2020-07-25', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (21, 9, 'Lead Mentor', '2023-09-24', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (23, 4, 'Advisor', '2022-05-15', '2024-03-25');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (23, 41, 'Technical Mentor', '2019-03-06', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (23, 53, 'Advisor', '2023-05-20', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (24, 30, 'Technical Mentor', '2021-02-23', '2023-09-
28');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (24, 4, 'Lead Mentor', '2022-12-21', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (25, 61, 'Lead Mentor', '2020-03-07', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (27, 53, 'Lead Mentor', '2020-12-22', '2023-02-06');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (28, 63, 'Advisor', '2022-04-14', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (28, 42, 'Lead Mentor', '2023-12-27', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (29, 79, 'Technical Mentor', '2024-10-20', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (30, 5, 'Lead Mentor', '2022-08-27', '2023-09-18');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (30, 67, 'Technical Mentor', '2024-01-18', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (30, 14, 'Lead Mentor', '2019-04-10', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (31, 60, 'Advisor', '2020-07-10', '2022-12-17');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (32, 58, 'Technical Mentor', '2019-12-17', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (33, 70, 'Lead Mentor', '2022-06-15', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (33, 18, 'Technical Mentor', '2023-12-07', '2022-05-
11');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (33, 51, 'Technical Mentor', '2024-12-26', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (37, 58, 'Lead Mentor', '2023-12-13', '2023-07-18');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (37, 47, 'Technical Mentor', '2019-03-11', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (37, 11, 'Technical Mentor', '2020-03-28', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (39, 40, 'Advisor', '2021-12-25', '2024-11-06');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (43, 33, 'Advisor', '2022-08-28', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (43, 2, 'Technical Mentor', '2023-08-08', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (44, 59, 'Lead Mentor', '2022-08-03', '2022-04-18');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (45, 72, 'Lead Mentor', '2019-03-05', NULL);

```

```

INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (45, 27, 'Technical Mentor', '2019-03-28', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (46, 39, 'Advisor', '2019-01-04', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (46, 43, 'Technical Mentor', '2020-11-10', '2023-08-
24');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (47, 5, 'Lead Mentor', '2019-05-11', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (49, 71, 'Technical Mentor', '2019-05-16', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (50, 43, 'Advisor', '2023-07-17', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (51, 8, 'Advisor', '2023-12-21', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (51, 14, 'Lead Mentor', '2022-12-23', '2024-07-20');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (52, 68, 'Technical Mentor', '2023-10-12', '2025-09-
24');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (53, 64, 'Advisor', '2020-10-08', '2023-01-04');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (54, 16, 'Lead Mentor', '2024-04-26', '2025-07-02');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (55, 72, 'Advisor', '2024-04-01', '2024-05-26');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (56, 39, 'Lead Mentor', '2023-09-11', '2022-11-11');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (57, 73, 'Lead Mentor', '2023-01-27', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (58, 62, 'Advisor', '2022-01-21', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (59, 59, 'Technical Mentor', '2022-07-24', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (59, 69, 'Technical Mentor', '2021-10-24', '2022-04-
19');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (59, 43, 'Lead Mentor', '2021-06-03', '2024-01-11');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (60, 69, 'Lead Mentor', '2023-07-06', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (60, 22, 'Lead Mentor', '2024-06-23', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (60, 74, 'Lead Mentor', '2019-08-08', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (62, 39, 'Advisor', '2019-06-26', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (62, 23, 'Lead Mentor', '2019-08-17', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (63, 20, 'Advisor', '2021-08-24', '2024-06-05');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (63, 25, 'Advisor', '2023-11-05', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (64, 50, 'Advisor', '2024-09-04', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (65, 77, 'Technical Mentor', '2022-01-04', NULL);

```

```

INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (65, 12, 'Lead Mentor', '2024-05-01', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (65, 43, 'Lead Mentor', '2024-04-11', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (66, 69, 'Advisor', '2021-08-22', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (68, 15, 'Advisor', '2019-10-18', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (69, 45, 'Advisor', '2021-05-05', '2024-10-08');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (69, 71, 'Advisor', '2019-05-20', '2025-01-05');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (70, 7, 'Lead Mentor', '2019-07-02', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (72, 77, 'Advisor', '2023-06-10', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (72, 76, 'Lead Mentor', '2024-11-26', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (72, 58, 'Lead Mentor', '2023-03-03', '2025-02-15');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (73, 60, 'Advisor', '2020-03-28', '2024-06-13');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (73, 61, 'Advisor', '2024-11-11', '2024-08-16');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (73, 30, 'Lead Mentor', '2019-08-04', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (75, 45, 'Lead Mentor', '2023-10-05', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (76, 14, 'Lead Mentor', '2024-02-26', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (76, 42, 'Advisor', '2022-10-14', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (76, 72, 'Lead Mentor', '2023-03-16', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (78, 76, 'Technical Mentor', '2021-09-23', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (78, 56, 'Technical Mentor', '2024-02-24', '2025-02-
19');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (78, 73, 'Lead Mentor', '2022-06-18', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (80, 52, 'Technical Mentor', '2019-10-04', '2025-06-
16');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (81, 8, 'Advisor', '2020-10-25', '2022-03-22');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (81, 12, 'Technical Mentor', '2022-09-10', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (81, 28, 'Technical Mentor', '2022-04-07', '2024-05-
19');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (82, 56, 'Technical Mentor', '2024-06-03', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (83, 52, 'Technical Mentor', '2021-01-12', '2022-01-
23');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (83, 17, 'Advisor', '2021-02-28', NULL);

```

```

INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (85, 76, 'Technical Mentor', '2022-11-11', '2025-07-
14');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (87, 23, 'Lead Mentor', '2020-09-13', '2024-07-05');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (87, 61, 'Technical Mentor', '2024-03-05', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (87, 18, 'Advisor', '2019-03-24', '2025-03-03');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (88, 54, 'Lead Mentor', '2022-10-06', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (88, 59, 'Advisor', '2023-08-13', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (88, 78, 'Technical Mentor', '2022-10-01', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (90, 65, 'Advisor', '2023-10-12', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (90, 35, 'Technical Mentor', '2023-08-23', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (90, 53, 'Technical Mentor', '2022-12-03', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (91, 36, 'Technical Mentor', '2023-02-17', '2022-04-
16');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (91, 60, 'Technical Mentor', '2024-11-22', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (92, 75, 'Advisor', '2023-01-11', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (92, 40, 'Lead Mentor', '2022-08-17', '2024-07-12');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (93, 22, 'Lead Mentor', '2019-12-20', '2024-01-21');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (94, 22, 'Advisor', '2019-11-10', '2022-05-16');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (94, 74, 'Technical Mentor', '2020-09-03', '2024-05-
05');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (95, 36, 'Advisor', '2021-01-24', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (96, 20, 'Technical Mentor', '2021-03-09', '2023-08-
06');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (96, 58, 'Lead Mentor', '2019-06-03', '2023-08-25');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (97, 31, 'Lead Mentor', '2024-08-24', '2023-10-24');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (99, 34, 'Lead Mentor', '2020-08-13', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (99, 15, 'Technical Mentor', '2024-09-08', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (99, 7, 'Lead Mentor', '2022-08-09', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (101, 58, 'Technical Mentor', '2022-11-11', '2022-02-
18');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (102, 56, 'Lead Mentor', '2023-11-28', NULL);

```

```

INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (103, 13, 'Technical Mentor', '2021-11-19', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (104, 31, 'Advisor', '2023-06-22', '2023-06-18');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (104, 76, 'Lead Mentor', '2024-01-27', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (104, 25, 'Lead Mentor', '2019-09-04', '2024-04-24');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (105, 25, 'Technical Mentor', '2019-01-20', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (106, 28, 'Technical Mentor', '2024-02-03', '2023-07-
22');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (106, 77, 'Technical Mentor', '2023-03-04', '2024-05-
15');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (106, 16, 'Technical Mentor', '2019-11-15', '2024-07-
23');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (107, 33, 'Advisor', '2020-02-09', '2025-07-11');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (108, 34, 'Advisor', '2020-08-03', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (109, 51, 'Lead Mentor', '2024-08-04', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (109, 23, 'Lead Mentor', '2020-10-21', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (110, 34, 'Advisor', '2019-02-19', '2025-01-16');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (110, 14, 'Technical Mentor', '2024-11-01', '2025-05-
05');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (110, 5, 'Technical Mentor', '2021-07-19', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (111, 62, 'Advisor', '2022-07-28', '2022-09-08');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (112, 62, 'Lead Mentor', '2019-10-18', '2024-06-22');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (113, 8, 'Lead Mentor', '2024-11-03', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (115, 38, 'Lead Mentor', '2024-04-06', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (116, 25, 'Advisor', '2019-11-23', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (116, 39, 'Advisor', '2024-08-24', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (116, 50, 'Advisor', '2020-01-24', '2023-08-13');
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (117, 40, 'Advisor', '2023-08-01', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (117, 64, 'Advisor', '2021-12-02', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (118, 67, 'Advisor', '2020-12-19', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (118, 59, 'Advisor', '2019-12-05', NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (118, 69, 'Technical Mentor', '2022-10-02', NULL);

```

```

-- Insert FundingInvestor (Invests_In)
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (1, 41, 192719);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (2, 53, 6947);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (2, 51, 17229);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (3, 5, 6818);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (3, 53, 15821);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (3, 7, 16208);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (4, 52, 80636);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (5, 52, 719160);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (5, 54, 541853);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (6, 8, 71709);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (6, 44, 33627);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (7, 49, 12956);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (8, 22, 49007);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (9, 10, 390926);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (9, 49, 556159);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (10, 11, 2362333);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (10, 29, 584113);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (10, 16, 703204);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (11, 40, 152225);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (11, 25, 422334);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (11, 50, 146906);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (11, 11, 246084);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (12, 46, 1878176);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (13, 27, 168719);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (13, 45, 163159);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (14, 9, 82826);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (14, 14, 111359);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (14, 10, 77786);

```

```

INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (14, 41, 67499);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (15, 3, 933629);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (15, 39, 1494402);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (15, 12, 1092126);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (15, 46, 1285593);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (16, 27, 7621);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (16, 1, 4169);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (17, 7, 347559);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (17, 40, 386306);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (17, 24, 236616);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (18, 50, 33469);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (18, 41, 19375);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (19, 8, 306976);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (20, 55, 233315);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (20, 59, 503568);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (20, 31, 160413);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (20, 32, 489732);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (21, 14, 1049256);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (21, 28, 1814018);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (22, 3, 1330019);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (22, 7, 1577708);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (23, 11, 1063249);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (24, 33, 214776);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (24, 8, 324849);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (25, 38, 406958);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (25, 21, 606476);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (26, 15, 896754);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (26, 50, 1189709);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (27, 48, 183731);

```



```
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (28, 25, 812691);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (29, 31, 15089);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (30, 57, 1416115);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (31, 60, 14548);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (32, 25, 50299);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (33, 47, 981756);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (33, 13, 1364136);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (34, 22, 3438);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (35, 37, 29073);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (35, 4, 57608);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (35, 18, 53799);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (35, 9, 81343);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (36, 57, 48807);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (37, 51, 508709);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (38, 58, 10559);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (38, 11, 9563);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (38, 37, 2911);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (39, 32, 17352);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (39, 56, 22411);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (39, 14, 10910);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (40, 28, 9009);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (40, 48, 12383);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (40, 56, 8549);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (40, 16, 21310);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (41, 59, 516224);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (42, 27, 55381);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (43, 31, 36398);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (44, 3, 25884);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (44, 28, 42571);
```

```

INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (44, 34, 38029);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (45, 29, 390962);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (46, 36, 35100);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (47, 47, 623941);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (47, 27, 501551);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (47, 14, 1280844);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (47, 9, 272720);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (48, 20, 713864);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (48, 11, 642578);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (48, 46, 176812);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (48, 30, 454148);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (49, 56, 31760);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (50, 51, 8163);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (51, 30, 1358961);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (51, 46, 392492);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (51, 41, 1399412);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (51, 1, 713400);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (52, 19, 1831932);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (53, 45, 968552);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (53, 40, 1276612);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (54, 6, 72479);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (54, 40, 22411);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (54, 57, 87887);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (54, 22, 67986);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (55, 8, 12350);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (56, 40, 225430);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (56, 3, 155738);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (57, 46, 86371);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (57, 5, 40939);

```

```
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (57, 36, 110853);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (58, 35, 756796);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (59, 48, 2379178);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (59, 49, 3465373);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (60, 49, 182576);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (61, 21, 26146);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (62, 33, 691933);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (62, 44, 313058);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (63, 23, 15511);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (63, 29, 16363);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (64, 31, 301577);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (65, 53, 15336);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (65, 35, 13504);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (65, 58, 20171);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (65, 19, 20606);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (66, 13, 25538);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (67, 6, 170657);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (67, 26, 80036);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (68, 7, 555117);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (69, 45, 385145);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (70, 56, 43545);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (71, 2, 106031);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (71, 19, 51181);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (71, 27, 79942);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (71, 44, 92958);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (72, 2, 8930);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (72, 19, 34534);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (72, 13, 35616);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (72, 5, 25265);
```

```

INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (73, 27, 12821);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (73, 38, 19380);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (74, 32, 73837);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (74, 38, 62898);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (75, 29, 19536);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (75, 30, 27449);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (75, 20, 13302);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (76, 15, 47424);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (76, 31, 41037);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (77, 10, 22992);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (78, 11, 2889255);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (78, 40, 2366788);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (79, 12, 44760);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (79, 54, 53945);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (80, 11, 21486);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (81, 21, 29653);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (82, 17, 77276);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (82, 24, 144503);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (83, 43, 45677);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (84, 10, 6221);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (84, 24, 10916);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (85, 20, 348132);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (85, 8, 1495563);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (85, 59, 1289728);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (86, 60, 15506);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (86, 21, 46596);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (87, 33, 1354960);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (87, 22, 1026604);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (87, 42, 765548);

```

```

INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (88, 43, 115605);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (88, 10, 164054);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (88, 52, 98145);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (89, 8, 770578);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (89, 47, 2465185);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (89, 31, 974579);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (89, 58, 729974);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (90, 54, 1479701);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (90, 15, 1404114);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (90, 29, 2090584);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (91, 38, 2177188);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (92, 13, 6165);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (92, 2, 20318);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (93, 43, 29670);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (93, 6, 37902);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (93, 33, 57083);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (93, 26, 79669);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (94, 24, 8156);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (94, 26, 4578);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (94, 10, 4602);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (94, 46, 3950);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (95, 20, 7784);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (95, 29, 2337);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (96, 57, 39986);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (96, 29, 20440);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (96, 48, 40062);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (96, 27, 46312);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (97, 47, 362168);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (97, 58, 591902);

```

```
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (98, 6, 11047);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (98, 10, 24729);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (98, 14, 15481);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (99, 5, 334149);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (99, 60, 277823);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (100, 1, 11756);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (101, 27, 6373);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (101, 12, 7595);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (102, 13, 3561);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (103, 19, 215303);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (103, 36, 311885);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (104, 54, 3862);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (104, 38, 5643);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (105, 15, 184822);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (105, 2, 71716);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (106, 41, 6720);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (106, 54, 2836);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (107, 58, 58494);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (107, 19, 73944);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (107, 27, 39008);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (107, 12, 29121);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (108, 32, 2249614);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (108, 5, 1621200);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (109, 37, 90953);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (109, 28, 71406);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (110, 45, 49765);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (110, 53, 102675);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (111, 2, 55302);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (111, 55, 41326);
```

```

INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (111, 17, 76310);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (112, 9, 164475);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (112, 23, 210684);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (112, 11, 365693);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (112, 4, 190692);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (113, 19, 442659);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (113, 34, 162746);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (114, 50, 127053);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (115, 39, 297491);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (116, 21, 18881);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (116, 56, 18103);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (116, 53, 8991);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (117, 45, 16839);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (117, 24, 21774);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (117, 7, 5333);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (117, 35, 15584);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (118, 50, 11070);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (118, 32, 19581);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (119, 7, 3316);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (120, 15, 320554);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (120, 54, 248030);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (120, 13, 288209);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (121, 55, 26033);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (121, 35, 32701);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (121, 46, 11827);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (122, 59, 791729);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (122, 5, 823407);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (123, 31, 3946);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (124, 24, 23544);

```

```
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (124, 9, 17511);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (124, 53, 20939);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (124, 29, 12230);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (125, 20, 6480);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (125, 2, 6658);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (125, 48, 16601);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (125, 53, 16492);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (126, 9, 103298);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (126, 14, 89276);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (127, 49, 161033);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (127, 51, 439869);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (127, 8, 408114);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (127, 5, 267395);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (128, 51, 84670);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (129, 4, 98142);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (129, 31, 24844);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (129, 8, 46731);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (130, 49, 6319);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (131, 59, 1839173);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (132, 58, 1124392);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (132, 13, 341078);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (132, 12, 483120);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (133, 18, 602194);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (133, 38, 561688);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (133, 23, 470228);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (133, 11, 411353);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (134, 7, 140917);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (135, 34, 15691);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (136, 19, 34763);
```



```
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (137, 1, 97414);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (137, 47, 97102);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (137, 7, 91363);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (138, 24, 316687);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (138, 45, 260202);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (139, 12, 151034);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (140, 28, 49399);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (140, 14, 42504);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (141, 8, 13494);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (141, 30, 14453);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (142, 46, 5546);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (142, 19, 1997);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (143, 32, 240551);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (143, 8, 267897);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (144, 20, 8895);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (144, 44, 12285);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (144, 54, 23083);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (144, 29, 12672);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (145, 58, 1387396);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (146, 44, 122166);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (146, 24, 355353);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (147, 44, 88002);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (147, 7, 105197);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (148, 6, 4542);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (148, 8, 5869);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (148, 10, 2455);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (148, 26, 8206);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (149, 5, 14417);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (150, 22, 171885);
```

```

INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (151, 8, 340760);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (151, 15, 305401);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (152, 49, 293465);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (152, 46, 243689);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (153, 26, 1119045);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (153, 23, 858394);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (153, 31, 963442);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (153, 43, 693714);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (154, 7, 163170);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (154, 8, 243529);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (155, 9, 20958);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (155, 2, 22022);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (155, 7, 64229);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (155, 48, 84573);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (156, 39, 4280);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (156, 44, 4100);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (157, 7, 39824);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (157, 49, 33655);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (157, 5, 32441);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (158, 13, 7096);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (158, 19, 5759);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (159, 35, 19757);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (159, 22, 14741);
INSERT INTO FundingInvestor(funding_id, investor_id, invested_amount)
VALUES (160, 49, 612379);

```

-- Insert StartupEvent (Participates)

```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (1, 57,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (1, 59,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (1, 8,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (1, 25,
'Competitor');

```

```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (2, 3,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (2, 12,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (2, 36,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (2, 43,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (2, 56,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (3, 46,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (3, 25,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (4, 43,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (4, 36,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (4, 44,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (4, 35,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (4, 37,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (5, 32,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (5, 38,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (6, 21,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (6, 4,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (7, 54,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (8, 52,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (8, 48,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (8, 38,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (10, 23,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (10, 27,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (10, 4,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (10, 43,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (13, 8,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (13, 22,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (14, 3,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (14, 30,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (14, 43,
'Attendee');

```

```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (16, 38,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (16, 2,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (16, 21,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (16, 25,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (16, 37,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (17, 22,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (18, 11,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (18, 40,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (18, 20,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (19, 41,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (19, 55,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (19, 51,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (19, 5,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (19, 54,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (20, 52,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (20, 15,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (20, 40,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (20, 48,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (22, 28,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (22, 14,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (22, 23,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (22, 51,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (22, 5,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (23, 26,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (23, 17,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (23, 40,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (23, 33,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (24, 14,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (24, 43,
'Competitor');

```

```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (24, 53,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (24, 48,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (24, 30,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (25, 10,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (25, 16,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (25, 48,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (25, 44,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (25, 49,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (26, 55,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (27, 53,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (27, 19,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (28, 26,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (30, 13,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (31, 52,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (32, 32,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (32, 36,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (32, 28,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (32, 42,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (32, 58,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (34, 51,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (34, 52,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (36, 51,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (36, 2,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (36, 4,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (36, 56,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (36, 58,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (37, 43,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (37, 57,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (37, 6,
'Exhibitor');

```

```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (40, 32,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (40, 57,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (42, 22,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (42, 54,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (42, 38,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (43, 10,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (44, 14,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (45, 27,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (45, 17,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (45, 56,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (45, 38,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (45, 4,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (46, 44,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (46, 16,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (46, 18,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (46, 57,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (46, 51,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (50, 17,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (51, 41,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (51, 45,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (52, 55,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (53, 1,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (53, 59,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (53, 26,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (53, 60,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (54, 14,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (54, 56,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (55, 57,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (55, 52,
'Presenter');

```

```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (55, 50,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (57, 31,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (57, 48,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (57, 27,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (57, 60,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (57, 54,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (59, 27,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (59, 39,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (59, 47,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (61, 41,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (62, 1,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (63, 41,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (64, 37,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (64, 6,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (64, 8,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (65, 51,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (65, 21,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (65, 29,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (65, 31,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (66, 13,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (66, 6,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (67, 26,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (68, 2,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (69, 59,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (70, 13,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (70, 17,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (70, 45,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (70, 55,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (70, 11,
'Exhibitor');

```

```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (72, 11,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (72, 37,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (72, 8,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (73, 8,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (73, 15,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (73, 46,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (73, 14,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (73, 13,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (74, 55,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (74, 14,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (74, 39,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (74, 53,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (75, 51,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (75, 10,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (75, 2,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (75, 19,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (76, 38,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (76, 44,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (76, 42,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (77, 9,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (77, 56,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (77, 21,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (77, 45,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (77, 26,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (81, 60,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (81, 16,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (81, 31,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (82, 33,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (82, 40,
'Attendee');

```



```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (83, 43,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (83, 24,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (83, 9,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (83, 58,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (84, 60,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (84, 22,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (84, 57,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (84, 30,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (84, 9,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (86, 3,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (86, 9,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (86, 32,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (87, 58,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (87, 57,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (88, 28,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (88, 58,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (88, 11,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (89, 4,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (89, 13,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (89, 10,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (89, 15,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (89, 12,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (90, 8,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (90, 58,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (90, 60,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (90, 32,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (91, 32,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (91, 8,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (91, 55,
'Attendee');

```

```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (91, 47,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (91, 56,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (92, 12,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (92, 54,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (93, 38,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (94, 27,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (95, 50,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (97, 2,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (97, 19,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (97, 44,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (99, 10,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (99, 2,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (99, 6,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (100, 39,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (100, 43,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (102, 21,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (102, 47,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (102, 59,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (102, 52,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (102, 37,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (105, 6,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (105, 26,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (105, 17,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (105, 12,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (106, 11,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (107, 19,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (107, 42,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (107, 49,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (107, 10,
'Competitor');

```

```

INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (108, 58,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (108, 44,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (110, 33,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (110, 13,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (110, 32,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (111, 37,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (111, 39,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (112, 52,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (112, 24,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (112, 40,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (112, 12,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (113, 30,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (113, 44,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (113, 15,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (114, 30,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (114, 28,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (115, 10,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (115, 9,
'Exhibitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (116, 19,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (116, 37,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (116, 4,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (116, 36,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (117, 7,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (117, 30,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (117, 43,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (117, 47,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (120, 12,
'Presenter');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (120, 51,
'Competitor');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (120, 54,
'Attendee');

```

```
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (120, 26,
'Attendee');
INSERT INTO StartupEvent(startup_id, event_id, role) VALUES (120, 3,
'Competitor');
```

```
-- Insert EntrepreneurEvent (Attends)
```

```
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (1,
40, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (1,
52, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (1,
17, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (1,
22, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (1,
59, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (2,
56, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (2,
44, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (3,
2, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (3,
1, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (3,
26, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (3,
8, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (3,
59, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (3,
11, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (4,
45, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (4,
44, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (4,
26, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (5,
1, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (8,
55, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES (9,
31, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(10, 28, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(11, 6, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(12, 10, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(12, 31, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(12, 28, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(12, 2, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(12, 8, 'Panelist');
```

```

INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(14, 38, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(14, 16, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(14, 13, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(14, 19, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(14, 37, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(15, 27, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(15, 55, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(15, 32, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(15, 48, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(17, 26, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(17, 32, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(17, 33, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(17, 38, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(17, 47, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(19, 37, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(19, 21, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(19, 36, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(19, 5, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(20, 40, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(20, 42, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(20, 23, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(20, 29, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(20, 45, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(21, 23, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(21, 29, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(21, 15, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(21, 33, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(21, 38, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(22, 27, 'Pitcher');

```

```

INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(22, 54, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(22, 44, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(22, 42, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(23, 19, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(24, 9, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(24, 12, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(24, 13, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(24, 11, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(24, 39, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(25, 14, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(28, 57, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(28, 17, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(28, 23, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(31, 28, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(31, 8, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(31, 40, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(32, 32, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(33, 51, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(33, 23, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(33, 50, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(34, 55, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(37, 52, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(37, 30, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(37, 54, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(37, 49, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(37, 8, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(39, 7, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(39, 11, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(39, 41, 'Pitcher');

```

```

INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(39, 8, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(39, 56, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(39, 14, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(41, 42, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(42, 53, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(42, 9, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(42, 8, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(44, 54, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(45, 19, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(45, 33, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(45, 11, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(46, 24, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(46, 41, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(46, 43, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(46, 16, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(47, 52, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(48, 59, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(48, 27, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(48, 58, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(48, 30, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(49, 50, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(50, 5, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(50, 6, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(50, 22, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(50, 21, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(50, 26, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(50, 50, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(52, 19, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(52, 27, 'Pitcher');

```

```

INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(52, 26, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(52, 57, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(52, 44, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(52, 45, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(53, 40, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(53, 59, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(53, 10, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(53, 45, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(53, 26, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(53, 29, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(54, 50, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(54, 13, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(54, 57, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(54, 20, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(55, 47, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(55, 48, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(55, 57, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(55, 9, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(57, 36, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(57, 20, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(57, 34, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(57, 22, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(57, 49, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(57, 41, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(58, 54, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(59, 33, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(59, 8, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(59, 47, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(59, 4, 'Pitcher');

```



```

INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(63, 20, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(63, 37, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(63, 48, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(63, 1, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(63, 30, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(64, 23, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(65, 43, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(65, 51, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(66, 34, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(66, 48, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(66, 16, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(66, 7, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(67, 30, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(67, 7, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(67, 10, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(70, 57, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(70, 9, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(70, 31, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(70, 14, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(71, 38, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(71, 36, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(71, 34, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(71, 50, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(72, 29, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(72, 45, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(72, 60, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(72, 32, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(73, 32, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(74, 46, 'Volunteer');

```

```

INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(75, 8, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(75, 45, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(75, 14, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(75, 30, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(75, 31, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(75, 3, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(78, 37, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(78, 19, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(78, 3, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(79, 20, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(79, 24, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(79, 19, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(80, 51, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(81, 4, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(81, 60, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(81, 58, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(81, 20, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(84, 23, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(84, 5, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(84, 56, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(84, 3, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(84, 27, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(84, 31, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(85, 54, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(85, 47, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(85, 39, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(85, 9, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(85, 49, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(86, 56, 'Pitcher');

```

```

INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(88, 25, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(88, 15, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(88, 58, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(88, 26, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(89, 42, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(89, 6, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(90, 36, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(90, 42, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(92, 40, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(94, 13, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(94, 49, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(94, 31, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(94, 33, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(94, 2, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(94, 8, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(95, 6, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(95, 52, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(95, 35, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(95, 39, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(95, 21, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(96, 28, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(96, 12, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(96, 27, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(97, 17, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(97, 6, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(97, 8, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(97, 7, 'Speaker');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(98, 17, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(99, 20, 'Panelist');

```

```

INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(100, 4, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(101, 12, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(101, 2, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(101, 46, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(103, 10, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(103, 27, 'Pitcher');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(103, 58, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(106, 16, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(107, 32, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(108, 25, 'Volunteer');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(108, 8, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(108, 18, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(108, 4, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(108, 21, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(108, 30, 'Panelist');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(109, 59, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(110, 36, 'Attendee');
INSERT INTO EntrepreneurEvent(entrepreneur_id, event_id, role) VALUES
(110, 38, 'Speaker');

```

-- Insert MentorEvent (Hosts/Participates)

```

INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (1, 42,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (1, 51,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (2, 27,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (2, 29,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (5, 35,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (7, 28,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (7, 59,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (10, 54,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (11, 42,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (14, 18,
'Panelist');

```

```

INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (15, 54,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (16, 54,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (17, 54,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (17, 33,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (19, 35,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (19, 37,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (19, 5,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (20, 8,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (20, 54,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (20, 9,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (22, 33,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (22, 52,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (23, 17,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (23, 49,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (23, 46,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (24, 21,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (24, 22,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (24, 14,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (26, 9,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (26, 42,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (26, 60,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (29, 12,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (29, 27,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (29, 36,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (31, 42,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (31, 5,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (31, 35,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (32, 53,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (33, 23,
'Judge');

```

```

INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (33, 25,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (35, 24,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (36, 1,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (37, 2,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (37, 49,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (37, 18,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (38, 41,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (38, 20,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (39, 24,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (40, 32,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (44, 26,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (44, 8,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (44, 56,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (45, 11,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (47, 48,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (47, 37,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (47, 44,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (49, 9,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (49, 48,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (50, 60,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (52, 47,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (52, 51,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (53, 2,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (53, 45,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (53, 44,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (54, 36,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (54, 57,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (54, 30,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (55, 28,
'Speaker');

```

```

INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (56, 8,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (57, 32,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (58, 49,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (58, 3,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (59, 59,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (60, 29,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (60, 21,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (62, 6,
'Panelist');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (64, 15,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (64, 45,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (64, 28,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (66, 20,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (67, 41,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (67, 7,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (67, 2,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (68, 52,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (68, 41,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (71, 16,
'Trainer');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (73, 34,
'Judge');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (75, 40,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (75, 29,
'Speaker');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (76, 8,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (76, 6,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (77, 21,
'Host');
INSERT INTO MentorEvent(mentor_id, event_id, role) VALUES (80, 4,
'Trainer');

-- Insert InvestorEvent (Sponsors/Participates)
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (1, 41,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (1, 28,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (3, 4,
'Speaker');

```

```

INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (3, 19,
'Speaker');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (5, 49,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (5, 27,
'Panelist');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (6, 1,
'Speaker');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (6, 30,
'Speaker');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (7, 57,
'Panelist');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (8, 7,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (8, 22,
'Speaker');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (9, 22,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (9, 38,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (12, 46,
'Panelist');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (12, 5,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (13, 9,
'Panelist');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (13, 41,
'Guest');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (14, 27,
'Speaker');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (15, 29,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (15, 12,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (19, 38,
'Speaker');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (20, 42,
'Guest');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (20, 49,
'Guest');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (21, 57,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (21, 35,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (22, 20,
'Panelist');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (23, 19,
'Guest');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (25, 38,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (25, 43,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (27, 53,
'Panelist');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (27, 54,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (28, 23,
'Judge');

```



```

INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (32, 13,
'Speaker');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (33, 39,
'Guest');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (34, 37,
'Panelist');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (34, 22,
'Guest');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (35, 22,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (37, 57,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (38, 15,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (41, 40,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (43, 48,
'Guest');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (44, 14,
'Speaker');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (47, 1,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (48, 2,
'Panelist');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (51, 29,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (52, 59,
'Guest');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (52, 49,
'Sponsor');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (56, 12,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (57, 47,
'Judge');
INSERT INTO InvestorEvent(investor_id, event_id, role) VALUES (58, 55,
'Panelist');

```

```

INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (18,73,'Lead Mentor','2024-05-04',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (64,58,'Advisor','2024-11-13',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (101,27,'Lead Mentor','2024-08-01',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (115,50,'Advisor','2024-10-25',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (99,1,'Technical Mentor','2024-08-09',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (93,30,'Technical Mentor','2024-02-11',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (4,3,'Lead Mentor','2024-11-18',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (2,49,'Technical Mentor','2024-04-14',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (93,4,'Technical Mentor','2024-04-25',NULL);

```

```

INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (57,64,'Technical Mentor','2024-04-12',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (30,29,'Advisor','2024-05-01',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (54,72,'Technical Mentor','2024-02-06',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (81,38,'Lead Mentor','2024-12-11',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (115,65,'Advisor','2024-09-27',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (117,25,'Advisor','2024-05-19',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (113,64,'Technical Mentor','2024-07-19',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (110,5,'Advisor','2024-04-24',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (103,52,'Advisor','2024-11-06',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (47,71,'Technical Mentor','2024-11-24',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (48,12,'Advisor','2024-11-17',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (14,21,'Technical Mentor','2024-07-12',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (63,4,'Advisor','2024-01-10',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (91,79,'Technical Mentor','2024-10-13',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (83,22,'Lead Mentor','2024-09-08',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (2,26,'Technical Mentor','2024-09-08',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (52,66,'Advisor','2024-10-12',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (59,35,'Technical Mentor','2024-09-20',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (94,1,'Advisor','2024-12-17',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (104,17,'Technical Mentor','2024-09-07',NULL);
INSERT INTO StartupMentor(startup_id, mentor_id, role, start_date,
end_date) VALUES (55,8,'Advisor','2024-06-19',NULL);

```

```

SET FOREIGN_KEY_CHECKS = 1;

```