

Diego Mere

Data Analytics

Tasca Tasca S9.01. Consultes amb MongoDB

Nivell 1

Exercici 1

- Mostra els 2 primers comentaris que hi ha en la base de dades.

Limitado a solo el texto del comentario

Project

{text:1,_id:0}

Sort

Collation

Index Hint

Generate query

Explain

Reset

Find

Options

Max Time MS

60000

Skip

0

Limit

2

EXPORT DATA

text: "Rem officiiis eaque repellendus amet eos doloribus. Porro dolor volupta..."

text: "Tenetur dolorum molestiae ea. Eligendi praesentium unde quod porro. Co..."

Toda la información del comentario

Generate query

Explain

Reset

Find

Options

Project

{ field: 0 }

Sort

Max Time MS

60000

Collation

Skip

0

Limit

2

Index Hint

ADD DATA

EXPORT DATA

UPDATE

DELETE

25

1 - 2 of 2

_id: ObjectId('5a9427648b0beebe69579cc')

name: "Andrea Le"

email: "andrea_le@fakegmail.com"

movie_id: ObjectId('573a1390f29313caabcd418c')

text: "Rem officiis eaque repellendus amet eos doloribus. Porro dolor volupta.."

date: 2012-03-26T23:20:16.000+00:00

_id: ObjectId('5a9427648b0beebe69579cf')

name: "Greg Powell"

email: "greg_powell@fakegmail.com"

movie_id: ObjectId('573a1390f29313caabcd41b1')

text: "Tenetur dolorum molestiae ea. Eligendi praesentium unde quod porro. Co.."

date: 1987-02-10T00:29:36.000+00:00

- Quants usuaris tenim registrats?

185

The screenshot shows a MongoDB Aggregation Pipeline editor. The pipeline consists of a single stage: `$count: "Usuarios"`. The pipeline output on the right shows a sample of 1 document: `Usuarios : 185`.

- Quants cinemes hi ha en l'estat de Califòrnia?

169

The screenshot shows a MongoDB Aggregation Pipeline editor. The pipeline consists of two stages: `$match: { "location.address.state": "CA" }` and `$count: "Teatros en California"`. The pipeline output on the right shows a sample of 1 document: `Teatros en California : 169`.

- Quin va ser el primer usuari/ària en registrar-se

Ned Stark

The screenshot shows a MongoDB Aggregation Pipeline editor. The pipeline consists of two stages: `$sort: { "_id": 1 }` and `$limit: 1`. The pipeline output on the right shows a sample of 1 document: `{ "_id": "59b99db4cfa9a34dcd7885b6", "name": "Ned Stark", "email": "sean_bean@gameofthron.es", "password": "$2b$12$UREFwsRUoyF0CRqGNK0Lz00HM/jLhgUCNNI39R3AqMUQ74cr131..." }`.

- Quantes pel·lícules de comèdia hi ha en la nostra base de dades?

7024

```
1 [
2   {
3     $match: {
4       genres: "Comedy"
5     }
6   },
7   {
8     $count:
9       "Películas de comedia"
10  }
11 }
12 ]
```

PIPELINE OUTPUT
Sample of 1 document

Películas de comedia : 7024

OUTPUT OPTIONS ▾

Exercici 2

Mostra'm tots els documents de les pel·lícules produïdes en 1932, però que el gènere sigui drama o estiguin en francès.

{ year: 1932,

\$or: [

{ genres: "Drama" },

{ languages: "French" }]}

movies

My Queries

movies

+

localhost:27017 > Sprint-9 > movies > Open MongoDB shell

Documents 23.5K

Aggregations

Schema

Indexes 1

Validation

🔍

```
{
  year: 1932,
  $or: [
    { genres: "Drama" },
    { languages: "French" }
  ]
}
```

Generate query Explain Reset Find Options

ADD DATA EXPORT DATA UPDATE DELETE

25 1 - 18 of 18

★ movies

	_id ObjectId	plot String	runtime Int32	rated String	cast Array	num_mf	
1	ObjectId('573a1391f29313c...	"A young artist draws a f...	55	"UNRATED"	[] 4 elements	1	✎ 🗑️ 🔍
2	ObjectId('573a1392f29313c...	"Junta is hated by the pe...	85	No field	[] 4 elements	No field	✎ 🗑️ 🔍
3	ObjectId('573a1392f29313c...	"A young French soldier i...	76	No field	[] 4 elements	2	✎ 🗑️ 🔍
4	ObjectId('573a1392f29313c...	"Famous motor-racing cham...	85	No field	[] 4 elements	1	✎ 🗑️ 🔍
5	ObjectId('573a1392f29313c...	"A tale of the love betwe...	88	"UNRATED"	[] 4 elements	1	✎ 🗑️ 🔍
6	ObjectId('573a1392f29313c...	"In this romance a librar...	85	"APPROVED"	[] 4 elements	3	✎ 🗑️ 🔍
7	ObjectId('573a1392f29313c...	"A circus' beautiful trap...	64	"UNRATED"	[] 4 elements	1	✎ 🗑️ 🔍
8	ObjectId('573a1392f29313c...	"A group of very differen...	112	"PASSED"	[] 4 elements	No field	✎ 🗑️ 🔍
9	ObjectId('573a1392f29313c...	"Wrongly convicted James ...	92	"NOT RATED"	[] 4 elements	No field	✎ 🗑️ 🔍
10	ObjectId('573a1392f29313c...	"A living mummy stalks th...	73	"UNRATED"	[] 4 elements	1	✎ 🗑️ 🔍
11	ObjectId('573a1392f29313c...	"Bank clerk William Marbl...	81	"PASSED"	[] 4 elements	1	✎ 🗑️ 🔍
12	ObjectId('573a1392f29313c...	No field	91	No field	[] 4 elements	3	✎ 🗑️ 🔍
13	ObjectId('573a1392f29313c...	"The owner of a rubber pl...	83	"PASSED"	[] 4 elements	2	✎ 🗑️ 🔍

Exercici 3

Mostra'm tots els documents de pel·lícules estatunidenques que tinguin entre 5 i 9 premis que van ser produïdes entre 2012 i 2014.

```
{ countries: "USA",
```

```
"awards.wins":{$gte:5,$lte:9},
```

```
year:{$in:[2012,2014]}}
```

The screenshot shows the MongoDB Compass interface. At the top, the database is 'localhost:27017' and the collection is 'movies'. The 'Documents' tab is selected, showing 23.5K documents. A query is entered in the search bar:

```
{ countries: "USA", "awards.wins":{$gte:5,$lte:9}, year:{$in:[2012,2014]}}
```

. Below the query bar, the 'EXPORT DATA' button is visible. The results are displayed in a list format, showing the first four documents. Each document includes the _id, year, title, awards, and countries.

_id	year	title	awards	wins	countries
ObjectId('573a13c1f29313caabd65df8')	2012	That's My Boy	Object	6	Array (1)
ObjectId('573a13c1f29313caabd65e49')	2012	21 Jump Street	Object		Array (1)
ObjectId('573a13c2f29313caabd66592')	2012	Mariachi Gringo	Object		Array (2)
ObjectId('573a13c3f29313caabd6b522')	2012				

Nivell 2

Exercici 1

Compte quants comentaris escriu un usuari/ària que utilitza "GAMEOFTHRON.ES" com a domini de correu electrònic.

22841

```
[ { $match: { email: { $regex: "@gameofthron.es$" } } },  
  
{ $count "Comentarios" }]
```

The screenshot shows the MongoDB Aggregations interface. The pipeline is defined as follows:

```
1 [
2   {
3     $match: {
4       email: {
5         $regex: "@gameofthron.es$"
6       }
7     },
8   },
9   {
10    $count:
11      /**
12       * Provide the field name for the count.
13       */
14    "Comentarios"
15  }
16 ]
```

The pipeline output shows a single document with the result:

```
{ "Comentarios": 22841 }
```

Exercici 2

Quants cinemes hi ha en cada codi postal situats dins de l'estat Washington D. C. (DC)?

Hay 3 CP cada 1 con un cine

The screenshot shows the MongoDB Aggregations interface. The pipeline is defined as follows:

```
1 [
2   {
3     $match: {
4       "location.address.state": "DC"
5     },
6   },
7   {
8     $group: {
9       _id: "$location.address.zipcode",
10      "Cines porCodigoPostal": {
11        $sum: 1
12      }
13    }
14  }
15 ]
```

The pipeline output shows three documents, each representing a zip code and the number of movies:

```
{ "_id": "20016", "Cines porCodigoPostal": 1 }
{ "_id": "20002", "Cines porCodigoPostal": 1 }
{ "_id": "20010", "Cines porCodigoPostal": 1 }
```

```
[{ $match: {
  "location.address.state": "DC"
} },
{ $group: {
  _id: "$location.address.zipcode",
  "Cines porCodigo Postal": {
    $sum: 1  }  } } ]
```

Nivell 3

Exercici 1

Troba totes les pel·lícules dirigides per John Landis amb una puntuació IMDb (Internet Movie Database) d'entre 7,5 i 8.

```
{directors:"John Landis",
  "imdb.rating":{$gte:7.5,$lte:8}
}
```

The screenshot shows the MongoDB Compass interface. At the top, the database is 'movies' on 'localhost:27017'. The query bar contains the following JSON query:

```
{directors:"John Landis",
  "imdb.rating":{$gte:7.5,$lte:8}
}
```

Below the query bar, the 'EXPORT DATA' button is visible. The results section shows four documents:

- Document 1:


```
{
  "_id": ObjectId('573a1397f29313caabce6d94'),
  "imdb": {
    "rating": 7.5,
    "title": "Animal House"
  },
  "directors": [
    "John Landis"
  ]
}
```
- Document 2:


```
{
  "_id": ObjectId('573a1397f29313caabce76f7'),
  "imdb": {
    "rating": 7.5,
    "title": "The Blues Brothers"
  },
  "directors": [
    "John Landis"
  ]
}
```
- Document 3:


```
{
  "_id": ObjectId('573a1397f29313caabce7d06'),
  "imdb": {
    "rating": 7.5,
    "title": "An American Werewolf in London"
  },
  "directors": [
    "John Landis"
  ]
}
```
- Document 4:


```
{
  "_id": ObjectId('573a1398f29313caabce8deb'),
  "imdb": {
    "rating": 7.5,
    "title": "Trading Places"
  },
  "directors": [
    "John Landis"
  ]
}
```

Exercici 2

Mostra en un mapa la ubicació de tots els teatres de la base de dades.

<https://www.mongodb.com/docs/manual/geospatial-queries/>

Para crear el mapa hay que buscar donde están los datos geoespaciales, analizar el schema y al seleccionar el campo de los datos lo dibuja. Se debe crear un índice geoespacial para poder trabajar y generar queries con el mapa

