

Access Requirements

Version: 1.0

Status: Draft

Phase: 3 — Environment Preparation

Purpose

This document defines all technical access required before implementing the Kommo ↔ Aloware integration.

Its purpose is to ensure every platform can be securely accessed, configured, and validated before development begins.

This document serves as the master checklist for environment access preparation.

Scope

This document defines the required access for:

- Kommo CRM
- Aloware
- Make

It intentionally excludes implementation details and platform configuration.

Objectives

The access preparation process has the following objectives:

- Obtain all required credentials.
 - Validate administrative permissions.
 - Ensure API accessibility.
 - Prepare webhook configuration.
 - Enable implementation activities.
-

Required Platforms

The integration requires access to the following environments.

Platform	Required
Kommo CRM	Yes
Aloware	Yes
Make	Yes

Required Access Types

Administrative Access

Administrative access is required to configure integrations and webhooks.

API Access

Access to each platform's API must be available.

Required items may include:

- API Tokens
 - OAuth Credentials
 - API Keys
 - Secret Keys
-

Webhook Configuration

The implementation requires permission to create or manage webhooks.

Integration Configuration

Configuration privileges are required to:

- Create integrations

- Configure applications
 - Manage automation settings
 - Update connection parameters
-

Access Validation

Before implementation begins, verify that:

- Credentials are available.
 - Permissions are sufficient.
 - APIs are reachable.
 - Authentication succeeds.
 - Webhooks can be configured.
-

Deliverables

Environment preparation should produce:

- Verified platform access
 - Verified API credentials
 - Verified webhook permissions
 - Verified implementation permissions
-

Related Documents

- Kommo Access
- Aloware Access
- Make Access
- Access Checklist

Kommo Access

Version: 1.0

Status: Pending

Phase: 3.1 — Environment Preparation

Purpose

This document records all access information, credentials, permissions, and configuration required to integrate Kommo CRM with Make.

All fields should be completed and validated before implementation begins.

Workspace Information

Field	Value	Status
Workspace Name		☐
Workspace URL		☐
Subdomain		☐
Account ID		☐
Region		☐

Administrator Information

Field	Value	Status
Administrator Name		☐
Administrator Email		☐
User ID		☐
Role		☐
Admin Permissions Verified		☐

OAuth Integration

Field	Value	Status
Integration Name		☐
Integration ID (Client ID)		☐
Client Secret		☐
Redirect URI		☐
Authorization URL		☐
Access Token		☐
Refresh Token		☐
Token Expiration		☐

OAuth Scopes

Scope	Required	Granted
Leads	☒	☐
Contacts	☒	☐
Companies	☒	☐
Tasks	☒	☐
Notes	☒	☐
Users	☒	☐
Pipelines	☒	☐
Catalogs	☐	☐
Custom Fields	☒	☐
Webhooks	☒	☐

API Configuration

Field	Value	Status
API Base URL		☐
API Version		☐
Authentication Method	OAuth 2.0	☒
REST API Accessible		☐

Webhook Configuration

Field	Value	Status
Webhook URL		☐
Webhook Secret		☐
Webhook Permissions		☐
Webhook Created		☐

Business Objects Validation

Object	Accessible	Notes
Leads	☐	
Contacts	☐	
Companies	☐	
Pipelines	☐	
Stages	☐	
Users	☐	
Custom Fields	☐	
Tasks	☐	
Notes	☐	

API Validation

Validation	Status	Notes
Authentication	☐	
Get Account	☐	
List Pipelines	☐	
List Stages	☐	
List Users	☐	
List Custom Fields	☐	
Get Lead	☐	
Update Lead	☐	
Create Note	☐	

Required Information from Customer

Credentials

- ☐ Workspace URL
- ☐ Administrator Account
- ☐ OAuth Integration
- ☐ Client ID
- ☐ Client Secret

Permissions

- ☐ Administrator Access
 - ☐ API Access
 - ☐ Webhook Management
 - ☐ Integration Management
-

Environment Checklist

Item	Status
Workspace Verified	☐
Administrator Verified	☐
OAuth Configured	☐
Tokens Generated	☐
API Accessible	☐
Permissions Validated	☐
Webhooks Ready	☐
Environment Ready	☐

Notes

Known Issues

-

Pending Actions

-

Customer Comments

-

Approval

Role	Name	Date
Customer		
Integration Engineer		

Aloware Access

Version: 1.0

Status: Pending

Phase: 3.1 — Environment Preparation

Purpose

This document records all access information, credentials, permissions, and configuration required to integrate Aloware with Make.

All fields should be completed and validated before implementation begins.

Workspace Information

Field	Value	Status
Workspace Name		☐
Workspace URL		☐
Account ID		☐
Environment (Production/Sandbox)		☐
Region		☐

Administrator Information

Field	Value	Status
Administrator Name		☐
Administrator Email		☐
User ID		☐
Role		☐
Admin Permissions Verified		☐

API Credentials

Field	Value	Status
API Key		☐
API Secret (if applicable)		☐
API Token		☐
Authentication Method		☐
Credential Expiration		☐

API Configuration

Field	Value	Status
API Base URL		☐
API Version		☐
REST API Accessible		☐
Documentation URL		☐

Webhook Configuration

Field	Value	Status
Webhook URL		☐
Webhook Secret		☐
Webhook Authentication		☐
Webhook Permissions		☐
Webhook Created		☐

Available API Resources

Resource	Available	Notes
Contacts	☐	
Calls	☐	
SMS	☐	
Voicemails	☐	
Recordings	☐	
AI Summaries	☐	
Agents	☐	
Phone Numbers	☐	
Campaigns / Lists	☐	
Webhooks	☐	

API Validation

Validation	Status	Notes
Authentication	☐	
Get Account Information	☐	
List Agents	☐	
List Contacts	☐	
Create Contact	☐	
Update Contact	☐	
Assign Agent	☐	
Add Contact to Campaign/List	☐	
Receive Test Webhook	☐	

Required Information from Customer

Credentials

- ☐ Workspace URL
- ☐ Administrator Account
- ☐ API Key
- ☐ API Secret (if applicable)
- ☐ API Token (if applicable)

Permissions

- ☐ Administrator Access
- ☐ API Access
- ☐ Webhook Management
- ☐ Agent Management
- ☐ Campaign/List Management

Environment Checklist

Item	Status
Workspace Verified	☐
Administrator Verified	☐
API Credentials Verified	☐
API Accessible	☐
Permissions Validated	☐
Agents Accessible	☐
Campaigns/Lists Accessible	☐
Webhooks Ready	☐
Environment Ready	☐

Notes

Known Issues

-

Pending Actions

-

Customer Comments

-

Approval

Role	Name	Date
Customer		
Integration Engineer		

Make Access

Version: 1.0

Status: Pending

Phase: 3.1 — Environment Preparation

Purpose

This document records all access information, permissions, credentials, and workspace configuration required to implement the Kommo ↔ Aloware integration using Make.

All fields should be completed and validated before implementation begins.

Organization Information

Field	Value	Status
Organization Name		☐
Organization ID		☐
Subscription Plan		☐
Region		☐

Team Information

Field	Value	Status
Team Name		☐
Team ID		☐
Team Owner		☐

Workspace Information

Field	Value	Status
Workspace Name		☐
Workspace ID		☐
Environment	Development / Production	☐
Workspace URL		☐

User Information

Field	Value	Status
User Name		☐
Email		☐
Role		☐
Admin Permissions Verified		☐

Connection Permissions

Platform	Connection Created	Status
Kommo CRM		☐
Aloware		☐

Webhook Configuration

Field	Value	Status
Incoming Webhooks Enabled		☐
Outgoing Webhooks Required		☐
Custom Webhook URLs		☐

Environment Configuration

Field	Value	Status
Time Zone		☐
Default Locale		☐
Error Notifications		☐
Logging Enabled		☐
Scenario Scheduling Enabled		☐

Variables & Secrets

Variable	Value	Status
Kommo Client ID		☐
Kommo Client Secret		☐
Kommo Refresh Token		☐
Aloware API Key		☐
Aloware API Secret		☐
Webhook Secret		☐

Required Permissions

Permission	Verified
Create Scenarios	☐
Edit Scenarios	☐
Execute Scenarios	☐
Create Connections	☐
Manage Webhooks	☐
Access Variables	☐
Access Data Stores	☐
Access Error Logs	☐
Access Execution History	☐

Platform Validation

Validation	Status	Notes
Login Successful	☐	
Workspace Accessible	☐	
Scenario Creation	☐	
Connection Creation	☐	
Webhook Creation	☐	
Manual Execution	☐	
Scheduling Enabled	☐	
Execution History Accessible	☐	
Error Logs Accessible	☐	

Required Information from Customer

Organization

- ☐ Organization Name
- ☐ Workspace Name
- ☐ Workspace URL

Access

- ☐ Administrator Account
- ☐ Team Access
- ☐ Workspace Access

Permissions

- ☐ Scenario Management
- ☐ Connection Management
- ☐ Webhook Management
- ☐ Variable Management

- ☐ Data Store Access

Environment Checklist

Item	Status
Organization Verified	☐
Workspace Verified	☐
User Verified	☐
Administrator Permissions Verified	☐
Kommo Connection Ready	☐
Aloware Connection Ready	☐
Webhooks Ready	☐
Variables Configured	☐
Environment Ready	☐

Notes

Known Issues

-

Pending Actions

-

Customer Comments

-

Approval

Role	Name	Date
Customer		
Integration Engineer		

Access Checklist

Version: 1.0

Status: Pending

Phase: 3.1 — Environment Preparation

Purpose

This checklist verifies that all required access, credentials, permissions, and technical prerequisites have been collected and validated before implementation begins.

The Environment Preparation phase cannot be considered complete until every applicable item has been verified.

1. Kommo CRM

Workspace

- ☐ Workspace Name
 - ☐ Workspace URL
 - ☐ Subdomain
 - ☐ Account ID
 - ☐ Region identified
-

Administrator

- ☐ Administrator account identified
 - ☐ Administrator permissions verified
-

OAuth Integration

- ☐ Integration created
- ☐ Client ID obtained
- ☐ Client Secret obtained

- ☐ Redirect URI configured
 - ☐ Authorization completed
 - ☐ Access Token generated
 - ☐ Refresh Token generated
-

API

- ☐ API authentication validated
 - ☐ REST API accessible
 - ☐ Account endpoint tested
 - ☐ Leads endpoint tested
 - ☐ Contacts endpoint tested
 - ☐ Pipelines endpoint tested
 - ☐ Users endpoint tested
-

Webhooks

- ☐ Webhook permissions confirmed
 - ☐ Webhook URL configured
 - ☐ Test webhook received successfully
-

2. Aloware

Workspace

- ☐ Workspace Name
 - ☐ Workspace URL
 - ☐ Environment identified
-

Administrator

- ☐ Administrator account identified
 - ☐ Administrator permissions verified
-

API Credentials

- ☐ API Key obtained
 - ☐ API Secret obtained (if applicable)
 - ☐ Authentication method confirmed
-

API

- ☐ API authentication validated
 - ☐ REST API accessible
 - ☐ Contacts endpoint tested
 - ☐ Agents endpoint tested
 - ☐ Campaign/List endpoint tested
 - ☐ Calls endpoint tested
-

Webhooks

- ☐ Webhook permissions confirmed
 - ☐ Webhook URL configured
 - ☐ Test webhook received successfully
-

3. Make

Organization

- ☐ Organization access verified
 - ☐ Workspace access verified
 - ☐ Administrator permissions verified
-

Connections

- ☐ Kommo connection created
 - ☐ Aloware connection created
-

Environment

- ☐ Incoming Webhooks enabled
 - ☐ Variables configured
 - ☐ Secrets configured
 - ☐ Scheduling enabled
 - ☐ Error notifications configured
-

Validation

- ☐ Scenario creation verified
 - ☐ Manual execution verified
 - ☐ Execution history accessible
 - ☐ Logs accessible
-

4. Cross-Platform Validation

Connectivity

- ☐ Make → Kommo connection validated
 - ☐ Kommo → Make webhook validated
 - ☐ Make → Aloware connection validated
 - ☐ Aloware → Make webhook validated
-

Permissions

- ☐ Required API permissions verified
 - ☐ Required webhook permissions verified
 - ☐ Required administrator permissions verified
-

Security

- ☐ Credentials stored securely
- ☐ Secrets documented

- ☐ Access restricted to authorized personnel

5. Environment Readiness

The environment is considered ready when all of the following conditions are met.

- ☐ All credentials collected
- ☐ All API connections validated
- ☐ All webhook connections validated
- ☐ Required permissions confirmed
- ☐ Environment documentation completed
- ☐ Customer validation completed

Approval

Role	Name	Date	Signature
Customer			
Integration Engineer			

Result

Status	Value
Environment Ready	☐ Yes ☐ No
Ready for Implementation	☐ Yes ☐ No
Checklist Completed By	
Completion Date	