

Validation Plan

Version: 1.0

Status: Draft

Phase: 3.2 — Environment Validation

Purpose

This document defines the validation strategy for the integration environment prior to implementation.

Its objective is to verify that all platforms, credentials, permissions, APIs, webhooks, and technical dependencies are operational before any Make scenarios are developed.

The Environment Validation phase confirms that the implementation environment is technically ready and minimizes the risk of failures during development.

Scope

This validation applies to the following platforms:

- Kommo CRM
- Aloware
- Make

The scope includes only environment validation.

Business logic, field mapping, workflow implementation, and functional testing are outside the scope of this phase.

Objectives

The Environment Validation process aims to:

- Validate platform accessibility.
- Validate API connectivity.
- Validate authentication mechanisms.
- Validate webhook communication.
- Validate integration permissions.
- Confirm platform interoperability.

- Ensure the environment is ready for implementation.
-

Validation Principles

The validation process follows these principles:

- Validate before implementation.
 - Verify every external dependency independently.
 - Record objective evidence for every validation.
 - Use repeatable validation procedures.
 - Fail fast when critical dependencies are unavailable.
-

Validation Categories

The environment validation consists of the following categories:

API Connectivity Validation

Verify communication between Make and each platform API.

Includes:

- API availability
 - Endpoint accessibility
 - Response validation
 - Network connectivity
-

Authentication Validation

Verify authentication mechanisms.

Includes:

- OAuth validation
 - API Key validation
 - Token validation
 - Credential verification
 - Permission verification
-

Webhook Validation

Verify event delivery between platforms.

Includes:

- Incoming Webhooks
- Outgoing Webhooks
- Payload validation
- Response verification

Environment Configuration Validation

Verify that the implementation environment is correctly configured.

Includes:

- Connections
- Variables
- Secrets
- Scheduling
- Execution permissions

Platforms Under Validation

Platform	Validation Required
Kommo CRM	
Aloware	
Make	

Validation Sequence

The validation activities shall be executed in the following order:

1. Platform Accessibility
2. Authentication
3. API Connectivity
4. Webhook Communication

5. Environment Configuration
6. Cross-Platform Connectivity
7. Environment Readiness Assessment

No validation stage should begin until the previous stage has been successfully completed.

Validation Deliverables

The following documents constitute the Environment Validation package:

- API Connectivity Validation
 - Authentication Validation
 - Webhook Validation
 - Environment Validation Checklist
 - Environment Validation Report
-

Success Criteria

The environment is considered validated when:

- All required platforms are accessible.
 - Authentication succeeds for every platform.
 - Required API endpoints respond successfully.
 - Webhooks can send and receive events.
 - Required permissions have been verified.
 - Make connections are operational.
 - No blocking issues remain open.
-

Failure Criteria

The validation phase is considered unsuccessful if any of the following conditions exist:

- Platform inaccessible.
- Authentication failure.
- Invalid credentials.
- API unavailable.
- Required endpoint inaccessible.
- Webhook delivery failure.

- Missing permissions.
- Critical configuration errors.

Implementation must not begin until all blocking issues have been resolved.

Dependencies

Environment Validation depends on the successful completion of:

- Access Preparation
- Platform credential collection
- API credential generation
- Webhook configuration
- Administrative permissions

Roles and Responsibilities

Role	Responsibility
Customer	Provide platform access, credentials and permissions
Integration Engineer	Execute validation activities and document results
Project Owner	Review validation results and approve implementation readiness

Exit Criteria

The Environment Validation phase is considered complete when:

- All validation documents have been completed.
- All validation tests have passed.
- All critical issues have been resolved.
- The Environment Validation Report has been approved.
- The implementation environment has been declared ready.

Next Phase

After successful completion of Environment Validation, the project proceeds to:

3.3 — Configuration Discovery

During the next phase, the customer-specific configuration required for the integration will be collected and documented, including field mappings, stage mappings, agent mappings, and other implementation-specific settings.

API Connectivity Validation

Version: 1.0

Status: Pending

Phase: 3.2 — Environment Validation

Purpose

This document validates API connectivity between Make and all external platforms involved in the integration.

The objective is to ensure that every required API endpoint is accessible, authentication is functioning correctly, and requests can be executed successfully before implementation begins.

This validation focuses exclusively on API communication and does not verify business logic or data synchronization.

Scope

Platforms included:

- Kommo CRM
 - Aloware
 - Make
-

Validation Objectives

- Verify API availability.
 - Verify network connectivity.
 - Verify successful request execution.
 - Verify expected HTTP responses.
 - Verify required API permissions.
 - Detect connectivity issues before implementation.
-

Validation Environment

Item	Value
Environment	Development / Production
Validation Date	
Integration Engineer	
Make Workspace	

Kommo API Validation

Connection Information

Item	Value
Base URL	
API Version	v4
Authentication Method	OAuth 2.0

Connectivity Tests

Test	Expected Result	Actual Result	Status
Account Information	HTTP 200		☐
List Pipelines	HTTP 200		☐
List Pipeline Stages	HTTP 200		☐
List Users	HTTP 200		☐
List Contacts	HTTP 200		☐
List Leads	HTTP 200		☐
Get Lead	HTTP 200		☐
Update Test Lead	HTTP 200		☐
Create Note	HTTP 200		☐

Results

Item	Result
API Reachable	☐
Authentication Successful	☐
Required Endpoints Available	☐
Validation Passed	☐

Aloware API Validation

Connection Information

Item	Value
Base URL	
API Version	
Authentication Method	API Key / Token

Connectivity Tests

Test	Expected Result	Actual Result	Status
Account Information	HTTP 200		☐
List Agents	HTTP 200		☐
List Contacts	HTTP 200		☐
Create Test Contact	HTTP 200/201		☐
Update Test Contact	HTTP 200		☐
Campaign/List Access	HTTP 200		☐
Call Records	HTTP 200		☐
SMS Records	HTTP 200		☐

Results

Item	Result
API Reachable	☐
Authentication Successful	☐
Required Endpoints Available	☐
Validation Passed	☐

Make Connectivity Validation

Workspace Validation

Test	Expected Result	Actual Result	Status
Workspace Accessible	Success		☐
Kommo Connection Available	Success		☐
Aloware Connection Available	Success		☐
Manual Scenario Execution	Success		☐
HTTP Module Operational	Success		☐

Results

Item	Result
Workspace Accessible	☐
Connections Operational	☐
Validation Passed	☐

Cross-Platform Connectivity

Connection	Expected Result	Actual Result	Status
Make → Kommo	Success		☐
Make → Aloware	Success		☐
Kommo API reachable from Make	Success		☐
Aloware API reachable from Make	Success		☐

Validation Summary

Platform	Status
Kommo	☐ Passed ☐ Failed
Aloware	☐ Passed ☐ Failed
Make	☐ Passed ☐ Failed
Cross-Platform Connectivity	☐ Passed ☐ Failed

Issues Identified

ID	Description	Severity	Status
		Low / Medium / High	

Recommendations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
API Connectivity Validated	☐ Yes ☐ No
Blocking Issues Remaining	☐ Yes ☐ No
Ready for Next Validation	☐ Yes ☐ No

Authentication Validation

Version: 1.0

Status: Pending

Phase: 3.2 — Environment Validation

Purpose

This document validates that all authentication mechanisms required by the integration are correctly configured and operational.

The objective is to ensure that every platform can authenticate successfully before any integration scenarios are implemented.

Authentication validation includes credential verification, authorization, token generation, permission validation, and secure credential management.

Scope

Platforms included:

- Kommo CRM
 - Aloware
 - Make
-

Validation Objectives

- Validate authentication methods.
 - Verify credentials.
 - Verify authorization permissions.
 - Validate OAuth flows.
 - Validate API Key authentication.
 - Verify Make connections.
 - Ensure secure credential storage.
-

Validation Environment

Item	Value
Environment	Development / Production
Validation Date	
Integration Engineer	
Make Workspace	

Kommo Authentication Validation

Authentication Configuration

Item	Value
Authentication Method	OAuth 2.0
Client ID	
Redirect URI	
Integration ID	

Authentication Tests

Test	Expected Result	Actual Result	Status
OAuth Authorization	Success		☐
Access Token Generated	Success		☐
Refresh Token Generated	Success		☐
Access Token Accepted	HTTP 200		☐
Refresh Token Renewal	Success		☐
Authenticated API Request	HTTP 200		☐

Permission Validation

Permission	Verified
Read Leads	☐
Write Leads	☐
Read Contacts	☐
Write Contacts	☐
Read Pipelines	☐
Read Users	☐
Read Custom Fields	☐
Create Notes	☐
Manage Webhooks	☐

Validation Result

Item	Status
Authentication Successful	☐
Permissions Validated	☐
Validation Passed	☐

Aloware Authentication Validation

Authentication Configuration

Item	Value
Authentication Method	API Key / API Token
API Key	
API Token	

Authentication Tests

Test	Expected Result	Actual Result	Status
API Key Accepted	Success		☐
Token Accepted	Success		☐
Authenticated API Request	HTTP 200		☐
Invalid Credential Rejected	HTTP 401 / 403		☐

Permission Validation

Permission	Verified
Contacts Access	☐
Agents Access	☐
Calls Access	☐
SMS Access	☐
Campaign/List Access	☐
Webhook Management	☐

Validation Result

Item	Status
Authentication Successful	☐
Permissions Validated	☐
Validation Passed	☐

Make Authentication Validation

Workspace Access

Test	Expected Result	Actual Result	Status
User Login	Success		☐
Workspace Access	Success		☐
Administrator Permissions	Verified		☐

Connection Authentication

Connection	Expected Result	Actual Result	Status
Kommo Connection	Connected		☐
Aloware Connection	Connected		☐

Credential Management

Validation	Status
Credentials Stored Securely	☐
Variables Accessible	☐
Secrets Accessible	☐
Sensitive Data Hidden	☐

Validation Result

Item	Status
Workspace Authentication Successful	☐
Connections Authenticated	☐
Validation Passed	☐

Security Validation

Validation	Status
No Hardcoded Credentials	☐
Least Privilege Applied	☐
Credentials Protected	☐
Tokens Stored Securely	☐
API Keys Stored Securely	☐

Validation Summary

Platform	Status
Kommo	☐ Passed ☐ Failed
Aloware	☐ Passed ☐ Failed
Make	☐ Passed ☐ Failed
Security	☐ Passed ☐ Failed

Issues Identified

ID	Description	Severity	Resolution
		Low / Medium / High	

Observations

-

Recommendations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Authentication Successfully Validated	☐ Yes ☐ No
Blocking Issues Remaining	☐ Yes ☐ No
Ready for Webhook Validation	☐ Yes ☐ No

Webhook Validation

Version: 1.0

Status: Pending

Phase: 3.2 — Environment Validation

Purpose

This document validates webhook communication between Kommo, Make, and Aloware.

The objective is to verify that webhook events are correctly generated, delivered, received, and processed before implementation begins.

This validation focuses exclusively on webhook communication and event delivery. API connectivity and authentication are validated in separate documents.

Scope

Platforms included:

- Kommo CRM
 - Make
 - Aloware
-

Validation Objectives

- Verify webhook generation.
 - Verify webhook delivery.
 - Verify payload integrity.
 - Verify HTTP responses.
 - Verify event processing.
 - Detect delivery failures before implementation.
-

Validation Environment

Item	Value
Environment	Development / Production
Validation Date	
Integration Engineer	
Make Workspace	

Kommo → Make Validation

Webhook Configuration

Item	Value
Webhook URL	
Events Configured	
Authentication	

Validation Tests

Test	Expected Result	Actual Result	Status
Lead Created	Webhook Received		☐
Lead Updated	Webhook Received		☐
Lead Stage Changed	Webhook Received		☐
Contact Updated	Webhook Received		☐
HTTP Response	200 OK		☐
Payload Complete	Yes		☐

Payload Validation

Validation	Status
Event Type Present	☐
Lead ID Present	☐
Contact ID Present	☐
Pipeline Information Present	☐
Stage Information Present	☐
Timestamp Present	☐

Result

Item	Status
Webhook Received	☐
Payload Valid	☐
Validation Passed	☐

Aloware → Make Validation

Webhook Configuration

Item	Value
Webhook URL	
Events Configured	
Authentication	

Validation Tests

Test	Expected Result	Actual Result	Status
Call Completed	Webhook Received		☐
SMS Sent	Webhook Received		☐
Contact Updated	Webhook Received		☐
AI Summary Generated	Webhook Received		☐
HTTP Response	200 OK		☐
Payload Complete	Yes		☐

Payload Validation

Validation	Status
Event Type Present	☐
Contact ID Present	☐
Agent Information Present	☐
Call Information Present	☐
AI Summary Present (if applicable)	☐
Timestamp Present	☐

Result

Item	Status
Webhook Received	☐
Payload Valid	☐
Validation Passed	☐

Make Webhook Processing

Validation Tests

Test	Expected Result	Actual Result	Status
Incoming Webhook Triggered	Success		☐
Payload Parsed	Success		☐
Variables Extracted	Success		☐
Scenario Started	Success		☐
Execution Logged	Success		☐

Result

Item	Status
Processing Successful	☐
Scenario Triggered	☐
Validation Passed	☐

Cross-Platform Event Validation

Event Flow	Expected Result	Actual Result	Status
Kommo → Make	Success		☐
Aloware → Make	Success		☐
Duplicate Events Handled	Success		☐
Invalid Payload Rejected	Success		☐

Validation Summary

Platform	Status
Kommo Webhooks	☐ Passed ☐ Failed
Aloware Webhooks	☐ Passed ☐ Failed
Make Processing	☐ Passed ☐ Failed
Cross-Platform Validation	☐ Passed ☐ Failed

Issues Identified

ID	Description	Severity	Resolution
		Low / Medium / High	

Observations

-

Recommendations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Webhooks Successfully Validated	☐ Yes ☐ No
Blocking Issues Remaining	☐ Yes ☐ No
Environment Ready	☐ Yes ☐ No

Environment Validation Checklist

Version: 1.0

Status: Pending

Phase: 3.2 — Environment Validation

Purpose

This checklist verifies that the integration environment has been successfully validated and is technically ready for implementation.

All items should be completed before proceeding to the Configuration Discovery phase.

1. Platform Accessibility

Kommo CRM

- ☐ Workspace accessible
 - ☐ Administrator account verified
 - ☐ API available
 - ☐ Required resources accessible
-

Aloware

- ☐ Workspace accessible
 - ☐ Administrator account verified
 - ☐ API available
 - ☐ Required resources accessible
-

Make

- ☐ Organization accessible
- ☐ Workspace accessible
- ☐ Administrator permissions verified

- ☐ Scenario editor available
-

2. Authentication Validation

Kommo

- ☐ OAuth authorization completed
 - ☐ Access Token generated
 - ☐ Refresh Token generated
 - ☐ Token renewal verified
 - ☐ Required permissions validated
-

Aloware

- ☐ API Key validated
 - ☐ API Token validated (if applicable)
 - ☐ Authenticated requests successful
 - ☐ Required permissions validated
-

Make

- ☐ User authentication successful
 - ☐ Kommo connection authenticated
 - ☐ Aloware connection authenticated
 - ☐ Credentials stored securely
-

3. API Connectivity Validation

Kommo

- ☐ Account endpoint tested
- ☐ Leads endpoint tested
- ☐ Contacts endpoint tested

- ☐ Pipelines endpoint tested
 - ☐ Users endpoint tested
-

Aloware

- ☐ Contacts endpoint tested
 - ☐ Agents endpoint tested
 - ☐ Calls endpoint tested
 - ☐ Campaign/List endpoint tested
-

Make

- ☐ Connections operational
 - ☐ HTTP module operational
 - ☐ Manual execution successful
-

4. Webhook Validation

Kommo → Make

- ☐ Lead Created event received
 - ☐ Lead Updated event received
 - ☐ Stage Changed event received
 - ☐ Contact Updated event received
 - ☐ Payload validated
-

Aloware → Make

- ☐ Call Completed event received
 - ☐ SMS Sent event received
 - ☐ Contact Updated event received
 - ☐ AI Summary event received
 - ☐ Payload validated
-

Make Processing

- ☐ Incoming webhook received
 - ☐ Payload parsed successfully
 - ☐ Scenario triggered
 - ☐ Execution logged
-

5. Cross-Platform Validation

- ☐ Make can communicate with Kommo
 - ☐ Make can communicate with Aloware
 - ☐ Kommo webhooks reach Make
 - ☐ Aloware webhooks reach Make
 - ☐ No connectivity issues detected
-

6. Security Validation

- ☐ Credentials stored securely
 - ☐ Secrets protected
 - ☐ No hardcoded credentials
 - ☐ Least privilege applied
 - ☐ Authorized access confirmed
-

7. Documentation Validation

- ☐ Access documentation completed
 - ☐ Validation Plan completed
 - ☐ API Connectivity Validation completed
 - ☐ Authentication Validation completed
 - ☐ Webhook Validation completed
-

8. Environment Readiness

The environment is considered ready when all of the following conditions are met.

- ☐ All validation activities completed
- ☐ All required tests passed
- ☐ No critical issues remain open
- ☐ Customer validation completed
- ☐ Integration Engineer approval completed

Validation Summary

Validation Area	Status
Platform Accessibility	☐ Passed ☐ Failed
Authentication	☐ Passed ☐ Failed
API Connectivity	☐ Passed ☐ Failed
Webhooks	☐ Passed ☐ Failed
Cross-Platform Connectivity	☐ Passed ☐ Failed
Security	☐ Passed ☐ Failed
Documentation	☐ Passed ☐ Failed

Blocking Issues

ID	Description	Severity	Resolved
		Low / Medium / High	☐

Final Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Environment Successfully Validated	☐ Yes ☐ No
Ready for Configuration Discovery	☐ Yes ☐ No
Validation Date	

Environment Validation Report

Version: 1.0

Status: Pending

Phase: 3.2 — Environment Validation

Purpose

This report summarizes the results of the Environment Validation phase and determines whether the integration environment is technically ready for implementation.

It consolidates the outcomes of all validation activities performed during this phase and serves as the formal approval document before proceeding to Configuration Discovery and implementation.

Validation Overview

Item	Value
Project	Kommo ↔ Aloware Integration
Validation Date	
Environment	Development / Production
Integration Engineer	
Customer Representative	

Validation Scope

The following validation activities were completed:

Validation Activity	Status
Platform Accessibility	☐ Passed ☐ Failed
Authentication Validation	☐ Passed ☐ Failed
API Connectivity Validation	☐ Passed ☐ Failed
Webhook Validation	☐ Passed ☐ Failed
Cross-Platform Connectivity	☐ Passed ☐ Failed
Security Validation	☐ Passed ☐ Failed

Platform Validation Results

Kommo CRM

Validation	Result
Workspace Accessible	☐
Authentication Successful	☐
API Connectivity	☐
Webhooks Operational	☐
Required Permissions Verified	☐

Status

☐ Passed

☐ Failed

Aloware

Validation	Result
Workspace Accessible	☐
Authentication Successful	☐
API Connectivity	☐
Webhooks Operational	☐
Required Permissions Verified	☐

Status

- ☐ Passed
- ☐ Failed

Make

Validation	Result
Workspace Accessible	☐
Connections Operational	☐
Webhooks Operational	☐
Scenario Execution Successful	☐
Logging Available	☐

Status

- ☐ Passed
- ☐ Failed

Cross-Platform Validation

Validation	Status
Make → Kommo Communication	☐
Kommo → Make Webhooks	☐
Make → Aloware Communication	☐
Aloware → Make Webhooks	☐
End-to-End Connectivity Verified	☐

Validation Metrics

Metric	Value
Validation Tests Executed	
Validation Tests Passed	
Validation Tests Failed	
Success Rate	
Critical Issues	
High Severity Issues	
Medium Severity Issues	
Low Severity Issues	

Issues Summary

Critical Issues

ID	Description	Resolution

High Severity Issues

ID	Description	Resolution

Medium Severity Issues

ID	Description	Resolution

Low Severity Issues

ID	Description	Resolution

Risk Assessment

Risk	Status
Authentication Risks	☐ Open ☐ Closed
Connectivity Risks	☐ Open ☐ Closed
Webhook Risks	☐ Open ☐ Closed
Permission Risks	☐ Open ☐ Closed
Security Risks	☐ Open ☐ Closed

Observations

-

Recommendations

-

Readiness Assessment

The implementation environment is considered ready when all of the following conditions are satisfied:

- ☐ All validation activities completed
- ☐ All mandatory tests passed
- ☐ No critical issues remain open
- ☐ Platform connectivity verified
- ☐ Authentication verified
- ☐ Webhook communication verified
- ☐ Security requirements satisfied

Conclusion

Assessment	Result
Environment Validation Completed	☐ Yes ☐ No
Environment Technically Ready	☐ Yes ☐ No
Approved for Configuration Discovery	☐ Yes ☐ No
Approved for Implementation	☐ Yes ☐ No

Related Documents

- Validation Plan
- API Connectivity Validation
- Authentication Validation
- Webhook Validation
- Environment Validation Checklist

Approval

Role	Name	Date	Signature
Integration Engineer			
Customer			
Project Owner			

Final Status

Environment Validation Phase

- ☐ Completed Successfully
- ☐ Completed with Observations
- ☐ Blocked
- ☐ Failed

Next Phase

Upon successful approval of this report, the project proceeds to:

Phase 3.3 — Configuration Discovery

During this phase, the customer-specific configuration required for the integration will be collected and documented, including:

- Field Mapping Specification
- Stage Mapping Specification
- Agent Mapping Specification
- Customer-specific configuration values
- Business rules required for implementation