

Configuration Discovery Plan

Version: 1.0

Status: Draft

Phase: 3.3 — Configuration Discovery

Purpose

This document defines the strategy for discovering and documenting the customer-specific configuration required to implement the Kommo ↔ Aloware integration.

The objective is to collect all configuration elements that influence the behavior of the integration, ensuring that implementation is based on the actual customer environment rather than assumptions.

Scope

The Configuration Discovery phase covers:

- Kommo CRM configuration
- Aloware configuration
- Cross-platform mappings
- Customer-specific business configuration

This phase does not include implementation, testing, or deployment.

Objectives

The Configuration Discovery process aims to:

- Inventory all relevant platform configurations.
- Identify customer-specific entities.
- Document field mappings.
- Document stage mappings.
- Document agent mappings.
- Identify required custom fields.
- Identify required tags and labels.
- Produce implementation-ready configuration documentation.

Discovery Principles

The discovery process follows these principles:

- Discover before implementing.
 - Document the actual customer configuration.
 - Avoid assumptions.
 - Reuse existing configuration whenever possible.
 - Maintain traceability between configuration and implementation.
 - Produce documentation that can be directly referenced during development.
-

Discovery Categories

The Configuration Discovery phase consists of the following activities.

Platform Inventory

Document the current configuration of each platform.

Includes:

- Pipelines
 - Stages
 - Users
 - Agents
 - Campaigns
 - Lists
 - Phone Numbers
 - Existing Custom Fields
 - Existing Tags
-

Field Mapping

Identify how information is exchanged between platforms.

Includes:

- Source fields

- Destination fields
 - Data types
 - Required transformations
 - Synchronization direction
-

Stage Mapping

Identify which CRM stages trigger integration behavior.

Includes:

- Pipeline
 - Stage
 - Trigger event
 - Destination action
 - Synchronization rules
-

Agent Mapping

Identify the relationship between CRM users and Aloware agents.

Includes:

- Kommo User
 - Aloware Agent
 - Assignment rules
 - Ownership rules
-

Custom Configuration

Identify additional customer configuration required by the integration.

Includes:

- Custom Fields
- Tags
- Labels
- Configuration values
- Customer-specific business rules

Platforms Under Discovery

Platform	Discovery Required
Kommo CRM	
Aloware	
Make	Reference Only

Discovery Sequence

The activities shall be executed in the following order:

1. Kommo Configuration Inventory
2. Aloware Configuration Inventory
3. Custom Fields Discovery
4. Field Mapping
5. Stage Mapping
6. Agent Mapping
7. Tags & Labels Discovery
8. Configuration Review
9. Configuration Readiness Assessment

Each activity depends on the successful completion of the previous one.

Deliverables

The Configuration Discovery phase produces the following documents:

- Configuration Discovery Plan
- Kommo Configuration Inventory
- Aloware Configuration Inventory
- Field Mapping Specification
- Stage Mapping Specification
- Agent Mapping Specification
- Custom Fields Specification
- Tags & Labels Specification
- Configuration Discovery Checklist

- Configuration Discovery Report
-

Success Criteria

The Configuration Discovery phase is considered successful when:

- All required platform configurations have been documented.
 - Required mappings have been defined.
 - Required custom fields have been identified.
 - Required tags and labels have been documented.
 - Customer-specific business rules have been captured.
 - No implementation decisions depend on unknown configuration.
-

Failure Criteria

The phase is considered incomplete if any of the following conditions exist:

- Missing platform configuration.
- Undefined field mappings.
- Undefined stage mappings.
- Undefined agent mappings.
- Missing custom fields.
- Unknown business rules.
- Customer configuration pending confirmation.

Implementation must not begin until all blocking configuration gaps have been resolved.

Dependencies

Configuration Discovery depends on the successful completion of:

- Access Preparation
 - Environment Validation
 - Platform connectivity validation
 - Authentication validation
 - Webhook validation
-

Roles and Responsibilities

Role	Responsibility
Customer	Provide configuration details and validate business rules
Integration Engineer	Document configuration, mappings, and implementation requirements
Project Owner	Review deliverables and approve implementation readiness

Exit Criteria

The Configuration Discovery phase is considered complete when:

- All inventory documents have been completed.
 - All mappings have been documented.
 - Customer-specific configuration has been identified.
 - Configuration Discovery Report has been approved.
 - The implementation team has all required configuration information.
-

Next Phase

After successful completion of Configuration Discovery, the project proceeds to:

Phase 4 — Implementation

During this phase, the Make scenarios, platform configurations, and integration components will be built using the configuration documented throughout the discovery process.

Kommo Configuration Inventory

Version: 1.0

Status: Pending

Phase: 3.3 — Configuration Discovery

Purpose

This document inventories the current Kommo CRM configuration required for the Kommo ↔ Aloware integration.

Its objective is to document the customer's existing CRM configuration so that all implementation decisions are based on the actual environment.

Scope

This inventory includes:

- Account information
 - Pipelines
 - Pipeline stages
 - Users
 - Contacts
 - Leads
 - Custom fields
 - Tags
 - Sources
 - Webhooks
 - API configuration
 - Integration settings
-

Account Information

Item	Value
Account Name	
Account ID	
Domain	
Region	
API Version	v4
Time Zone	
Currency	
Language	

Pipelines

Document every sales pipeline used by the customer.

Pipeline ID	Pipeline Name	Active	Notes
		☐	

Pipeline Stages

Document every stage that participates in the integration.

Pipeline	Stage ID	Stage Name	Trigger Integration	Notes
			☐ Yes ☐ No	

Users

Inventory all users that may own leads or participate in the integration.

User ID	User Name	Email	Active	Requires Agent Mapping
			☐	☐

Lead Configuration

Lead Status

Item	Value
Multiple Pipelines Enabled	
Required Fields	
Lead Sources Used	

Lead Fields

List all standard lead fields relevant to the integration.

Field	Used	Notes
Name	☐	
Price	☐	
Pipeline	☐	
Stage	☐	
Responsible User	☐	
Created Date	☐	
Updated Date	☐	

Contact Configuration

Standard Fields

Field	Used	Notes
First Name	☐	
Last Name	☐	
Phone	☐	
Email	☐	

Custom Fields

Document every custom field used by the integration.

Field ID	Field Name	Entity	Type	Required	Notes
		Lead / Contact		☐	

Required Custom Fields

The following custom fields are expected for the integration.

Field	Entity	Purpose	Exists
Aloware Contact ID	Contact	Stores Aloware Contact Identifier	☐
Last Call Status	Contact / Lead	Optional	☐
Last Call Date	Contact / Lead	Optional	☐

Tags

Document tags that participate in the integration.

Tag ID	Tag Name	Used by Integration	Notes
		☐	

Sources

Inventory lead sources used by the customer.

Source	Active	Notes
	☐	

Webhooks

Document existing outbound webhooks configured in Kommo.

Event	Endpoint	Active	Notes
		☐	

API Configuration

Item	Value
API Version	v4
Authentication Method	OAuth 2.0
Client ID	
Redirect URI	
Integration ID	

Permissions

Verify the integration has access to the required resources.

Resource	Permission Verified
Leads	☐
Contacts	☐
Pipelines	☐
Stages	☐
Users	☐
Custom Fields	☐
Notes	☐
Webhooks	☐

Business Rules Identified

Document customer-specific rules that affect CRM behavior.

Rule	Description

Integration Dependencies

Identify configuration elements required by the integration.

Dependency	Status
Pipeline Identified	☐
Trigger Stages Identified	☐
Responsible Users Identified	☐
Custom Fields Identified	☐
Tags Identified	☐
Webhooks Configured	☐

Configuration Summary

Category	Status
Account Information	☐ Complete
Pipelines	☐ Complete
Stages	☐ Complete
Users	☐ Complete
Contacts	☐ Complete
Leads	☐ Complete
Custom Fields	☐ Complete
Tags	☐ Complete
Webhooks	☐ Complete
API Configuration	☐ Complete

Observations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Kommo Configuration Fully Documented	☐ Yes ☐ No
Ready for Mapping Specifications	☐ Yes ☐ No

Aloware Configuration Inventory

Version: 1.0

Status: Pending

Phase: 3.3 — Configuration Discovery

Purpose

This document inventories the current Aloware configuration required for the Kommo ↔ Aloware integration.

Its objective is to document the customer's communication platform configuration so that the integration can be implemented using the actual production environment.

Scope

This inventory includes:

- Account information
 - Users and agents
 - Phone numbers
 - Teams
 - Campaigns
 - Power Dialer lists
 - Contact configuration
 - Call configuration
 - SMS configuration
 - AI features
 - Webhooks
 - API configuration
 - Integration settings
-

Account Information

Item	Value
Account Name	
Account ID	
Workspace	
Region	
Time Zone	
Language	
API Version	

Agents

Document all agents that participate in the integration.

Agent ID	Agent Name	Email	Active	Mapped to Kommo User
			☐	☐

Teams

Document the teams configured in Aloware.

Team ID	Team Name	Active	Notes
		☐	

Phone Numbers

Inventory all phone numbers available to the account.

Number ID	Phone Number	Type	Assigned To	Active
		Local / Toll-Free		☐

Campaigns

Document campaigns used by the integration.

Campaign ID	Campaign Name	Active	Notes
		☐	

Power Dialer Lists

Document all Power Dialer lists that may receive contacts from Kommo.

List ID	List Name	Campaign	Active	Used by Integration
			☐	☐

Contact Configuration

Standard Contact Fields

Field	Used	Notes
Name	☐	
Phone Number	☐	
Email	☐	
Company	☐	

Custom Contact Fields

Field ID	Field Name	Type	Required	Notes
			☐	

Call Configuration

Document call-related settings relevant to the integration.

Setting	Value
Call Recording Enabled	
Automatic Call Logging	
Call Disposition Required	
Voicemail Enabled	
Call Duration Tracking	

SMS Configuration

Document SMS settings used by the customer.

Setting	Value
SMS Enabled	
Two-Way Messaging	
SMS Templates Configured	
Automatic SMS Logging	

AI Features

Document AI capabilities enabled in Aloware.

Feature	Enabled	Notes
AI Call Summary	☐	
AI Transcription	☐	
AI Sentiment Analysis	☐	
AI Call Insights	☐	

Webhooks

Document outbound webhooks configured in Aloware.

Event	Endpoint	Active	Notes
		☐	

API Configuration

Item	Value
API Version	
Authentication Method	API Key
API Base URL	
API Key Configured	☐
Rate Limit	

Permissions

Verify the API has access to the required resources.

Resource	Permission Verified
Contacts	☐
Agents	☐
Calls	☐
SMS	☐
Campaigns	☐
Lists	☐
Webhooks	☐

Integration Dependencies

Identify Aloware configuration required for the integration.

Dependency	Status
Agents Identified	☐
Campaigns Identified	☐
Power Dialer Lists Identified	☐
Phone Numbers Identified	☐
AI Features Identified	☐
Webhooks Configured	☐

Business Rules Identified

Document customer-specific communication rules that affect the integration.

Rule	Description

Configuration Summary

Category	Status
Account Information	☐ Complete
Agents	☐ Complete
Teams	☐ Complete
Phone Numbers	☐ Complete
Campaigns	☐ Complete
Power Dialer Lists	☐ Complete
Contact Configuration	☐ Complete
Call Configuration	☐ Complete
SMS Configuration	☐ Complete
AI Features	☐ Complete
Webhooks	☐ Complete
API Configuration	☐ Complete

Observations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Aloware Configuration Fully Documented	☐ Yes ☐ No
Ready for Mapping Specifications	☐ Yes ☐ No

Field Mapping Specification

Version: 1.0

Status: Pending

Phase: 3.3 — Configuration Discovery

Purpose

This document defines how data is mapped between Kommo CRM and Aloware.

Its objective is to ensure consistent, accurate, and traceable synchronization of information across both platforms by documenting every field involved in the integration.

Scope

This specification covers:

- Contact fields
 - Lead fields
 - Ownership fields
 - Communication fields
 - Custom fields
 - Data transformations
 - Synchronization direction
 - Validation rules
-

Mapping Principles

The field mapping follows these principles:

- Preserve data integrity.
 - Avoid unnecessary duplication.
 - Respect each platform's System of Record.
 - Reuse existing fields whenever possible.
 - Minimize data transformation.
 - Maintain identifier traceability.
-

Systems of Record

Entity	System of Record
Contacts	Kommo
Leads	Kommo
Pipelines	Kommo
Pipeline Stages	Kommo
Users	Kommo
Agents	Aloware
Calls	Aloware
SMS	Aloware
Call Recordings	Aloware
AI Summaries	Aloware

Contact Field Mapping

Kommo Field	Aloware Field	Direction	Transformation	Required
Contact ID	External Reference	Kommo → Aloware	None	✓
Name	Name	Kommo → Aloware	None	✓
Phone	Phone Number	Kommo → Aloware	Normalize E.164	✓
Email	Email	Kommo → Aloware	None	Optional
Responsible User	Assigned Agent	Kommo → Aloware	Agent Mapping	✓

Lead Field Mapping

Kommo Field	Aloware Field	Direction	Transformation	Required
Lead ID	External Lead Reference	Kommo → Aloware	None	✓
Lead Name	Notes / Reference	Kommo → Aloware	None	Optional
Pipeline	Campaign / List Selection	Kommo → Aloware	Stage Mapping	✓
Stage	Trigger Action	Kommo → Aloware	Business Rule	✓

Ownership Mapping

Kommo	Aloware	Transformation
Responsible User ID	Agent ID	Agent Mapping Table
Responsible User Name	Agent Name	Lookup

Communication Mapping

The following information is synchronized from Aloware back to Kommo.

Aloware Field	Kommo Destination	Direction	Notes
Call ID	Note	Aloware → Kommo	Reference
Call Status	Note	Aloware → Kommo	Human-readable
Call Duration	Note	Aloware → Kommo	Seconds
Recording URL	Note	Aloware → Kommo	Link
AI Summary	Note	Aloware → Kommo	Optional
SMS Content	Note	Aloware → Kommo	Optional
Event Timestamp	Note	Aloware → Kommo	ISO-8601

Custom Field Mapping

Document every custom field used by the integration.

Kommo Custom Field	Aloware Field	Purpose	Required
Aloware Contact ID	Contact ID	Cross-reference	
Last Call Date	Call Date	Reporting	Optional
Last Call Status	Call Status	Reporting	Optional

Data Transformations

The following transformations are applied during synchronization.

Data Type	Transformation
Phone Number	Normalize to E.164 format
Date/Time	Convert to ISO-8601
Boolean	Convert to platform-specific format
Empty Values	Ignore unless required
Text	Trim leading/trailing spaces
URLs	Preserve original value

Validation Rules

Before synchronization, the following validations must be satisfied.

Validation	Action if Invalid
Phone Number Present	Reject
Phone Number Valid	Reject
Contact Exists	Create or Update
Agent Mapping Exists	Stop Processing
Required Field Missing	Reject
Invalid Data Type	Reject

Synchronization Rules

Rule	Description
Contacts originate in Kommo	Kommo is the authoritative source for contact information.
Communication originates in Aloware	Calls, SMS, recordings, and AI summaries are owned by Aloware.
No bidirectional ownership	A field has only one authoritative source.
IDs are never modified	External identifiers remain immutable after creation.

Error Handling

Condition	Action
Missing Required Field	Stop synchronization
Invalid Phone Number	Log error and reject
Missing Agent Mapping	Stop processing
Missing Stage Mapping	Stop processing
Duplicate Record	Update existing record
API Validation Error	Retry according to Retry Strategy

Mapping Dependencies

The following specifications must exist before implementation.

- Stage Mapping Specification
 - Agent Mapping Specification
 - Custom Fields Specification
 - Tags & Labels Specification
-

Validation Checklist

- ☐ All required fields identified
 - ☐ Field ownership defined
 - ☐ Transformations documented
 - ☐ Validation rules documented
 - ☐ Synchronization direction defined
 - ☐ Customer approval completed
-

Observations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Field Mapping Completed	☐ Yes ☐ No
Ready for Implementation	☐ Yes ☐ No

Stage Mapping Specification

Version: 1.0

Status: Pending

Phase: 3.3 — Configuration Discovery

Purpose

This document defines how Kommo pipeline stages map to actions within the Kommo ↔ Aloware integration.

Its objective is to identify which stage transitions trigger automation workflows, the corresponding actions executed in Aloware, and the business rules governing those events.

Scope

This specification covers:

- Pipelines
 - Pipeline stages
 - Stage transition events
 - Trigger conditions
 - Aloware actions
 - Synchronization rules
 - Validation requirements
-

Mapping Principles

The stage mapping follows these principles:

- Stage transitions are the primary business events.
 - Only approved stages trigger integrations.
 - Each stage has a clearly defined action.
 - Trigger behavior must be deterministic.
 - Business rules take precedence over technical implementation.
-

Trigger Event

The integration is initiated when a lead changes to a configured stage within a Kommo pipeline.

Event	Description
Lead Stage Changed	A lead is moved to a configured pipeline stage.

Stage Mapping

Document every stage that participates in the integration.

Pipeline	Stage ID	Stage Name	Trigger Integration	Aloware Action	Notes
			☐ Yes ☐ No		

Trigger Configuration

For each mapped stage, define the expected behavior.

Stage	Trigger Event	Execution
	Lead enters stage	Execute immediately / Delayed

Aloware Actions

Possible actions executed after a stage transition.

Action	Description
Create Contact	Create the contact if it does not already exist.
Update Contact	Synchronize contact information.
Assign Agent	Assign the mapped Aloware agent.
Add to Power Dialer List	Add the contact to the configured dialing list.
Update Campaign	Associate the contact with a campaign.
No Action	Stage change is informational only.

Business Rules

Document the business logic associated with each stage.

Stage	Business Rule

Execution Conditions

A stage transition should only trigger the integration when all required conditions are met.

Condition	Required
Lead Exists	
Contact Exists	
Phone Number Available	
Agent Mapping Available	
Stage Mapping Defined	

Synchronization Rules

Rule	Description
One execution per stage transition	Prevent duplicate processing of the same event.
Ignore unchanged stages	No action if the stage remains the same.
Process only configured stages	Unmapped stages are ignored.
Preserve lead ownership	Responsible user remains managed by Kommo.

Validation Rules

Validation	Action if Invalid
Stage Not Mapped	Ignore event
Missing Pipeline	Stop processing
Missing Agent Mapping	Stop processing
Missing Phone Number	Reject synchronization
Invalid Contact	Reject synchronization

Error Handling

Condition	Action
Duplicate Webhook	Ignore duplicate event
Stage Mapping Missing	Log error and stop
Aloware API Error	Retry according to Retry Strategy
Validation Failure	Log error and stop

Dependencies

This specification depends on:

- Kommo Configuration Inventory
- Aloware Configuration Inventory
- Field Mapping Specification
- Agent Mapping Specification

Validation Checklist

- ☐ All integration stages identified
- ☐ Trigger events documented
- ☐ Aloware actions defined
- ☐ Business rules documented
- ☐ Validation rules completed

- ☐ Customer approval completed

Observations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Stage Mapping Completed	☐ Yes ☐ No
Ready for Implementation	☐ Yes ☐ No

Agent Mapping Specification

Version: 1.0

Status: Pending

Phase: 3.3 — Configuration Discovery

Purpose

This document defines how Kommo users are mapped to Aloware agents.

Its objective is to ensure that lead ownership in Kommo is consistently translated into agent assignment within Aloware, enabling calls, SMS, and other communication activities to be routed to the correct representative.

Scope

This specification covers:

- Kommo users
 - Aloware agents
 - User-to-agent mappings
 - Assignment rules
 - Ownership synchronization
 - Validation requirements
 - Error handling
-

Mapping Principles

The agent mapping follows these principles:

- Each Kommo user maps to a single Aloware agent.
 - Lead ownership remains managed by Kommo.
 - Aloware assignments are derived from Kommo ownership.
 - Mappings are explicit and documented.
 - Agent identifiers remain immutable after configuration.
-

Ownership Model

Entity	System of Record
Lead Owner	Kommo
Contact Owner	Kommo
Assigned Agent	Aloware

Agent Mapping Table

Document every user participating in the integration.

Kommo User ID	Kommo User	Aloware Agent ID	Aloware Agent	Active	Default Assignment
				☐	☐

Assignment Rules

Define how the integration determines the assigned Aloware agent.

Rule	Description
Existing Mapping	Assign the mapped Aloware agent.
User Not Mapped	Stop processing and log an error.
Inactive Agent	Stop processing until a valid mapping exists.
Lead Reassigned	Update the assigned agent in Aloware if required by business rules.
Default Assignment Enabled	Assign the configured default agent when applicable.

Synchronization Rules

Rule	Description
Kommo is authoritative	Responsible users are managed exclusively in Kommo.
Assignment is one-way	User assignments flow from Kommo to Aloware only.
No reverse synchronization	Agent changes in Aloware do not update Kommo ownership.
One user per agent	Each Kommo user should map to one Aloware agent.

Validation Rules

Before assigning an agent, the following validations must pass.

Validation	Action if Invalid
Responsible User Exists	Stop processing
User Mapping Exists	Stop processing
Agent Exists	Stop processing
Agent Active	Stop processing
Duplicate Mapping	Reject configuration

Default Assignment

If the customer chooses to use a fallback agent, document it here.

Item	Value
Default Agent Enabled	☐ Yes ☐ No
Default Agent ID	
Default Agent Name	
Business Justification	

Exception Handling

Scenario	Action
No Responsible User	Reject synchronization
User Mapping Missing	Log error and stop
Agent Inactive	Log error and stop
Agent Deleted	Log error and stop
Duplicate Agent Mapping	Reject configuration until corrected

Mapping Dependencies

This specification depends on:

- Kommo Configuration Inventory
- Aloware Configuration Inventory
- Field Mapping Specification
- Stage Mapping Specification

Validation Checklist

- ☐ All Kommo users identified
- ☐ All Aloware agents identified
- ☐ User-to-agent mappings documented
- ☐ Default assignment configured (if applicable)
- ☐ Validation rules documented
- ☐ Customer approval completed

Observations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Agent Mapping Completed	☐ Yes ☐ No
Ready for Implementation	☐ Yes ☐ No

Custom Fields Specification

Version: 1.0

Status: Pending

Phase: 3.3 — Configuration Discovery

Purpose

This document defines the custom fields required for the Kommo ↔ Aloware integration.

Its objective is to identify, document, and standardize all customer-specific fields used to store integration data, ensuring consistent synchronization, traceability, and reporting across both platforms.

Scope

This specification covers:

- Existing custom fields
 - Required custom fields
 - Field ownership
 - Field data types
 - Synchronization rules
 - Validation requirements
 - Field creation requirements
-

Field Design Principles

Custom fields should follow these principles:

- Create custom fields only when standard fields are insufficient.
 - Each field must have a single business purpose.
 - Avoid duplicate information.
 - Store integration identifiers separately from business data.
 - Maintain compatibility with future integrations.
-

Systems of Record

Field Category	System of Record
CRM Business Data	Kommo
Communication Data	Aloware
Integration Identifiers	Kommo
Reporting Fields	Kommo

Existing Custom Fields

Document any custom fields already available in the customer's Kommo account.

Field ID	Field Name	Entity	Type	Required	Used by Integration
		Lead / Contact		☐	☐

Required Custom Fields

The following fields are recommended for the integration.

Field Name	Entity	Type	Required	Purpose
Aloware Contact ID	Contact	Text	☒	Stores the unique Aloware Contact Identifier
Last Call Date	Contact	Date/Time	Optional	Reporting and visibility
Last Call Status	Contact	Text	Optional	Displays latest call outcome
Last SMS Date	Contact	Date/Time	Optional	SMS reporting
Last Communication Source	Contact	Text	Optional	Indicates the latest communication channel

Field Definitions

Aloware Contact ID

Property	Value
Entity	Contact
Data Type	Text
Required	Yes
System of Record	Kommo
Synchronization	Kommo ↔ Aloware
Editable by Users	No

Purpose

Stores the unique identifier assigned by Aloware to maintain a persistent relationship between both platforms.

Last Call Date

Property	Value
Entity	Contact
Data Type	Date/Time
Required	No
System of Record	Aloware
Synchronization	Aloware → Kommo

Purpose

Stores the timestamp of the most recent completed call.

Last Call Status

Property	Value
Entity	Contact
Data Type	Text
Required	No
System of Record	Aloware
Synchronization	Aloware → Kommo

Purpose

Stores the outcome of the most recent call (e.g., Answered, No Answer, Voicemail).

Last SMS Date

Property	Value
Entity	Contact
Data Type	Date/Time
Required	No
System of Record	Aloware
Synchronization	Aloware → Kommo

Purpose

Stores the timestamp of the latest SMS interaction.

Last Communication Source

Property	Value
Entity	Contact
Data Type	Text
Required	No
System of Record	Aloware
Synchronization	Aloware → Kommo

Purpose

Indicates the communication channel responsible for the latest customer interaction (Call, SMS, etc.).

Field Synchronization

Field	Direction	Update Rule
Aloware Contact ID	Kommo ↔ Aloware	Set once after contact creation
Last Call Date	Aloware → Kommo	Update after completed call
Last Call Status	Aloware → Kommo	Update after completed call
Last SMS Date	Aloware → Kommo	Update after SMS event
Last Communication Source	Aloware → Kommo	Update after every communication event

Validation Rules

Validation	Action if Invalid
Required Field Missing	Stop processing
Invalid Data Type	Reject update
Duplicate Identifier	Reject configuration
Empty Integration Identifier	Stop synchronization
Invalid Date Format	Reject update

Field Creation Requirements

Before implementation, verify:

- ☐ Required fields already exist
 - ☐ Missing fields have been created
 - ☐ Correct data types configured
 - ☐ Field visibility configured
 - ☐ Field permissions configured
 - ☐ API accessibility verified
-

Dependencies

This specification depends on:

- Kommo Configuration Inventory
- Field Mapping Specification
- Stage Mapping Specification
- Agent Mapping Specification

Validation Checklist

- ☐ Existing custom fields inventoried
- ☐ Required custom fields identified
- ☐ Field purposes documented
- ☐ Synchronization rules defined
- ☐ Validation rules documented
- ☐ Customer approval completed

Observations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Custom Fields Specification Completed	☐ Yes ☐ No
Ready for Implementation	☐ Yes ☐ No

Tags & Labels Specification

Version: 1.0

Status: Pending

Phase: 3.3 — Configuration Discovery

Purpose

This document defines the tags and labels used by the Kommo ↔ Aloware integration.

Its objective is to standardize the use of tags for classification, filtering, reporting, and automation while ensuring they are applied consistently throughout the integration.

Scope

This specification covers:

- Existing tags
 - Required tags
 - Tag ownership
 - Tag application rules
 - Automation rules
 - Naming conventions
 - Validation requirements
-

Tagging Principles

Tags should follow these principles:

- Each tag must have a single business purpose.
 - Tags classify information but do not represent workflow states.
 - Workflow progression must be managed through pipeline stages, not tags.
 - Tags should be reusable across automations whenever possible.
 - Naming should be consistent and easily understood by business users.
-

Systems of Record

Category	System of Record
CRM Tags	Kommo
Communication Metadata	Aloware
Integration Tags	Kommo

Existing Tags

Document all tags currently configured in Kommo.

Tag ID	Tag Name	Description	Used by Integration
			☐

Required Tags

Document tags required for the integration.

Tag Name	Purpose	Required
Imported from Aloware	Identifies contacts synchronized from Aloware	Optional
Power Dialer	Indicates the contact has been added to a Power Dialer list	Optional
Call Completed	Indicates a completed call has been processed	Optional
SMS Sent	Indicates an SMS interaction has been synchronized	Optional
Integration Error	Identifies records requiring manual review	Optional

Note: These tags are examples. The final list should be validated with the customer and aligned with existing CRM conventions.

Tag Definitions

Imported from Aloware

Property	Value
Platform	Kommo
Applied By	Make
Purpose	Identify contacts originating from Aloware synchronization
Removed Automatically	No

Power Dialer

Property	Value
Platform	Kommo
Applied By	Make
Purpose	Indicate the contact has been assigned to a Power Dialer list
Removed Automatically	Optional

Call Completed

Property	Value
Platform	Kommo
Applied By	Make
Purpose	Indicate a completed call has been synchronized
Removed Automatically	Optional

SMS Sent

Property	Value
Platform	Kommo
Applied By	Make
Purpose	Indicate an SMS interaction has been synchronized
Removed Automatically	Optional

Integration Error

Property	Value
Platform	Kommo
Applied By	Make
Purpose	Flag records requiring manual intervention
Removed Automatically	After issue resolution

Tag Application Rules

Event	Tag Applied
Contact created in Aloware	Imported from Aloware
Contact added to Power Dialer	Power Dialer
Call completed	Call Completed
SMS synchronized	SMS Sent
Synchronization failure	Integration Error

Tag Removal Rules

Tag	Removal Condition
Imported from Aloware	Never removed unless contact is archived
Power Dialer	Contact removed from dialing workflow (if applicable)
Call Completed	Normally retained
SMS Sent	Normally retained
Integration Error	Issue resolved and synchronization completed successfully

Naming Conventions

Tags should follow these conventions:

- Use descriptive business names.
- Avoid abbreviations unless widely understood.
- Use Title Case.
- Avoid duplicate meanings.
- Keep names concise and consistent.

Examples

Recommended	Avoid
Call Completed	CALL_DONE
Power Dialer	PD
Integration Error	ERR_01

Validation Rules

Validation	Action if Invalid
Duplicate Tag	Reject configuration
Undefined Tag	Do not apply
Missing Required Tag	Log warning
Invalid Tag Name	Rename before implementation

Dependencies

This specification depends on:

- Kommo Configuration Inventory
 - Field Mapping Specification
 - Stage Mapping Specification
 - Agent Mapping Specification
-

Validation Checklist

- ☐ Existing tags inventoried
 - ☐ Required tags identified
 - ☐ Tag purposes documented
 - ☐ Application rules defined
 - ☐ Removal rules defined
 - ☐ Naming conventions validated
 - ☐ Customer approval completed
-

Observations

-

Approval

Role	Name	Date
Integration Engineer		
Customer		

Final Result

Item	Status
Tags & Labels Specification Completed	☐ Yes ☐ No
Ready for Implementation	☐ Yes ☐ No

Configuration Discovery Checklist

Version: 1.0

Status: Pending

Phase: 3.3 — Configuration Discovery

Purpose

This checklist verifies that all customer-specific configuration required for the Kommo ↔ Aloware integration has been collected, documented, and validated.

All items should be completed before proceeding to the implementation phase.

1. Kommo Configuration Inventory

Account

- ☐ Account information documented
 - ☐ API version verified
 - ☐ Time zone documented
 - ☐ Domain documented
-

Pipelines

- ☐ All pipelines inventoried
 - ☐ Integration pipeline identified
 - ☐ Pipeline IDs documented
-

Pipeline Stages

- ☐ All stages documented
- ☐ Integration trigger stages identified
- ☐ Stage IDs documented
- ☐ Stage names verified

Users

- ☐ All users inventoried
 - ☐ Responsible users identified
 - ☐ User IDs documented
-

Contacts

- ☐ Standard fields documented
 - ☐ Required fields identified
-

Leads

- ☐ Lead configuration documented
 - ☐ Lead ownership rules documented
-

Custom Fields

- ☐ Existing custom fields inventoried
 - ☐ Required custom fields identified
 - ☐ Missing fields identified
-

Tags

- ☐ Existing tags inventoried
 - ☐ Integration tags identified
-

Webhooks

- ☐ Existing webhooks documented
 - ☐ Required webhook events verified
-

2. Aloware Configuration Inventory

Account

- ☐ Account information documented
 - ☐ API version verified
 - ☐ Authentication method verified
-

Agents

- ☐ All agents inventoried
 - ☐ Active agents identified
 - ☐ Agent IDs documented
-

Teams

- ☐ Teams documented
 - ☐ Team assignments verified
-

Phone Numbers

- ☐ Phone numbers inventoried
 - ☐ Numbers used by the integration identified
-

Campaigns

- ☐ Campaigns documented
 - ☐ Integration campaigns identified
-

Power Dialer Lists

- ☐ Lists documented

- ☐ Target lists identified
-

Contact Configuration

- ☐ Contact fields documented
 - ☐ Required fields identified
-

AI Features

- ☐ Enabled AI features documented
 - ☐ AI Summary availability verified
-

Webhooks

- ☐ Existing webhooks documented
 - ☐ Required webhook events verified
-

3. Field Mapping

- ☐ Contact field mapping completed
 - ☐ Lead field mapping completed
 - ☐ Ownership mapping completed
 - ☐ Communication mapping completed
 - ☐ Custom field mapping completed
 - ☐ Data transformations documented
 - ☐ Validation rules documented
-

4. Stage Mapping

- ☐ Integration stages identified
- ☐ Trigger stages documented
- ☐ Allowable actions defined
- ☐ Business rules documented

- ☐ Validation rules documented
-

5. Agent Mapping

- ☐ Kommo users identified
 - ☐ Aloware agents identified
 - ☐ User-to-agent mappings documented
 - ☐ Default assignment configured (if applicable)
 - ☐ Assignment rules documented
-

6. Custom Fields

- ☐ Existing custom fields inventoried
 - ☐ Required custom fields documented
 - ☐ Data types verified
 - ☐ Synchronization rules documented
 - ☐ Missing fields identified
-

7. Tags & Labels

- ☐ Existing tags inventoried
 - ☐ Required tags documented
 - ☐ Tag application rules defined
 - ☐ Tag removal rules defined
 - ☐ Naming conventions validated
-

8. Business Rules

- ☐ Customer-specific business rules documented
 - ☐ Assignment rules documented
 - ☐ Synchronization rules documented
 - ☐ Exception scenarios documented
-

9. Documentation Review

- ☐ Configuration Discovery Plan completed
- ☐ Kommo Configuration Inventory completed
- ☐ Aloware Configuration Inventory completed
- ☐ Field Mapping Specification completed
- ☐ Stage Mapping Specification completed
- ☐ Agent Mapping Specification completed
- ☐ Custom Fields Specification completed
- ☐ Tags & Labels Specification completed

10. Readiness Assessment

The Configuration Discovery phase is considered complete when all of the following conditions are satisfied.

- ☐ All configuration inventories completed
- ☐ All mappings documented
- ☐ Customer-specific configuration identified
- ☐ No unknown dependencies remain
- ☐ Customer review completed
- ☐ Integration Engineer review completed

Discovery Summary

Area	Status
Kommo Configuration	☐ Passed ☐ Failed
Aloware Configuration	☐ Passed ☐ Failed
Field Mapping	☐ Passed ☐ Failed
Stage Mapping	☐ Passed ☐ Failed
Agent Mapping	☐ Passed ☐ Failed
Custom Fields	☐ Passed ☐ Failed
Tags & Labels	☐ Passed ☐ Failed
Business Rules	☐ Passed ☐ Failed
Documentation	☐ Passed ☐ Failed

Outstanding Items

ID	Description	Priority	Owner	Status
		High / Medium / Low		

Final Approval

Role	Name	Date
Integration Engineer		
Customer		
Project Owner		

Final Result

Item	Status
Configuration Discovery Completed	☐ Yes ☐ No
Ready for Implementation	☐ Yes ☐ No
Discovery Completion Date	

Configuration Discovery Report

Version: 1.0

Status: Pending

Phase: 3.3 — Configuration Discovery

Purpose

This report summarizes the results of the Configuration Discovery phase for the Kommo ↔ Aloware integration.

Its objective is to confirm that all customer-specific configuration required for implementation has been identified, documented, validated, and approved.

This report serves as the formal approval document before beginning the implementation phase.

Discovery Overview

Item	Value
Project	Kommo ↔ Aloware Integration
Discovery Date	
Environment	Development / Production
Integration Engineer	
Customer Representative	

Discovery Scope

The following configuration areas were reviewed during this phase:

Discovery Activity	Status
Kommo Configuration Inventory	☐ Passed ☐ Failed
Aloware Configuration Inventory	☐ Passed ☐ Failed
Field Mapping Specification	☐ Passed ☐ Failed
Stage Mapping Specification	☐ Passed ☐ Failed
Agent Mapping Specification	☐ Passed ☐ Failed
Custom Fields Specification	☐ Passed ☐ Failed
Tags & Labels Specification	☐ Passed ☐ Failed

Kommo Configuration Summary

Configuration Area	Result
Account Information	☐
Pipelines	☐
Pipeline Stages	☐
Users	☐
Contacts	☐
Leads	☐
Custom Fields	☐
Tags	☐
Webhooks	☐

Status

☐ Passed

☐ Failed

Aloware Configuration Summary

Configuration Area	Result
Account Information	☐
Agents	☐
Teams	☐
Phone Numbers	☐
Campaigns	☐
Power Dialer Lists	☐
Contact Configuration	☐
AI Features	☐
Webhooks	☐

Status

☐ Passed

☐ Failed

Mapping Summary

Field Mapping

Validation	Status
Contact Fields	☐
Lead Fields	☐
Communication Fields	☐
Custom Fields	☐
Data Transformations	☐

Stage Mapping

Validation	Status
Integration Stages Identified	☐
Trigger Events Defined	☐
Aloware Actions Defined	☐
Business Rules Documented	☐

Agent Mapping

Validation	Status
Kommo Users Identified	☐
Aloware Agents Identified	☐
User-to-Agent Mapping Completed	☐
Assignment Rules Defined	☐

Custom Configuration Summary

Configuration	Status
Required Custom Fields	☐
Existing Custom Fields Validated	☐
Required Tags Identified	☐
Naming Conventions Validated	☐

Business Rules Summary

Document the customer-specific business rules identified during discovery.

Rule	Status
Lead Assignment Rules	☐
Stage Transition Rules	☐
Contact Synchronization Rules	☐
Communication Logging Rules	☐
Exception Handling Rules	☐

Discovery Metrics

Metric	Value
Configuration Areas Reviewed	
Mapping Specifications Completed	
Required Custom Fields	
Required Tags	
Required Agent Mappings	
Trigger Stages Identified	
Business Rules Identified	

Outstanding Items

List any remaining configuration items that must be resolved before implementation.

ID	Description	Priority	Owner	Status
		High / Medium / Low		

Risks Identified

Risk	Status
Missing Configuration	☐ Open ☐ Closed
Undefined Mapping	☐ Open ☐ Closed
Missing Business Rule	☐ Open ☐ Closed
Missing Custom Field	☐ Open ☐ Closed
Missing Agent Mapping	☐ Open ☐ Closed

Observations

-

Recommendations

- Verify that all production configuration matches the documented inventory before deployment.
- Freeze configuration changes during implementation to prevent inconsistencies.
- Validate all mappings in a test environment before enabling production workflows.
- Update this documentation whenever customer configuration changes.

Readiness Assessment

The project is considered ready for implementation when all of the following conditions are satisfied.

- ☐ All configuration inventories completed
- ☐ All mapping specifications approved
- ☐ All required custom fields available
- ☐ All required tags available
- ☐ All agent mappings validated
- ☐ All business rules documented
- ☐ No blocking configuration issues remain

Related Documents

- Configuration Discovery Plan
- Kommo Configuration Inventory
- Aloware Configuration Inventory
- Field Mapping Specification
- Stage Mapping Specification
- Agent Mapping Specification
- Custom Fields Specification
- Tags & Labels Specification
- Configuration Discovery Checklist

Conclusion

Assessment	Result
Configuration Discovery Completed	☐ Yes ☐ No
Customer Configuration Fully Documented	☐ Yes ☐ No
Implementation Requirements Defined	☐ Yes ☐ No
Approved for Implementation	☐ Yes ☐ No

Approval

Role	Name	Date	Signature
Integration Engineer			
Customer			
Project Owner			

Final Status

Configuration Discovery Phase

- ☐ Completed Successfully
- ☐ Completed with Observations

☐ Blocked

☐ Failed

Next Phase

Upon successful approval of this report, the project proceeds to:

Phase 4 — Implementation

During this phase, the integration will be built according to the specifications produced throughout Discovery, including:

- Make scenario development
- Webhook configuration
- API integrations
- Data mappings
- Error handling
- Logging and monitoring
- End-to-end validation