

Implementation Readiness Assessment

Project	Kommo ↔ Aloware Integration
Document Version	1.0
Phase	3.4 – Environment Readiness
Status	Draft
Owner	Solution Architect
Last Updated	YYYY-MM-DD

1. Purpose

This document evaluates whether the project environment is sufficiently prepared to begin the implementation phase.

Rather than validating individual technical components, this assessment consolidates the outcomes of all previous preparation activities and determines the overall readiness of the project.

The objective is to minimize implementation risks by ensuring that all required prerequisites have been completed, validated, and documented.

2. Assessment Scope

The assessment covers the following areas:

- Environment accessibility
 - Platform readiness
 - API availability
 - Authentication
 - Configuration discovery
 - Integration mappings
 - Technical documentation
 - Security requirements
 - Risks and dependencies
 - Team readiness
-

3. Assessment Criteria

3.1 Environment Access

Item	Status	Notes
Kommo access verified	☐	
Aloware access verified	☐	
Make workspace available	☐	
Required user permissions granted	☐	
Administrative access confirmed	☐	

3.2 API Readiness

Item	Status	Notes
Kommo API available	☐	
Aloware API available	☐	
Authentication verified	☐	
Required endpoints identified	☐	
API documentation reviewed	☐	
API versions confirmed	☐	

3.3 Webhook Readiness

Item	Status	Notes
Incoming webhooks configured	☐	
Outgoing webhooks supported	☐	
Webhook payloads validated	☐	
Retry behavior understood	☐	
Failure scenarios documented	☐	

3.4 Configuration Readiness

Item	Status	Notes
Pipelines documented	☐	
Stages documented	☐	
Users identified	☐	
Agents identified	☐	
Custom Fields documented	☐	
Tags documented	☐	
Required IDs collected	☐	

3.5 Mapping Readiness

Item	Status	Notes
Field Mapping completed	☐	
Stage Mapping completed	☐	
Agent Mapping completed	☐	
Data transformations defined	☐	
Validation rules documented	☐	

3.6 Architecture Readiness

Item	Status	Notes
Architecture approved	☐	
Integration flows documented	☐	
Make scenarios identified	☐	
System responsibilities defined	☐	
Source of Truth established	☐	
Synchronization strategy approved	☐	

3.7 Security Readiness

Item	Status	Notes
API credentials secured	☐	
Secret management defined	☐	
Least privilege applied	☐	
Sensitive data identified	☐	
HTTPS requirements verified	☐	

3.8 Operational Readiness

Item	Status	Notes
Logging strategy defined	☐	
Monitoring strategy defined	☐	
Error handling strategy documented	☐	
Retry strategy documented	☐	
Notification strategy defined	☐	

3.9 Documentation Readiness

Item	Status	Notes
Functional Analysis completed	☐	
Technical Analysis completed	☐	
Architecture documentation completed	☐	
Configuration Discovery completed	☐	
Environment Validation completed	☐	

4. Risk Assessment

Critical Risks

Risk	Impact	Status	Mitigation

High Risks

Risk	Impact	Status	Mitigation

Medium Risks

Risk	Impact	Status	Mitigation

5. Outstanding Dependencies

Dependency	Owner	Status	Required Before Implementation

6. Readiness Score

Evaluate each category using the following scale:

- 0 = Not Started
- 1 = In Progress
- 2 = Completed

Category	Score
Environment Access	
API Readiness	
Webhook Readiness	
Configuration Readiness	
Mapping Readiness	
Architecture Readiness	
Security Readiness	
Operational Readiness	
Documentation Readiness	

Overall Readiness Score

Total Score: ____ / 18

Readiness Interpretation

Score	Assessment
16–18	Ready for Implementation
13–15	Minor Pending Items
9–12	Moderate Preparation Required
0–8	Not Ready

7. Readiness Summary

Strengths

-

Weaknesses

-

Outstanding Actions

Action	Owner	Priority	Due Date

8. Implementation Recommendation

Select one recommendation:

- ☐ Approved for Implementation
- ☐ Approved with Minor Conditions
- ☐ Implementation Delayed
- ☐ Additional Discovery Required

Recommendation Rationale

Provide a concise justification supporting the selected recommendation, highlighting any remaining conditions, dependencies, or risks that must be addressed before implementation.

9. Exit Criteria Verification

The project is considered implementation-ready only if all of the following conditions are satisfied.

Exit Criterion	Status
Environment accessible	☐
APIs validated	☐
Authentication verified	☐
Webhooks validated	☐
Configuration discovery completed	☐
Required mappings completed	☐
Architecture approved	☐
Technical documentation completed	☐
Risks reviewed	☐
No critical blockers remain	☐

10. Approval

Role	Name	Signature	Date
Solution Architect			
Technical Lead			
Project Manager			
Client Representative (Optional)			

Assessment Outcome

Implementation Status

- ☐ READY
- ☐ READY WITH CONDITIONS
- ☐ NOT READY

Approved Implementation Start Date
YYYY-MM-DD

Related Documents

- Environment Validation Report
- Configuration Discovery Report
- Architecture Overview
- Integration Flow Specifications
- Field Mapping Specification
- Stage Mapping Specification
- Agent Mapping Specification
- Error Handling Strategy
- Logging Strategy
- Monitoring Strategy
- Environment Readiness Checklist
- Open Issues Register
- Environment Readiness Report

Environment Readiness Checklist

Project	Kommo ↔ Aloware Integration
Document Version	1.0
Phase	3.4 – Environment Readiness
Status	Draft
Owner	Solution Architect
Last Updated	YYYY-MM-DD

1. Purpose

This checklist verifies that every prerequisite required to begin the implementation phase has been completed.

Unlike the Implementation Readiness Assessment, which evaluates the overall state of the project, this checklist serves as an operational verification tool. Every item should be confirmed before implementation activities begin.

2. Instructions

Each checklist item must be marked as one of the following:

- ☒ Completed
- ☐ Pending
- N/A Not Applicable

Implementation should not begin until all critical items are completed or formally accepted as exceptions.

3. Access Readiness

Kommo

- ☐ Administrator account available
- ☐ API access verified
- ☐ OAuth credentials obtained (if applicable)

- ☐ Required permissions confirmed
 - ☐ Pipeline administration access
 - ☐ Custom Fields administration access
 - ☐ Webhook configuration access
-

Aloware

- ☐ Administrator account available
 - ☐ API Token obtained
 - ☐ API authentication validated
 - ☐ Required permissions confirmed
 - ☐ Dialer configuration access
 - ☐ Agent management access
 - ☐ Webhook configuration access
-

Make

- ☐ Organization available
 - ☐ Workspace created
 - ☐ Required connections configured
 - ☐ Team members invited
 - ☐ Variables configured
 - ☐ Secrets securely stored
-

4. API Readiness

Kommo API

- ☐ API reachable
- ☐ Authentication successful
- ☐ Contacts endpoint tested
- ☐ Leads endpoint tested
- ☐ Pipelines endpoint tested
- ☐ Users endpoint tested
- ☐ Notes endpoint tested

- ☐ Rate limits understood
-

Aloware API

- ☐ API reachable
 - ☐ Authentication successful
 - ☐ Contact creation tested
 - ☐ Contact update tested
 - ☐ Agent endpoint verified
 - ☐ Webhook endpoint verified
 - ☐ Rate limits documented
-

5. Webhook Readiness

Kommo

- ☐ Webhooks enabled
 - ☐ Required events identified
 - ☐ Payload structure validated
 - ☐ Test event received
-

Aloware

- ☐ Webhooks enabled
 - ☐ Required events identified
 - ☐ Payload structure validated
 - ☐ Test event received
-

Make

- ☐ Webhook endpoints created
- ☐ HTTPS verified
- ☐ Test payload processed
- ☐ Error response tested

6. Configuration Discovery

CRM Configuration

- ☐ Pipelines documented
 - ☐ Stages documented
 - ☐ Responsible users documented
 - ☐ Custom Fields documented
 - ☐ Tags documented
 - ☐ Required IDs collected
-

Aloware Configuration

- ☐ Agents documented
 - ☐ Phone lines documented
 - ☐ Queues documented
 - ☐ Dialer lists documented
 - ☐ Required IDs collected
-

7. Data Mapping

- ☐ Contact mapping approved
 - ☐ Lead mapping approved
 - ☐ Stage mapping approved
 - ☐ Agent mapping approved
 - ☐ Custom Field mapping approved
 - ☐ Tag mapping approved
 - ☐ Data transformation rules documented
 - ☐ Validation rules documented
-

8. Integration Architecture

- ☐ Architecture approved
- ☐ System Context documented

- ☐ Container Diagram completed
 - ☐ Component Diagram completed
 - ☐ Integration flows documented
 - ☐ Event flows documented
 - ☐ Source of Truth defined
 - ☐ Synchronization model approved
-

9. Make Scenario Readiness

- ☐ Scenario inventory completed
 - ☐ Trigger events identified
 - ☐ Required modules identified
 - ☐ Filters defined
 - ☐ Routers identified
 - ☐ Variables identified
 - ☐ Error handlers planned
 - ☐ Retry logic defined
 - ☐ Logging strategy documented
-

10. Operational Readiness

- ☐ Error Handling Strategy completed
 - ☐ Retry Strategy completed
 - ☐ Logging Strategy completed
 - ☐ Monitoring Strategy completed
 - ☐ Notification Strategy completed
 - ☐ Security considerations documented
-

11. Documentation Readiness

Discovery

- ☐ Discovery completed
 - ☐ Discovery report approved
-

Functional Analysis

- ☐ Actors documented
 - ☐ Use Cases documented
 - ☐ Business Rules documented
 - ☐ Functional Dependencies documented
 - ☐ Functional Constraints documented
-

Technical Analysis

- ☐ APIs documented
 - ☐ Authentication documented
 - ☐ Webhooks documented
 - ☐ Endpoints documented
 - ☐ Rate Limits documented
 - ☐ Technical Risks documented
 - ☐ Technical Constraints documented
-

Configuration Discovery

- ☐ Environment inventory completed
 - ☐ Configuration inventory completed
 - ☐ Mapping specifications completed
 - ☐ Discovery report completed
-

12. Security Verification

- ☐ API credentials stored securely
 - ☐ Secrets excluded from documentation
 - ☐ HTTPS enforced
 - ☐ Access permissions reviewed
 - ☐ Least privilege verified
 - ☐ Sensitive data identified
-

13. Risks and Dependencies

- ☐ No critical blockers remain
 - ☐ High risks have mitigation plans
 - ☐ External dependencies identified
 - ☐ Pending decisions documented
 - ☐ Client approvals received
-

14. Pre-Implementation Validation

Before implementation begins, verify that:

- ☐ All required documents exist
 - ☐ All approvals obtained
 - ☐ Environment validated
 - ☐ Configuration discovery completed
 - ☐ Architecture approved
 - ☐ Integration scope confirmed
 - ☐ Development plan approved
 - ☐ Team aligned
 - ☐ Outstanding issues accepted or resolved
-

15. Final Readiness Decision

Checklist Result

Category	Status
Access	☐
APIs	☐
Webhooks	☐
Configuration	☐
Mapping	☐
Architecture	☐
Security	☐
Documentation	☐
Operations	☐

Overall Result

- ☐ READY FOR IMPLEMENTATION
- ☐ READY WITH MINOR PENDING ITEMS
- ☐ NOT READY

Comments

Verified By

Role	Name	Signature	Date
Solution Architect			
Technical Lead			
Project Manager			

Exit Condition

This checklist is considered successfully completed only when:

- All critical items are marked as completed.
- No unresolved critical risks remain.
- Required approvals have been obtained.
- The project has been formally authorized to enter the Implementation phase.

Open Issues Register

Project	Kommo ↔ Aloware Integration
Document Version	1.0
Phase	3.4 – Environment Readiness
Status	Draft
Owner	Project Manager / Solution Architect
Last Updated	YYYY-MM-DD

1. Purpose

The Open Issues Register is the central repository for tracking all unresolved items that may impact the implementation, testing, deployment, or operation of the integration.

Its objective is to ensure that no technical, functional, operational, or organizational issue is overlooked before moving into implementation or production.

This document should be reviewed regularly throughout the project lifecycle and updated whenever new issues are identified or existing ones are resolved.

2. Issue Classification

Issues should be categorized according to their nature.

Type	Description
Technical	API limitations, platform behavior, integration constraints
Functional	Undefined business rules or process decisions
Configuration	Missing platform configuration or environment setup
Security	Credentials, permissions, authentication, or compliance concerns
Dependency	External systems, vendors, or client actions required
Documentation	Missing or incomplete documentation
Infrastructure	Environment availability, networking, or hosting issues
Operational	Monitoring, logging, deployment, or maintenance concerns

3. Priority Levels

Priority	Description
Critical	Blocks implementation or production deployment.
High	Significant impact that should be resolved before implementation.
Medium	Can be implemented with mitigation or temporary workaround.
Low	Minor issue with limited impact.

4. Issue Status

Status	Description
Open	Newly identified issue awaiting action.
In Progress	Resolution is currently being worked on.
Pending External	Waiting on client, vendor, or third-party response.
Deferred	Resolution postponed by project decision.
Mitigated	Temporary workaround implemented.
Resolved	Issue fully addressed and verified.
Closed	Resolution approved and issue formally closed.

5. Open Issues Log

ID	Issue	Category	Priority	Owner	Status	Target Date
ISS-001						
ISS-002						
ISS-003						

6. Detailed Issue Records

Issue ID

Issue Number

ISS-XXX

Title

Description

Provide a clear description of the issue.

Impact

Describe how this issue affects the project.

Possible impacts include:

- Implementation blocked
 - Data synchronization affected
 - API functionality unavailable
 - Security risk
 - Testing delayed
 - Production deployment delayed
 - Operational risk
-

Root Cause

Document the known or suspected cause.

Current Status

- Open
 - In Progress
 - Pending External
 - Deferred
 - Mitigated
 - Resolved
 - Closed
-

Priority

- Critical
 - High
 - Medium
 - Low
-

Owner

Responsible person or team.

Dependencies

List any dependencies required before the issue can be resolved.

Proposed Resolution

Describe the recommended solution.

Temporary Workaround

If applicable, describe any temporary mitigation.

Resolution Date

YYYY-MM-DD

Verification

Describe how the resolution will be validated.

Notes

Additional comments or references.

7. Pending Client Actions

The following items require action from the client before implementation can continue.

Action	Priority	Owner	Status	Due Date
		Client		

8. External Dependencies

Dependency	Provider	Impact	Status	Expected Resolution

9. Technical Decisions Pending

List architectural or implementation decisions that remain unresolved.

Decision	Impact	Decision Owner	Status

10. Known Risks Requiring Follow-up

Issues that are currently under control but require monitoring.

Risk	Monitoring Required	Owner	Review Date

11. Escalation Log

Document issues that required escalation beyond the implementation team.

Date	Issue	Escalated To	Reason	Outcome

12. Resolution Summary

Metric	Value
Total Issues Identified	
Open Issues	
Issues In Progress	
Pending External	
Deferred Issues	
Mitigated Issues	
Resolved Issues	
Closed Issues	

13. Exit Criteria

The project should not progress to implementation if any of the following conditions exist:

- Critical issues remain unresolved.
- Required client actions are still pending.
- Essential platform configuration is incomplete.
- Required credentials or permissions are unavailable.
- Major technical decisions remain undefined.
- High-priority dependencies lack an agreed mitigation plan.

14. Review History

Review Date	Reviewer	Summary	Next Review

15. Approval

Role	Name	Signature	Date
Solution Architect			
Technical Lead			
Project Manager			

Related Documents

- Implementation Readiness Assessment
- Environment Readiness Checklist
- Environment Readiness Report
- Configuration Discovery Report
- Technical Risks
- Technical Constraints
- Design Readiness Assessment
- Risk Register

Go-Live Prerequisites

Project	Kommo ↔ Aloware Integration
Document Version	1.0
Phase	3.4 – Environment Readiness
Status	Draft
Owner	Solution Architect
Last Updated	YYYY-MM-DD

1. Purpose

This document defines the technical, operational, security, and business prerequisites that must be satisfied before promoting the integration to the Production environment.

Its purpose is to establish a standardized set of requirements that reduces deployment risk, ensures operational readiness, and provides objective criteria for Go-Live approval.

This document is prepared during the Environment Readiness phase so that all production requirements are identified early and can be addressed throughout implementation.

2. Scope

These prerequisites apply to:

- Production deployment
 - Initial production activation
 - First synchronization
 - Production monitoring
 - Operational handover
-

3. Functional Prerequisites

The integration must satisfy all approved business requirements.

Business Validation

- ☐ Functional scope completed
 - ☐ All required use cases implemented
 - ☐ Business rules validated
 - ☐ Required workflows operational
 - ☐ Data synchronization verified
 - ☐ Exception scenarios validated
-

Client Validation

- ☐ Client acceptance received
 - ☐ Required approvals documented
 - ☐ Outstanding functional questions resolved
 - ☐ Production authorization granted
-

4. Technical Prerequisites

APIs

- ☐ Production API credentials available
 - ☐ Production authentication verified
 - ☐ Required API permissions granted
 - ☐ API rate limits reviewed
 - ☐ Production endpoints confirmed
-

Webhooks

- ☐ Production webhooks configured
 - ☐ HTTPS endpoints verified
 - ☐ Payload validation completed
 - ☐ Retry behavior verified
 - ☐ Error responses tested
-

Make Environment

- ☐ Production organization available
 - ☐ Production scenarios deployed
 - ☐ Variables configured
 - ☐ Secrets configured
 - ☐ Connections verified
 - ☐ Scheduling validated
-

5. Configuration Prerequisites

Kommo

- ☐ Production pipelines verified
 - ☐ Production stages verified
 - ☐ Required Custom Fields available
 - ☐ Required Tags available
 - ☐ Responsible users configured
-

Aloware

- ☐ Agents configured
 - ☐ Phone lines configured
 - ☐ Queues configured
 - ☐ Dialer lists configured
 - ☐ Required settings verified
-

6. Data Readiness

- ☐ Required master data available
- ☐ Mapping tables validated
- ☐ Required IDs collected
- ☐ Data transformation rules verified
- ☐ Duplicate prevention verified
- ☐ Data ownership confirmed

7. Testing Prerequisites

Unit Testing

- ☐ Completed
 - ☐ Passed
-

Integration Testing

- ☐ Completed
 - ☐ Passed
-

End-to-End Testing

- ☐ Completed
 - ☐ Passed
-

User Acceptance Testing (UAT)

- ☐ Completed
 - ☐ Approved by client
-

Regression Testing

- ☐ Completed
 - ☐ Passed
-

8. Security Prerequisites

- ☐ API credentials stored securely
- ☐ Secrets removed from documentation

- ☐ Secrets removed from scenarios
 - ☐ HTTPS enforced
 - ☐ Access permissions reviewed
 - ☐ Least privilege verified
 - ☐ Sensitive data protected
-

9. Operational Prerequisites

Logging

- ☐ Logging enabled
 - ☐ Log retention defined
 - ☐ Sensitive information excluded
-

Monitoring

- ☐ Monitoring configured
 - ☐ Health checks available
 - ☐ Operational dashboard available
-

Alerts

- ☐ Failure notifications configured
 - ☐ Critical alerts tested
 - ☐ Notification recipients confirmed
-

Error Handling

- ☐ Error handling implemented
 - ☐ Retry strategy verified
 - ☐ Dead-letter process defined (if applicable)
-

10. Documentation Prerequisites

The following documents must be completed and approved.

- ☐ Architecture documentation
 - ☐ Integration flow documentation
 - ☐ Scenario documentation
 - ☐ Configuration documentation
 - ☐ Mapping specifications
 - ☐ Error Handling Strategy
 - ☐ Logging Strategy
 - ☐ Monitoring Strategy
 - ☐ Runbooks
 - ☐ Operational procedures
-

11. Deployment Prerequisites

- ☐ Deployment plan approved
 - ☐ Rollback plan documented
 - ☐ Production deployment window defined
 - ☐ Deployment responsibilities assigned
 - ☐ Communication plan approved
-

12. Business Continuity

- ☐ Rollback procedure documented
 - ☐ Manual fallback process defined
 - ☐ Critical contacts identified
 - ☐ Support responsibilities assigned
 - ☐ Incident escalation process defined
-

13. Go-Live Readiness Checklist

Category	Status
Functional	☐
Technical	☐
Configuration	☐
Data	☐
Testing	☐
Security	☐
Operations	☐
Documentation	☐
Deployment	☐

14. Go-Live Decision Matrix

Condition	Decision
All prerequisites completed	Go-Live Approved
Minor non-critical items pending	Go-Live with Accepted Conditions
High-risk issues remain	Go-Live Postponed
Critical blocker identified	Go-Live Rejected

15. Outstanding Items Before Go-Live

Item	Priority	Owner	Status	Target Date

16. Go-Live Approval

Technical Approval

Role	Name	Signature	Date
Solution Architect			
Technical Lead			
Integration Engineer			

Business Approval

Role	Name	Signature	Date
Project Manager			
Client Representative			
Business Owner			

17. Go-Live Authorization

Production Deployment Status

- ☐ Approved
- ☐ Approved with Conditions
- ☐ Pending Approval
- ☐ Rejected

Approved Deployment Date

YYYY-MM-DD

Deployment Window

Start:

End:

Notes

Related Documents

- [Implementation Readiness Assessment](#)
- [Environment Readiness Checklist](#)
- [Open Issues Register](#)
- [Environment Readiness Report](#)
- [Deployment Plan](#)
- [Rollback Plan](#)
- [Testing Strategy](#)
- [UAT Report](#)
- [Monitoring Strategy](#)
- [Logging Strategy](#)
- [Runbooks](#)

Environment Readiness Report

Project	Kommo ↔ Aloware Integration
Document Version	1.0
Phase	3.4 – Environment Readiness
Status	Draft
Prepared By	Solution Architect
Reviewed By	Technical Lead
Last Updated	YYYY-MM-DD

1. Executive Summary

Purpose

This report formally concludes the **Environment Preparation** phase and summarizes the readiness of the project to transition into the **Implementation** phase.

It consolidates the results of:

- Access Preparation
- Environment Validation
- Configuration Discovery
- Environment Readiness

The report provides a final assessment of the project's technical, operational, and organizational preparedness, identifies any remaining issues, and documents the recommendation regarding implementation approval.

2. Assessment Overview

Area	Status	Remarks
Access Preparation	☐ Complete	
Environment Validation	☐ Complete	
Configuration Discovery	☐ Complete	
Architecture Definition	☐ Complete	
Data Mapping	☐ Complete	
Security Preparation	☐ Complete	
Documentation	☐ Complete	
Operational Readiness	☐ Complete	

3. Phase Summary

3.1 Access Preparation

Objective

Verify that all required systems, environments, credentials, and permissions were available before technical work began.

Summary

- API credentials obtained
- Administrative access verified
- Required permissions confirmed
- Make workspace prepared

Status

☐ Completed

3.2 Environment Validation

Objective

Validate that all participating platforms are operational and capable of supporting the planned integration.

Summary

- APIs validated
- Authentication verified
- Webhooks tested
- Required endpoints confirmed
- Platform limitations documented

Status

☐ Completed

3.3 Configuration Discovery

Objective

Identify and document all customer-specific configuration required by the integration.

Summary

- Pipelines documented
- Stages documented
- Users documented
- Agents documented
- Custom Fields identified
- Tags identified
- Required IDs collected
- Mapping specifications completed

Status

☐ Completed

3.4 Environment Readiness

Objective

Evaluate whether the project satisfies all prerequisites necessary to begin implementation.

Summary

- Readiness assessment completed
- Final checklist completed
- Open issues reviewed
- Production prerequisites documented

Status

☐ Completed

4. Deliverables Completed

Discovery

- ☒ Discovery Report
 - ☒ Discovery Checklist
 - ☒ Design Readiness Assessment
-

Functional Analysis

- ☒ Actors
 - ☒ Use Cases
 - ☒ Domain Events
 - ☒ Business Rules
 - ☒ Functional Dependencies
 - ☒ Functional Constraints
 - ☒ Functional Summary
-

Technical Analysis

- ☒ APIs

- ☒ Authentication
 - ☒ Webhooks
 - ☒ API Objects
 - ☒ API Endpoints
 - ☒ Rate Limits
 - ☒ Technical Constraints
 - ☒ Technical Risks
 - ☒ Technical Summary
-

Environment Preparation

Access Preparation

- ☒ Access Checklist
 - ☒ Credentials Inventory
 - ☒ Permission Matrix
 - ☒ Access Preparation Report
-

Environment Validation

- ☒ Environment Validation Plan
 - ☒ Validation Checklist
 - ☒ API Validation Report
 - ☒ Webhook Validation Report
 - ☒ Environment Validation Report
-

Configuration Discovery

- ☒ Configuration Discovery Plan
- ☒ Kommo Configuration Inventory
- ☒ Aloware Configuration Inventory
- ☒ Field Mapping Specification
- ☒ Stage Mapping Specification
- ☒ Agent Mapping Specification
- ☒ Custom Fields Specification
- ☒ Tags & Labels Specification
- ☒ Configuration Discovery Checklist

- ☒ Configuration Discovery Report

Environment Readiness

- ☒ Implementation Readiness Assessment
- ☒ Environment Readiness Checklist
- ☒ Open Issues Register
- ☒ Go-Live Prerequisites
- ☒ Environment Readiness Report

5. Readiness Assessment

Assessment Area	Result
Platform Accessibility	☐ Pass
API Availability	☐ Pass
Authentication	☐ Pass
Webhooks	☐ Pass
Configuration Discovery	☐ Pass
Mapping Specifications	☐ Pass
Architecture	☐ Pass
Documentation	☐ Pass
Operational Planning	☐ Pass
Security Preparation	☐ Pass

6. Open Issues Summary

Critical Issues

Count:

High Priority Issues

Count:

Medium Priority Issues

Count:

Low Priority Issues

Count:

Pending Client Actions

Action	Owner	Status
	Client	

External Dependencies

Dependency	Status

7. Risk Summary

Critical Risks

- None / Describe if applicable

High Risks

- None / Describe if applicable

Mitigation Status

Risk Level	Mitigation Available
Critical	☐
High	☐
Medium	☐
Low	☐

8. Implementation Readiness Statement

Based on the completed preparation activities, the project environment has been evaluated against the defined readiness criteria.

The assessment concludes that:

- Required systems have been validated.
- Customer configuration has been documented.
- Integration architecture has been defined.
- Data mappings have been completed.
- Operational strategies have been documented.
- Known risks have been identified and reviewed.
- Remaining issues, if any, have been documented and assigned.

9. Implementation Recommendation

Recommendation

Select one option.

- ☐ Approved for Implementation
- ☐ Approved with Conditions
- ☐ Deferred Pending Resolution
- ☐ Not Approved

Justification

Document the reasoning supporting the recommendation, including any conditions, assumptions, accepted risks, or outstanding actions that must be completed before implementation begins.

10. Exit Criteria Verification

The Environment Preparation phase is considered complete when all of the following conditions are satisfied.

Exit Criterion	Status
Required platform access available	☐
APIs validated	☐
Authentication verified	☐
Webhooks validated	☐
Configuration discovery completed	☐
Mapping specifications completed	☐
Architecture approved	☐
Documentation completed	☐
No unresolved critical blockers	☐
Readiness assessment approved	☐

11. Phase Outcome

Environment Preparation Status

- ☐ Successfully Completed
- ☐ Completed with Minor Conditions
- ☐ Incomplete

Authorized Next Phase

Phase 4 – Implementation

Planned Start Date

YYYY-MM-DD

12. Lessons Learned

Document observations, recommendations, or improvements identified during the Environment Preparation phase that should be considered during implementation or future integration projects.

Observation	Recommendation

13. Formal Approval

Role	Name	Signature	Date
Solution Architect			
Technical Lead			
Project Manager			
Client Representative (Optional)			

Conclusion

This report formally closes the **Environment Preparation** phase.

All preparation activities, validations, discoveries, and readiness assessments have been consolidated into a single implementation decision point.

Upon approval of this report, the project is authorized to transition into **Phase 4 – Implementation**, where the focus shifts from analysis and preparation to the construction, configuration, testing, and deployment of the integration solution.

Related Documents

- Implementation Readiness Assessment
- Environment Readiness Checklist
- Open Issues Register

- Go-Live Prerequisites
- Environment Validation Report
- Configuration Discovery Report
- Design Readiness Assessment
- Architecture Overview
- Integration Flow Specifications
- Field Mapping Specification
- Stage Mapping Specification
- Agent Mapping Specification