

# Validation Plan

---

**Version:** 1.0

**Status:** Draft

**Phase:** 3.2 — Environment Validation

---

## Purpose

---

This document defines the validation strategy for the integration environment prior to implementation.

Its objective is to verify that all platforms, credentials, permissions, APIs, webhooks, and technical dependencies are operational before any Make scenarios are developed.

The Environment Validation phase confirms that the implementation environment is technically ready and minimizes the risk of failures during development.

---

## Scope

---

This validation applies to the following platforms:

- Kommo CRM
- Aloware
- Make

The scope includes only environment validation.

Business logic, field mapping, workflow implementation, and functional testing are outside the scope of this phase.

---

## Objectives

---

The Environment Validation process aims to:

- Validate platform accessibility.
- Validate API connectivity.
- Validate authentication mechanisms.
- Validate webhook communication.
- Validate integration permissions.
- Confirm platform interoperability.

- Ensure the environment is ready for implementation.
- 

## Validation Principles

---

The validation process follows these principles:

- Validate before implementation.
  - Verify every external dependency independently.
  - Record objective evidence for every validation.
  - Use repeatable validation procedures.
  - Fail fast when critical dependencies are unavailable.
- 

## Validation Categories

---

The environment validation consists of the following categories:

### API Connectivity Validation

---

Verify communication between Make and each platform API.

Includes:

- API availability
  - Endpoint accessibility
  - Response validation
  - Network connectivity
- 

### Authentication Validation

---

Verify authentication mechanisms.

Includes:

- OAuth validation
  - API Key validation
  - Token validation
  - Credential verification
  - Permission verification
-

# Webhook Validation

Verify event delivery between platforms.

Includes:

- Incoming Webhooks
- Outgoing Webhooks
- Payload validation
- Response verification

# Environment Configuration Validation

Verify that the implementation environment is correctly configured.

Includes:

- Connections
- Variables
- Secrets
- Scheduling
- Execution permissions

# Platforms Under Validation

| Platform  | Validation Required                                                                 |
|-----------|-------------------------------------------------------------------------------------|
| Kommo CRM |  |
| Aloware   |  |
| Make      |  |

# Validation Sequence

The validation activities shall be executed in the following order:

1. Platform Accessibility
2. Authentication
3. API Connectivity
4. Webhook Communication

5. Environment Configuration
6. Cross-Platform Connectivity
7. Environment Readiness Assessment

No validation stage should begin until the previous stage has been successfully completed.

---

## Validation Deliverables

---

The following documents constitute the Environment Validation package:

- API Connectivity Validation
  - Authentication Validation
  - Webhook Validation
  - Environment Validation Checklist
  - Environment Validation Report
- 

## Success Criteria

---

The environment is considered validated when:

- All required platforms are accessible.
  - Authentication succeeds for every platform.
  - Required API endpoints respond successfully.
  - Webhooks can send and receive events.
  - Required permissions have been verified.
  - Make connections are operational.
  - No blocking issues remain open.
- 

## Failure Criteria

---

The validation phase is considered unsuccessful if any of the following conditions exist:

- Platform inaccessible.
- Authentication failure.
- Invalid credentials.
- API unavailable.
- Required endpoint inaccessible.
- Webhook delivery failure.

- Missing permissions.
- Critical configuration errors.

Implementation must not begin until all blocking issues have been resolved.

---

## Dependencies

---

Environment Validation depends on the successful completion of:

- Access Preparation
- Platform credential collection
- API credential generation
- Webhook configuration
- Administrative permissions

---

## Roles and Responsibilities

---

| Role                 | Responsibility                                                 |
|----------------------|----------------------------------------------------------------|
| Customer             | Provide platform access, credentials and permissions           |
| Integration Engineer | Execute validation activities and document results             |
| Project Owner        | Review validation results and approve implementation readiness |

---

## Exit Criteria

---

The Environment Validation phase is considered complete when:

- All validation documents have been completed.
- All validation tests have passed.
- All critical issues have been resolved.
- The Environment Validation Report has been approved.
- The implementation environment has been declared ready.

---

## Next Phase

---

After successful completion of Environment Validation, the project proceeds to:

### **3.3 — Configuration Discovery**

During the next phase, the customer-specific configuration required for the integration will be collected and documented, including field mappings, stage mappings, agent mappings, and other implementation-specific settings.

# API Connectivity Validation

---

**Version:** 1.0

**Status:** Pending

**Phase:** 3.2 — Environment Validation

---

## Purpose

---

This document validates API connectivity between Make and all external platforms involved in the integration.

The objective is to ensure that every required API endpoint is accessible, authentication is functioning correctly, and requests can be executed successfully before implementation begins.

This validation focuses exclusively on API communication and does not verify business logic or data synchronization.

---

## Scope

---

Platforms included:

- Kommo CRM
  - Aloware
  - Make
- 

## Validation Objectives

---

- Verify API availability.
  - Verify network connectivity.
  - Verify successful request execution.
  - Verify expected HTTP responses.
  - Verify required API permissions.
  - Detect connectivity issues before implementation.
-

# Validation Environment

| Item                 | Value                    |
|----------------------|--------------------------|
| Environment          | Development / Production |
| Validation Date      |                          |
| Integration Engineer |                          |
| Make Workspace       |                          |

# Kommo API Validation

## Connection Information

| Item                  | Value     |
|-----------------------|-----------|
| Base URL              |           |
| API Version           | v4        |
| Authentication Method | OAuth 2.0 |

## Connectivity Tests

| Test                 | Expected Result | Actual Result | Status                   |
|----------------------|-----------------|---------------|--------------------------|
| Account Information  | HTTP 200        |               | <input type="checkbox"/> |
| List Pipelines       | HTTP 200        |               | <input type="checkbox"/> |
| List Pipeline Stages | HTTP 200        |               | <input type="checkbox"/> |
| List Users           | HTTP 200        |               | <input type="checkbox"/> |
| List Contacts        | HTTP 200        |               | <input type="checkbox"/> |
| List Leads           | HTTP 200        |               | <input type="checkbox"/> |
| Get Lead             | HTTP 200        |               | <input type="checkbox"/> |
| Update Test Lead     | HTTP 200        |               | <input type="checkbox"/> |
| Create Note          | HTTP 200        |               | <input type="checkbox"/> |



# Results

| Item                         | Result                   |
|------------------------------|--------------------------|
| API Reachable                | <input type="checkbox"/> |
| Authentication Successful    | <input type="checkbox"/> |
| Required Endpoints Available | <input type="checkbox"/> |
| Validation Passed            | <input type="checkbox"/> |

# Aloware API Validation

## Connection Information

| Item                  | Value           |
|-----------------------|-----------------|
| Base URL              |                 |
| API Version           |                 |
| Authentication Method | API Key / Token |

## Connectivity Tests

| Test                 | Expected Result | Actual Result | Status                   |
|----------------------|-----------------|---------------|--------------------------|
| Account Information  | HTTP 200        |               | <input type="checkbox"/> |
| List Agents          | HTTP 200        |               | <input type="checkbox"/> |
| List Contacts        | HTTP 200        |               | <input type="checkbox"/> |
| Create Test Contact  | HTTP 200/201    |               | <input type="checkbox"/> |
| Update Test Contact  | HTTP 200        |               | <input type="checkbox"/> |
| Campaign/List Access | HTTP 200        |               | <input type="checkbox"/> |
| Call Records         | HTTP 200        |               | <input type="checkbox"/> |
| SMS Records          | HTTP 200        |               | <input type="checkbox"/> |

## Results

| Item                         | Result                   |
|------------------------------|--------------------------|
| API Reachable                | <input type="checkbox"/> |
| Authentication Successful    | <input type="checkbox"/> |
| Required Endpoints Available | <input type="checkbox"/> |
| Validation Passed            | <input type="checkbox"/> |

## Make Connectivity Validation

### Workspace Validation

| Test                         | Expected Result | Actual Result | Status                   |
|------------------------------|-----------------|---------------|--------------------------|
| Workspace Accessible         | Success         |               | <input type="checkbox"/> |
| Kommo Connection Available   | Success         |               | <input type="checkbox"/> |
| Aloware Connection Available | Success         |               | <input type="checkbox"/> |
| Manual Scenario Execution    | Success         |               | <input type="checkbox"/> |
| HTTP Module Operational      | Success         |               | <input type="checkbox"/> |

## Results

| Item                    | Result                   |
|-------------------------|--------------------------|
| Workspace Accessible    | <input type="checkbox"/> |
| Connections Operational | <input type="checkbox"/> |
| Validation Passed       | <input type="checkbox"/> |

# Cross-Platform Connectivity

| Connection                      | Expected Result | Actual Result | Status                   |
|---------------------------------|-----------------|---------------|--------------------------|
| Make → Kommo                    | Success         |               | <input type="checkbox"/> |
| Make → Aloware                  | Success         |               | <input type="checkbox"/> |
| Kommo API reachable from Make   | Success         |               | <input type="checkbox"/> |
| Aloware API reachable from Make | Success         |               | <input type="checkbox"/> |

## Validation Summary

| Platform                    | Status                                                          |
|-----------------------------|-----------------------------------------------------------------|
| Kommo                       | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Aloware                     | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Make                        | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Cross-Platform Connectivity | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |

## Issues Identified

| ID | Description | Severity            | Status |
|----|-------------|---------------------|--------|
|    |             | Low / Medium / High |        |

## Recommendations

-

## Approval

| Role                 | Name | Date |
|----------------------|------|------|
| Integration Engineer |      |      |
| Customer             |      |      |

---

# Final Result

---

| Item                       | Status                                                   |
|----------------------------|----------------------------------------------------------|
| API Connectivity Validated | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Blocking Issues Remaining  | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Ready for Next Validation  | <input type="checkbox"/> Yes <input type="checkbox"/> No |

# Authentication Validation

---

**Version:** 1.0

**Status:** Pending

**Phase:** 3.2 — Environment Validation

---

## Purpose

---

This document validates that all authentication mechanisms required by the integration are correctly configured and operational.

The objective is to ensure that every platform can authenticate successfully before any integration scenarios are implemented.

Authentication validation includes credential verification, authorization, token generation, permission validation, and secure credential management.

---

## Scope

---

Platforms included:

- Kommo CRM
  - Aloware
  - Make
- 

## Validation Objectives

---

- Validate authentication methods.
  - Verify credentials.
  - Verify authorization permissions.
  - Validate OAuth flows.
  - Validate API Key authentication.
  - Verify Make connections.
  - Ensure secure credential storage.
-

# Validation Environment

| Item                 | Value                    |
|----------------------|--------------------------|
| Environment          | Development / Production |
| Validation Date      |                          |
| Integration Engineer |                          |
| Make Workspace       |                          |

# Kommo Authentication Validation

## Authentication Configuration

| Item                  | Value     |
|-----------------------|-----------|
| Authentication Method | OAuth 2.0 |
| Client ID             |           |
| Redirect URI          |           |
| Integration ID        |           |

## Authentication Tests

| Test                      | Expected Result | Actual Result | Status                   |
|---------------------------|-----------------|---------------|--------------------------|
| OAuth Authorization       | Success         |               | <input type="checkbox"/> |
| Access Token Generated    | Success         |               | <input type="checkbox"/> |
| Refresh Token Generated   | Success         |               | <input type="checkbox"/> |
| Access Token Accepted     | HTTP 200        |               | <input type="checkbox"/> |
| Refresh Token Renewal     | Success         |               | <input type="checkbox"/> |
| Authenticated API Request | HTTP 200        |               | <input type="checkbox"/> |

# Permission Validation

| Permission         | Verified                 |
|--------------------|--------------------------|
| Read Leads         | <input type="checkbox"/> |
| Write Leads        | <input type="checkbox"/> |
| Read Contacts      | <input type="checkbox"/> |
| Write Contacts     | <input type="checkbox"/> |
| Read Pipelines     | <input type="checkbox"/> |
| Read Users         | <input type="checkbox"/> |
| Read Custom Fields | <input type="checkbox"/> |
| Create Notes       | <input type="checkbox"/> |
| Manage Webhooks    | <input type="checkbox"/> |

# Validation Result

| Item                      | Status                   |
|---------------------------|--------------------------|
| Authentication Successful | <input type="checkbox"/> |
| Permissions Validated     | <input type="checkbox"/> |
| Validation Passed         | <input type="checkbox"/> |

# Aloware Authentication Validation

## Authentication Configuration

| Item                  | Value               |
|-----------------------|---------------------|
| Authentication Method | API Key / API Token |
| API Key               |                     |
| API Token             |                     |

# Authentication Tests

| Test                        | Expected Result | Actual Result | Status                   |
|-----------------------------|-----------------|---------------|--------------------------|
| API Key Accepted            | Success         |               | <input type="checkbox"/> |
| Token Accepted              | Success         |               | <input type="checkbox"/> |
| Authenticated API Request   | HTTP 200        |               | <input type="checkbox"/> |
| Invalid Credential Rejected | HTTP 401 / 403  |               | <input type="checkbox"/> |

# Permission Validation

| Permission           | Verified                 |
|----------------------|--------------------------|
| Contacts Access      | <input type="checkbox"/> |
| Agents Access        | <input type="checkbox"/> |
| Calls Access         | <input type="checkbox"/> |
| SMS Access           | <input type="checkbox"/> |
| Campaign/List Access | <input type="checkbox"/> |
| Webhook Management   | <input type="checkbox"/> |

# Validation Result

| Item                      | Status                   |
|---------------------------|--------------------------|
| Authentication Successful | <input type="checkbox"/> |
| Permissions Validated     | <input type="checkbox"/> |
| Validation Passed         | <input type="checkbox"/> |



# Make Authentication Validation

---

## Workspace Access

| Test                      | Expected Result | Actual Result | Status                   |
|---------------------------|-----------------|---------------|--------------------------|
| User Login                | Success         |               | <input type="checkbox"/> |
| Workspace Access          | Success         |               | <input type="checkbox"/> |
| Administrator Permissions | Verified        |               | <input type="checkbox"/> |

---

## Connection Authentication

| Connection         | Expected Result | Actual Result | Status                   |
|--------------------|-----------------|---------------|--------------------------|
| Kommo Connection   | Connected       |               | <input type="checkbox"/> |
| Aloware Connection | Connected       |               | <input type="checkbox"/> |

---

## Credential Management

| Validation                  | Status                   |
|-----------------------------|--------------------------|
| Credentials Stored Securely | <input type="checkbox"/> |
| Variables Accessible        | <input type="checkbox"/> |
| Secrets Accessible          | <input type="checkbox"/> |
| Sensitive Data Hidden       | <input type="checkbox"/> |

---

## Validation Result

| Item                                | Status                   |
|-------------------------------------|--------------------------|
| Workspace Authentication Successful | <input type="checkbox"/> |
| Connections Authenticated           | <input type="checkbox"/> |
| Validation Passed                   | <input type="checkbox"/> |

---

# Security Validation

| Validation               | Status                   |
|--------------------------|--------------------------|
| No Hardcoded Credentials | <input type="checkbox"/> |
| Least Privilege Applied  | <input type="checkbox"/> |
| Credentials Protected    | <input type="checkbox"/> |
| Tokens Stored Securely   | <input type="checkbox"/> |
| API Keys Stored Securely | <input type="checkbox"/> |

## Validation Summary

| Platform | Status                                                          |
|----------|-----------------------------------------------------------------|
| Kommo    | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Aloware  | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Make     | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Security | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |

## Issues Identified

| ID | Description | Severity            | Resolution |
|----|-------------|---------------------|------------|
|    |             | Low / Medium / High |            |

## Observations

-

## Recommendations

-

# Approval

---

| Role                 | Name | Date |
|----------------------|------|------|
| Integration Engineer |      |      |
| Customer             |      |      |

---

# Final Result

---

| Item                                  | Status                                                   |
|---------------------------------------|----------------------------------------------------------|
| Authentication Successfully Validated | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Blocking Issues Remaining             | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Ready for Webhook Validation          | <input type="checkbox"/> Yes <input type="checkbox"/> No |

# Webhook Validation

---

**Version:** 1.0

**Status:** Pending

**Phase:** 3.2 — Environment Validation

---

## Purpose

---

This document validates webhook communication between Kommo, Make, and Aloware.

The objective is to verify that webhook events are correctly generated, delivered, received, and processed before implementation begins.

This validation focuses exclusively on webhook communication and event delivery. API connectivity and authentication are validated in separate documents.

---

## Scope

---

Platforms included:

- Kommo CRM
  - Make
  - Aloware
- 

## Validation Objectives

---

- Verify webhook generation.
  - Verify webhook delivery.
  - Verify payload integrity.
  - Verify HTTP responses.
  - Verify event processing.
  - Detect delivery failures before implementation.
-

# Validation Environment

| Item                 | Value                    |
|----------------------|--------------------------|
| Environment          | Development / Production |
| Validation Date      |                          |
| Integration Engineer |                          |
| Make Workspace       |                          |

## Kommo → Make Validation

### Webhook Configuration

| Item              | Value |
|-------------------|-------|
| Webhook URL       |       |
| Events Configured |       |
| Authentication    |       |

### Validation Tests

| Test               | Expected Result  | Actual Result | Status                   |
|--------------------|------------------|---------------|--------------------------|
| Lead Created       | Webhook Received |               | <input type="checkbox"/> |
| Lead Updated       | Webhook Received |               | <input type="checkbox"/> |
| Lead Stage Changed | Webhook Received |               | <input type="checkbox"/> |
| Contact Updated    | Webhook Received |               | <input type="checkbox"/> |
| HTTP Response      | 200 OK           |               | <input type="checkbox"/> |
| Payload Complete   | Yes              |               | <input type="checkbox"/> |

# Payload Validation

| Validation                   | Status                   |
|------------------------------|--------------------------|
| Event Type Present           | <input type="checkbox"/> |
| Lead ID Present              | <input type="checkbox"/> |
| Contact ID Present           | <input type="checkbox"/> |
| Pipeline Information Present | <input type="checkbox"/> |
| Stage Information Present    | <input type="checkbox"/> |
| Timestamp Present            | <input type="checkbox"/> |

# Result

| Item              | Status                   |
|-------------------|--------------------------|
| Webhook Received  | <input type="checkbox"/> |
| Payload Valid     | <input type="checkbox"/> |
| Validation Passed | <input type="checkbox"/> |

# Aloware → Make Validation

# Webhook Configuration

| Item              | Value |
|-------------------|-------|
| Webhook URL       |       |
| Events Configured |       |
| Authentication    |       |

# Validation Tests

| Test                 | Expected Result  | Actual Result | Status                   |
|----------------------|------------------|---------------|--------------------------|
| Call Completed       | Webhook Received |               | <input type="checkbox"/> |
| SMS Sent             | Webhook Received |               | <input type="checkbox"/> |
| Contact Updated      | Webhook Received |               | <input type="checkbox"/> |
| AI Summary Generated | Webhook Received |               | <input type="checkbox"/> |
| HTTP Response        | 200 OK           |               | <input type="checkbox"/> |
| Payload Complete     | Yes              |               | <input type="checkbox"/> |

# Payload Validation

| Validation                         | Status                   |
|------------------------------------|--------------------------|
| Event Type Present                 | <input type="checkbox"/> |
| Contact ID Present                 | <input type="checkbox"/> |
| Agent Information Present          | <input type="checkbox"/> |
| Call Information Present           | <input type="checkbox"/> |
| AI Summary Present (if applicable) | <input type="checkbox"/> |
| Timestamp Present                  | <input type="checkbox"/> |

# Result

| Item              | Status                   |
|-------------------|--------------------------|
| Webhook Received  | <input type="checkbox"/> |
| Payload Valid     | <input type="checkbox"/> |
| Validation Passed | <input type="checkbox"/> |

# Make Webhook Processing

## Validation Tests

| Test                       | Expected Result | Actual Result | Status                   |
|----------------------------|-----------------|---------------|--------------------------|
| Incoming Webhook Triggered | Success         |               | <input type="checkbox"/> |
| Payload Parsed             | Success         |               | <input type="checkbox"/> |
| Variables Extracted        | Success         |               | <input type="checkbox"/> |
| Scenario Started           | Success         |               | <input type="checkbox"/> |
| Execution Logged           | Success         |               | <input type="checkbox"/> |

## Result

| Item                  | Status                   |
|-----------------------|--------------------------|
| Processing Successful | <input type="checkbox"/> |
| Scenario Triggered    | <input type="checkbox"/> |
| Validation Passed     | <input type="checkbox"/> |

## Cross-Platform Event Validation

| Event Flow               | Expected Result | Actual Result | Status                   |
|--------------------------|-----------------|---------------|--------------------------|
| Kommo → Make             | Success         |               | <input type="checkbox"/> |
| Aloware → Make           | Success         |               | <input type="checkbox"/> |
| Duplicate Events Handled | Success         |               | <input type="checkbox"/> |
| Invalid Payload Rejected | Success         |               | <input type="checkbox"/> |



# Validation Summary

| Platform                  | Status                                                          |
|---------------------------|-----------------------------------------------------------------|
| Kommo Webhooks            | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Aloware Webhooks          | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Make Processing           | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Cross-Platform Validation | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |

# Issues Identified

| ID | Description | Severity            | Resolution |
|----|-------------|---------------------|------------|
|    |             | Low / Medium / High |            |

# Observations

-

# Recommendations

-

# Approval

| Role                 | Name | Date |
|----------------------|------|------|
| Integration Engineer |      |      |
| Customer             |      |      |

# Final Result

---

| Item                            | Status                                                   |
|---------------------------------|----------------------------------------------------------|
| Webhooks Successfully Validated | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Blocking Issues Remaining       | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Environment Ready               | <input type="checkbox"/> Yes <input type="checkbox"/> No |

# Environment Validation Checklist

---

**Version:** 1.0

**Status:** Pending

**Phase:** 3.2 — Environment Validation

---

## Purpose

---

This checklist verifies that the integration environment has been successfully validated and is technically ready for implementation.

All items should be completed before proceeding to the Configuration Discovery phase.

---

## 1. Platform Accessibility

---

### Kommo CRM

---

- ☐ Workspace accessible
  - ☐ Administrator account verified
  - ☐ API available
  - ☐ Required resources accessible
- 

### Aloware

---

- ☐ Workspace accessible
  - ☐ Administrator account verified
  - ☐ API available
  - ☐ Required resources accessible
- 

### Make

---

- ☐ Organization accessible
- ☐ Workspace accessible
- ☐ Administrator permissions verified

- ☐ Scenario editor available
- 

## 2. Authentication Validation

---

### Kommo

---

- ☐ OAuth authorization completed
  - ☐ Access Token generated
  - ☐ Refresh Token generated
  - ☐ Token renewal verified
  - ☐ Required permissions validated
- 

### Aloware

---

- ☐ API Key validated
  - ☐ API Token validated (if applicable)
  - ☐ Authenticated requests successful
  - ☐ Required permissions validated
- 

### Make

---

- ☐ User authentication successful
  - ☐ Kommo connection authenticated
  - ☐ Aloware connection authenticated
  - ☐ Credentials stored securely
- 

## 3. API Connectivity Validation

---

### Kommo

---

- ☐ Account endpoint tested
- ☐ Leads endpoint tested
- ☐ Contacts endpoint tested

- ☐ Pipelines endpoint tested
  - ☐ Users endpoint tested
- 

## Aloware

---

- ☐ Contacts endpoint tested
  - ☐ Agents endpoint tested
  - ☐ Calls endpoint tested
  - ☐ Campaign/List endpoint tested
- 

## Make

---

- ☐ Connections operational
  - ☐ HTTP module operational
  - ☐ Manual execution successful
- 

# 4. Webhook Validation

---

## Kommo → Make

---

- ☐ Lead Created event received
  - ☐ Lead Updated event received
  - ☐ Stage Changed event received
  - ☐ Contact Updated event received
  - ☐ Payload validated
- 

## Aloware → Make

---

- ☐ Call Completed event received
  - ☐ SMS Sent event received
  - ☐ Contact Updated event received
  - ☐ AI Summary event received
  - ☐ Payload validated
-

## Make Processing

---

- ☐ Incoming webhook received
  - ☐ Payload parsed successfully
  - ☐ Scenario triggered
  - ☐ Execution logged
- 

## 5. Cross-Platform Validation

---

- ☐ Make can communicate with Kommo
  - ☐ Make can communicate with Aloware
  - ☐ Kommo webhooks reach Make
  - ☐ Aloware webhooks reach Make
  - ☐ No connectivity issues detected
- 

## 6. Security Validation

---

- ☐ Credentials stored securely
  - ☐ Secrets protected
  - ☐ No hardcoded credentials
  - ☐ Least privilege applied
  - ☐ Authorized access confirmed
- 

## 7. Documentation Validation

---

- ☐ Access documentation completed
  - ☐ Validation Plan completed
  - ☐ API Connectivity Validation completed
  - ☐ Authentication Validation completed
  - ☐ Webhook Validation completed
- 

## 8. Environment Readiness

---

The environment is considered ready when all of the following conditions are met.

- ☐ All validation activities completed
- ☐ All required tests passed
- ☐ No critical issues remain open
- ☐ Customer validation completed
- ☐ Integration Engineer approval completed

## Validation Summary

| Validation Area             | Status                                                          |
|-----------------------------|-----------------------------------------------------------------|
| Platform Accessibility      | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Authentication              | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| API Connectivity            | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Webhooks                    | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Cross-Platform Connectivity | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Security                    | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Documentation               | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |

## Blocking Issues

| ID | Description | Severity            | Resolved                 |
|----|-------------|---------------------|--------------------------|
|    |             | Low / Medium / High | <input type="checkbox"/> |

## Final Approval

| Role                 | Name | Date |
|----------------------|------|------|
| Integration Engineer |      |      |
| Customer             |      |      |

# Final Result

---

| Item                               | Status                                                   |
|------------------------------------|----------------------------------------------------------|
| Environment Successfully Validated | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Ready for Configuration Discovery  | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Validation Date                    |                                                          |



# Environment Validation Report

---

**Version:** 1.0

**Status:** Pending

**Phase:** 3.2 — Environment Validation

---

## Purpose

---

This report summarizes the results of the Environment Validation phase and determines whether the integration environment is technically ready for implementation.

It consolidates the outcomes of all validation activities performed during this phase and serves as the formal approval document before proceeding to Configuration Discovery and implementation.

---

## Validation Overview

---

| Item                    | Value                       |
|-------------------------|-----------------------------|
| Project                 | Kommo ↔ Aloware Integration |
| Validation Date         |                             |
| Environment             | Development / Production    |
| Integration Engineer    |                             |
| Customer Representative |                             |

---

## Validation Scope

---

The following validation activities were completed:

| Validation Activity         | Status                                                          |
|-----------------------------|-----------------------------------------------------------------|
| Platform Accessibility      | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Authentication Validation   | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| API Connectivity Validation | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Webhook Validation          | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Cross-Platform Connectivity | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |
| Security Validation         | <input type="checkbox"/> Passed <input type="checkbox"/> Failed |

# Platform Validation Results

## Kommo CRM

| Validation                    | Result                   |
|-------------------------------|--------------------------|
| Workspace Accessible          | <input type="checkbox"/> |
| Authentication Successful     | <input type="checkbox"/> |
| API Connectivity              | <input type="checkbox"/> |
| Webhooks Operational          | <input type="checkbox"/> |
| Required Permissions Verified | <input type="checkbox"/> |

Status

☐ Passed

☐ Failed

## Aloware

| Validation                    | Result                   |
|-------------------------------|--------------------------|
| Workspace Accessible          | <input type="checkbox"/> |
| Authentication Successful     | <input type="checkbox"/> |
| API Connectivity              | <input type="checkbox"/> |
| Webhooks Operational          | <input type="checkbox"/> |
| Required Permissions Verified | <input type="checkbox"/> |

Status

- ☐ Passed
- ☐ Failed

Make

| Validation                    | Result                   |
|-------------------------------|--------------------------|
| Workspace Accessible          | <input type="checkbox"/> |
| Connections Operational       | <input type="checkbox"/> |
| Webhooks Operational          | <input type="checkbox"/> |
| Scenario Execution Successful | <input type="checkbox"/> |
| Logging Available             | <input type="checkbox"/> |

Status

- ☐ Passed
- ☐ Failed

Cross-Platform Validation

| Validation                       | Status                   |
|----------------------------------|--------------------------|
| Make → Kommo Communication       | <input type="checkbox"/> |
| Kommo → Make Webhooks            | <input type="checkbox"/> |
| Make → Aloware Communication     | <input type="checkbox"/> |
| Aloware → Make Webhooks          | <input type="checkbox"/> |
| End-to-End Connectivity Verified | <input type="checkbox"/> |

# Validation Metrics

| Metric                    | Value |
|---------------------------|-------|
| Validation Tests Executed |       |
| Validation Tests Passed   |       |
| Validation Tests Failed   |       |
| Success Rate              |       |
| Critical Issues           |       |
| High Severity Issues      |       |
| Medium Severity Issues    |       |
| Low Severity Issues       |       |

# Issues Summary

## Critical Issues

| ID | Description | Resolution |
|----|-------------|------------|
|    |             |            |

## High Severity Issues

| ID | Description | Resolution |
|----|-------------|------------|
|    |             |            |

## Medium Severity Issues

| ID | Description | Resolution |
|----|-------------|------------|
|    |             |            |

## Low Severity Issues

| ID | Description | Resolution |
|----|-------------|------------|
|    |             |            |

## Risk Assessment

| Risk                 | Status                                                        |
|----------------------|---------------------------------------------------------------|
| Authentication Risks | <input type="checkbox"/> Open <input type="checkbox"/> Closed |
| Connectivity Risks   | <input type="checkbox"/> Open <input type="checkbox"/> Closed |
| Webhook Risks        | <input type="checkbox"/> Open <input type="checkbox"/> Closed |
| Permission Risks     | <input type="checkbox"/> Open <input type="checkbox"/> Closed |
| Security Risks       | <input type="checkbox"/> Open <input type="checkbox"/> Closed |

## Observations

-

## Recommendations

-

## Readiness Assessment

The implementation environment is considered ready when all of the following conditions are satisfied:

- ☐ All validation activities completed
- ☐ All mandatory tests passed
- ☐ No critical issues remain open
- ☐ Platform connectivity verified
- ☐ Authentication verified
- ☐ Webhook communication verified
- ☐ Security requirements satisfied

# Conclusion

| Assessment                           | Result                                                   |
|--------------------------------------|----------------------------------------------------------|
| Environment Validation Completed     | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Environment Technically Ready        | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Approved for Configuration Discovery | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Approved for Implementation          | <input type="checkbox"/> Yes <input type="checkbox"/> No |

# Related Documents

- Validation Plan
- API Connectivity Validation
- Authentication Validation
- Webhook Validation
- Environment Validation Checklist

# Approval

| Role                 | Name | Date | Signature |
|----------------------|------|------|-----------|
| Integration Engineer |      |      |           |
| Customer             |      |      |           |
| Project Owner        |      |      |           |

# Final Status

## Environment Validation Phase

- ☐ Completed Successfully
- ☐ Completed with Observations
- ☐ Blocked
- ☐ Failed

## Next Phase

---

Upon successful approval of this report, the project proceeds to:

### **Phase 3.3 — Configuration Discovery**

During this phase, the customer-specific configuration required for the integration will be collected and documented, including:

- Field Mapping Specification
- Stage Mapping Specification
- Agent Mapping Specification
- Customer-specific configuration values
- Business rules required for implementation