1	Mak	te reasonable estimates of the following quantities.	
	(a)	mass of an apple	
		mass = kg [1]	
	(b)	number of joules of energy in 1 kilowatt-hour	
		number =[1]	
	(c)	wavelength of red light in a vacuum	
		wavelength = m [1]	
	(d)	pressure due to a depth of 10 m of water	
		pressure =Pa [1]	
2		tudent uses a micrometer screw gauge to measure the diameter of a wire. He fails to ce that, with the gauge fully closed, the reading is not zero.	,
	(a)	State and explain whether the omission introduces a random error or a systematic error into the readings of the diameter.	
		[2]	
	(b)	Explain why the readings are precise but not accurate.	
		[2]	

1	Mak	te reasonable estimates of the following quantities.	
	(a)	mass of an apple	
		mass = kg [1]	
	(b)	number of joules of energy in 1 kilowatt-hour	
		number =[1]	
	(c)	wavelength of red light in a vacuum	
		wavelength = m [1]	
	(d)	pressure due to a depth of 10 m of water	
		pressure =Pa [1]	
2		tudent uses a micrometer screw gauge to measure the diameter of a wire. He fails to ce that, with the gauge fully closed, the reading is not zero.	,
	(a)	State and explain whether the omission introduces a random error or a systematic error into the readings of the diameter.	
		[2]	
	(b)	Explain why the readings are precise but not accurate.	
		[2]	

1	Mak	te reasonable estimates of the following quantities.	
	(a)	mass of an apple	
		mass = kg [1]	
	(b)	number of joules of energy in 1 kilowatt-hour	
		number =[1]	
	(c)	wavelength of red light in a vacuum	
		wavelength = m [1]	
	(d)	pressure due to a depth of 10 m of water	
		pressure =Pa [1]	
2		tudent uses a micrometer screw gauge to measure the diameter of a wire. He fails to ce that, with the gauge fully closed, the reading is not zero.	,
	(a)	State and explain whether the omission introduces a random error or a systematic error into the readings of the diameter.	
		[2]	
	(b)	Explain why the readings are precise but not accurate.	
		[2]	

1	Mak	te reasonable estimates of the following quantities.	
	(a)	mass of an apple	
		mass = kg [1]	
	(b)	number of joules of energy in 1 kilowatt-hour	
		number =[1]	
	(c)	wavelength of red light in a vacuum	
		wavelength = m [1]	
	(d)	pressure due to a depth of 10 m of water	
		pressure =Pa [1]	
2		tudent uses a micrometer screw gauge to measure the diameter of a wire. He fails to ce that, with the gauge fully closed, the reading is not zero.	,
	(a)	State and explain whether the omission introduces a random error or a systematic error into the readings of the diameter.	
		[2]	
	(b)	Explain why the readings are precise but not accurate.	
		[2]	

1	Mak	te reasonable estimates of the following quantities.	
	(a)	mass of an apple	
		mass = kg [1]	
	(b)	number of joules of energy in 1 kilowatt-hour	
		number =[1]	
	(c)	wavelength of red light in a vacuum	
		wavelength = m [1]	
	(d)	pressure due to a depth of 10 m of water	
		pressure =Pa [1]	
2		tudent uses a micrometer screw gauge to measure the diameter of a wire. He fails to ce that, with the gauge fully closed, the reading is not zero.	,
	(a)	State and explain whether the omission introduces a random error or a systematic error into the readings of the diameter.	
		[2]	
	(b)	Explain why the readings are precise but not accurate.	
		[2]	

1	Mak	te reasonable estimates of the following quantities.	
	(a)	mass of an apple	
		mass = kg [1]	
	(b)	number of joules of energy in 1 kilowatt-hour	
		number =[1]	
	(c)	wavelength of red light in a vacuum	
		wavelength = m [1]	
	(d)	pressure due to a depth of 10 m of water	
		pressure =Pa [1]	
2		tudent uses a micrometer screw gauge to measure the diameter of a wire. He fails to ce that, with the gauge fully closed, the reading is not zero.	,
	(a)	State and explain whether the omission introduces a random error or a systematic error into the readings of the diameter.	
		[2]	
	(b)	Explain why the readings are precise but not accurate.	
		[2]	