
N = 1 | Cost meets consumption


309,415 observations / 1.03% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 2 | Cost meets consumption


676,552 observations / 2.24% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 3 | Cost meets consumption


1,089,165 observations / 3.61% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 4 | Cost meets consumption


1,192,716 observations / 3.95% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 5 | Cost meets consumption


1,336,194 observations / 4.43% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 6 | Cost meets consumption


1,117,289 observations / 3.70% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 7 | Cost meets consumption


788,869 observations / 2.61% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 8 | Cost meets consumption


733,722 observations / 2.43% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 9 | Cost meets consumption


561,119 observations / 1.86% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 10 | Cost meets consumption


634,491 observations / 2.10% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 11 | Cost meets consumption


675,177 observations / 2.24% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 12 | Cost meets consumption


782,675 observations / 2.59% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 13 | Cost meets consumption


829,114 observations / 2.75% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 14 | Cost meets consumption


840,299 observations / 2.79% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 15 | Cost meets consumption


805,880 observations / 2.67% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 16 | Cost meets consumption


752,686 observations / 2.49% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 17 | Cost meets consumption


755,790 observations / 2.51% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 18 | Cost meets consumption


740,104 observations / 2.45% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 19 | Cost meets consumption


759,176 observations / 2.52% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 20 | Cost meets consumption


779,834 observations / 2.58% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 21 | Cost meets consumption


806,443 observations / 2.67% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 22 | Cost meets consumption


882,547 observations / 2.93% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 23 | Cost meets consumption


805,346 observations / 2.67% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 24 | Cost meets consumption


850,693 observations / 2.82% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 25 | Cost meets consumption


837,995 observations / 2.78% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 26 | Cost meets consumption


832,308 observations / 2.76% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 27 | Cost meets consumption


829,147 observations / 2.75% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 28 | Cost meets consumption


819,668 observations / 2.72% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 29 | Cost meets consumption


789,295 observations / 2.62% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 30 | Cost meets consumption


734,396 observations / 2.43% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 31 | Cost meets consumption


688,988 observations / 2.28% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 32 | Cost meets consumption


633,096 observations / 2.10% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 33 | Cost meets consumption


571,579 observations / 1.89% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 34 | Cost meets consumption


515,919 observations / 1.71% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 35 | Cost meets consumption


452,992 observations / 1.50% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 36 | Cost meets consumption


415,548 observations / 1.38% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 37 | Cost meets consumption


373,085 observations / 1.24% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 38 | Cost meets consumption


323,125 observations / 1.07% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 39 | Cost meets consumption


290,736 observations / 0.96% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 40 | Cost meets consumption


254,909 observations / 0.84% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 41 | Cost meets consumption


219,144 observations / 0.73% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 42 | Cost meets consumption


192,449 observations / 0.64% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 43 | Cost meets consumption


163,536 observations / 0.54% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 44 | Cost meets consumption


133,875 observations / 0.44% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 45 | Cost meets consumption


110,620 observations / 0.37% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 46 | Cost meets consumption


93,748 observations / 0.31% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 47 | Cost meets consumption


79,416 observations / 0.26% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 48 | Cost meets consumption


61,989 observations / 0.21% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 49 | Cost meets consumption


51,764 observations / 0.17% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 50 | Cost meets consumption


42,044 observations / 0.14% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 51 | Cost meets consumption


34,966 observations / 0.12% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 52 | Cost meets consumption


26,457 observations / 0.09% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 53 | Cost meets consumption


21,772 observations / 0.07% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 54 | Cost meets consumption


16,493 observations / 0.05% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 55 | Cost meets consumption


12,405 observations / 0.04% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 56 | Cost meets consumption


9,643 observations / 0.03% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 57 | Cost meets consumption


7,522 observations / 0.02% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 58 | Cost meets consumption


5,739 observations / 0.02% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 59 | Cost meets consumption


4,361 observations / 0.01% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 60 | Cost meets consumption


3,071 observations / 0.01% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 61 | Cost meets consumption


2,532 observations / 0.01% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 62 | Cost meets consumption


1,662 observations / 0.01% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 63 | Cost meets consumption


1,491 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 64 | Cost meets consumption


1,027 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 65 | Cost meets consumption


938 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 66 | Cost meets consumption


676 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 67 | Cost meets consumption


399 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 68 | Cost meets consumption


295 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 69 | Cost meets consumption


172 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 70 | Cost meets consumption


151 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 71 | Cost meets consumption


61 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 72 | Cost meets consumption


72 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 73 | Cost meets consumption


35 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 74 | Cost meets consumption


7 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 75 | Cost meets consumption


2 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 76 | Cost meets consumption


1 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 77 | Cost meets consumption


8 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 78 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 79 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 80 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 81 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 82 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 83 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 84 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 85 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 86 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 87 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 88 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 89 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 90 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 91 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 92 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 93 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 94 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 95 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 96 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 97 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 98 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 99 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 100 | Cost meets consumption

0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.