
N = 1 | Cost meets consumption


781,977 observations / 0.58% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 2 | Cost meets consumption


1,853,770 observations / 1.36% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 3 | Cost meets consumption


2,970,450 observations / 2.19% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 4 | Cost meets consumption


3,205,210 observations / 2.36% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 5 | Cost meets consumption


3,437,307 observations / 2.53% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 6 | Cost meets consumption


2,822,560 observations / 2.08% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 7 | Cost meets consumption


2,294,400 observations / 1.69% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 8 | Cost meets consumption


2,289,800 observations / 1.68% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 9 | Cost meets consumption


2,288,793 observations / 1.68% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 10 | Cost meets consumption


2,396,462 observations / 1.76% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 11 | Cost meets consumption


2,562,971 observations / 1.89% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 12 | Cost meets consumption


2,802,521 observations / 2.06% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 13 | Cost meets consumption


2,866,586 observations / 2.11% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 14 | Cost meets consumption


2,971,057 observations / 2.19% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 15 | Cost meets consumption


3,169,546 observations / 2.33% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 16 | Cost meets consumption


3,209,117 observations / 2.36% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 17 | Cost meets consumption


3,558,094 observations / 2.62% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 18 | Cost meets consumption


3,653,570 observations / 2.69% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 19 | Cost meets consumption


4,081,039 observations / 3.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 20 | Cost meets consumption


4,241,298 observations / 3.12% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 21 | Cost meets consumption


4,675,462 observations / 3.44% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 22 | Cost meets consumption


4,801,920 observations / 3.53% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 23 | Cost meets consumption


5,086,316 observations / 3.74% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 24 | Cost meets consumption


4,771,584 observations / 3.51% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 25 | Cost meets consumption


4,764,838 observations / 3.51% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 26 | Cost meets consumption


4,846,625 observations / 3.57% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 27 | Cost meets consumption


4,915,385 observations / 3.62% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 28 | Cost meets consumption


4,799,489 observations / 3.53% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 29 | Cost meets consumption


4,588,438 observations / 3.38% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 30 | Cost meets consumption


4,316,608 observations / 3.18% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 31 | Cost meets consumption


3,880,546 observations / 2.85% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 32 | Cost meets consumption


3,526,067 observations / 2.59% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 33 | Cost meets consumption


3,210,092 observations / 2.36% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 34 | Cost meets consumption


2,816,294 observations / 2.07% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 35 | Cost meets consumption


2,469,722 observations / 1.82% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 36 | Cost meets consumption


2,166,057 observations / 1.59% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 37 | Cost meets consumption


1,913,557 observations / 1.41% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 38 | Cost meets consumption


1,705,835 observations / 1.25% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 39 | Cost meets consumption


1,492,255 observations / 1.10% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 40 | Cost meets consumption


1,289,635 observations / 0.95% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 41 | Cost meets consumption


1,108,228 observations / 0.82% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 42 | Cost meets consumption


953,232 observations / 0.70% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 43 | Cost meets consumption


814,948 observations / 0.60% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 44 | Cost meets consumption


695,982 observations / 0.51% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 45 | Cost meets consumption


571,202 observations / 0.42% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 46 | Cost meets consumption


473,091 observations / 0.35% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 47 | Cost meets consumption


387,232 observations / 0.28% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 48 | Cost meets consumption


313,106 observations / 0.23% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 49 | Cost meets consumption


251,967 observations / 0.19% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 50 | Cost meets consumption


204,024 observations / 0.15% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 51 | Cost meets consumption


159,454 observations / 0.12% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 52 | Cost meets consumption


125,201 observations / 0.09% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 53 | Cost meets consumption


96,815 observations / 0.07% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 54 | Cost meets consumption


74,139 observations / 0.05% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 55 | Cost meets consumption


55,041 observations / 0.04% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 56 | Cost meets consumption


41,396 observations / 0.03% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 57 | Cost meets consumption


30,982 observations / 0.02% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 58 | Cost meets consumption


23,337 observations / 0.02% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 59 | Cost meets consumption


17,057 observations / 0.01% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 60 | Cost meets consumption


11,071 observations / 0.01% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 61 | Cost meets consumption


7,586 observations / 0.01% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 62 | Cost meets consumption


5,175 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 63 | Cost meets consumption


3,699 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 64 | Cost meets consumption


2,385 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 65 | Cost meets consumption


1,710 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 66 | Cost meets consumption


929 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 67 | Cost meets consumption


565 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 68 | Cost meets consumption


484 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 69 | Cost meets consumption


285 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 70 | Cost meets consumption


216 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 71 | Cost meets consumption


163 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 72 | Cost meets consumption


102 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 73 | Cost meets consumption


82 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 74 | Cost meets consumption


47 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 75 | Cost meets consumption


21 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 76 | Cost meets consumption


12 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 77 | Cost meets consumption


7 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 78 | Cost meets consumption


1 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 79 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 80 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 81 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 82 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 83 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 84 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 85 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 86 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 87 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 88 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 89 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 90 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 91 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 92 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 93 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 94 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 95 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 96 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 97 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 98 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 99 | Cost meets consumption


0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.

N = 100 | Cost meets consumption

0 observations / 0.00% of all visits / cost curves and workload share the same k-axis



Dashed line = first measured k with Presort < LazySelect. Lines connect discrete measurements.