26.10.2018 quacker-sdb




Table application_follow

Indexes	Field Name	Data Type	Description
* 🔑	id	integer	
*07	followed_id	integer	
*07	follower_id	integer	
Indexes			
	pk_application_follow	ON id	
Q	application_follow_follower_id_3bec0026	ON follower_id	
P	application_follow_followed_id_8d990eb8	ON followed_id	
Foreign l	Keys		
P	Fk_application_follow	(follower_id, followed_id) ref <u>auth_user</u> (id, id)	

Table application_optionalmention

Indexes	Field Name	Data Type	Description
* 🔑	id	integer	
*07	mention_id	integer	
*07	quack_id	integer	
Indexes			
	pk_application_optionalmention	ON id	
Q	application_optionalmention_quack_id_38e65ca0	ON quack_id	

Indexes	Field Name	Data Type	Description
Q	application_optionalmention_mention_id_74c87e7b	ON mention_id	
Foreign	Keys		
P	Fk_application_optionalmention	(quack_id) ref <u>application_quack</u> (id)	
P	Fk_application_optionalmention	(mention_id) ref <u>auth_user</u> (id)	

Table application_profile

Indexes	Field Name	Data Type	Description
* 🔎	id	integer	
	description	varchar(1000)	
*50 7	user_id	integer	
	image_link	varchar(100)	
Indexes			
	pk_application_profile	ON id	
P	sqlite_autoindex_application_profile_1	ON user_id	
Foreign	Keys		
7	Fk_application_profile	(user_id) ref <u>auth_user</u> (id)	

Table application_quack

Indexes	Field Name	Data Type	Description
* 🔑 🗸	id	integer	
*	content	varchar(250)	
*	created_at	datetime	
*07	quacker_id	integer	
Indexes			
P	pk_application_quack	ON id	
O	application_quack_quacker_id_470602fd	ON quacker_id	
Foreign	Keys		
P	Fk_application_quack	(quacker_id) ref <u>auth_user</u> (id)	

Table auth_group

Indexes	Field Name	Data Type	Description
* 🔑 🗸	id	integer	
*,0	name	varchar(80)	
Indexes			
P	pk_auth_group	ON id	
₽	sqlite_autoindex_auth_group_1	ON name	

Table auth_group_permissions

Indexes	Field Name	Data Type	Description
* 🔑	id	integer	
*,07	group_id	integer	
*,07	permission_id	integer	
Indexes			
	pk_auth_group_permissions	ON id	
O	auth_group_permissions_permission_id_84c5c92e	ON permission_id	
Q	auth_group_permissions_group_id_b120cbf9	ON group_id	

file:///C:/quacker/db_schema.html

Indexes	Field Name	Data Type	Description		
D	auth_group_permissions_group_id_permission_id_0cd325b0_uniq	ON group_id, permission_id			
Foreign	Foreign Keys				
P	Fk_auth_group_permissions	(group_id) ref <u>auth_group</u> (id)			
P	Fk_auth_group_permissions	(permission_id) ref <u>auth_permission</u> (id)			

Table auth_permission

Indexes	Field Name	Data Type	Description		
* 🔑 🗸	id	integer			
*50 /	content_type_id	integer			
*,0	codename	varchar(100)			
*	name	varchar(255)			
Indexes					
P	pk_auth_permission	ON id			
Q	auth_permission_content_type_id_2f476e4b	ON content_type_id			
₽	auth_permission_content_type_id_codename_01ab375a_uniq	ON content_type_id, codename			
Foreign l	Foreign Keys				
7	Fk_auth_permission	(content_type_id) ref django content type (id)			

Table auth_user

Indexes	Field Name	Data Type	Description
* 🎤	id	integer	
*	password	varchar(128)	
	last_login	datetime	
*	is_superuser	boolean	
*,0	username	varchar(150)	
*	first_name	varchar(30)	
*	email	varchar(254)	
*	is_staff	boolean	
*	is_active	boolean	
*	date_joined	datetime	
*	last_name	varchar(150)	
Indexes			
	pk_auth_user	ON id	
₽	sqlite_autoindex_auth_user_1	ON username	

Table auth_user_groups

Indexes	Field Name	Data Type	Description
* 🔑	id	integer	
*,0 7	user_id	integer	
*,07	group_id	integer	
Indexes			
	pk_auth_user_groups	ON id	
Q	auth_user_groups_group_id_97559544	ON group_id	
Q	auth_user_groups_user_id_6a12ed8b	ON user_id	
D	auth_user_groups_user_id_group_id_94350c0c_uniq	ON user_id, group_id	
Foreign	Keys		
7	Fk_auth_user_groups	(group_id) ref <u>auth_group</u> (id)	
P	Fk_auth_user_groups	(user_id) ref <u>auth_user</u> (id)	

file:///C:/quacker/db_schema.html

26.10.2018 quacker-sdb

Table auth_user_user_permissions

Indexes	Field Name	Data Type	Description
* 🔑	id	integer	
*\$7	user_id	integer	
*\$\mathread{P}	permission_id	integer	
Indexes			
	pk_auth_user_user_permissions	ON id	
Q	auth_user_user_permissions_permission_id_1fbb5f2c	ON permission_id	
Q	auth_user_user_permissions_user_id_a95ead1b	ON user_id	
<i>₽</i>	auth_user_user_permissions_user_id_permission_id_14a6b632_uniq	ON user_id, permission_id	
Foreign	Keys		
P	Fk_auth_user_user_permissions	(permission_id) ref <u>auth_permission</u> (id)	
P	Fk_auth_user_user_permissions	(user_id) ref <u>auth_user</u> (id)	

Table django_admin_log

Indexes	Field Name	Data Type	Description
* 🔑	id	integer	
	object_id	text	
*	object_repr	varchar(200)	
*	action_flag	smallint unsigned	
*	change_message	text	
8P	content_type_id	integer	
*07	user_id	integer	
*	action_time	datetime	
Indexes			
	pk_django_admin_log	ON id	
\wp	django_admin_log_user_id_c564eba6	ON user_id	
\wp	django_admin_log_content_type_id_c4bce8eb	ON content_type_id	
Foreign	Keys		
P	Fk_django_admin_log	(user_id) ref <u>auth_user</u> (id)	
P	Fk_django_admin_log	(content_type_id) ref <u>django content type</u> (id)	

Table django_content_type

Indexes	Field Name	Data Type	Description
* 🔑 🗸	id	integer	
*,0	app_label	varchar(100)	
*,0	model	varchar(100)	
Indexes			
	pk_django_content_type	ON id	
P	django_content_type_app_label_model_76bd3d3b_uniq	ON app_label, model	

Table django_migrations

Indexes	Field Name	Data Type	Description
* 🔑	id	integer	
*	арр	varchar(255)	
*	name	varchar(255)	
*	applied	datetime	

26.10.2018 quacker-sdb

Indexes	Field Name	Data Type	Description
Indexes			
	pk_django_migrations	ON id	

Table django_session

Indexes	Field Name	Data Type	Description
* 🔑	session_key	varchar(40)	
*	session_data	text	
*,0	expire_date	datetime	
Indexes			
	pk_django_session	ON session_key	
<i></i>	django_session_expire_date_a5c62663	ON expire_date	

Powered by DbSchema

file:///C:/quacker/db_schema.html