```
/**
 * @file BT.jsx
* @author Joey Damico
 * @date September 25, 2019
 * @summary React JSX Component Class that is for BT Interlocking
* @description Extends the React Component Class and is the UI part
of the BT Interlocking,
 * this class controls all the drawings of routes, and also gives a
visual reprenstation
 * of that status of the interlocking
*/
// Import React Component
import React, { Component } from 'react';
// Import CSS style sheet
import '../../css/Bergen County Line/bt.css';
// Import Images
// Switch Images
import CX_135 from '../../../public/images/CX_135.png';
import CX_135_Lined_Top from '../../../public/images/
CX_135_Lined_Top.png';
import CX_135_Lined_Bottom from '../../../public/images/
CX_135_Lined_Bottom.png';
import CX_135_Lined_Both from '../../../public/images/
CX 135_Lined_Both.png';
import CX_135_R from '../../../public/images/CX_135_R.png';
import CX_135_R_Lined from '../../../public/images/
CX 135 R_Lined.png';
import CX_135_Lined_Top_Occupied_Bottom from '../../../public/
images/CX_135_Lined_Top_Occupied_Bottom.png';
import CX_135_Occupied_Top_Lined_Bottom from '../../../public/
images/CX 135 Occupied Top Lined Bottom.png';
import CX_135_Occupied_Top from '../../../public/images/
CX 135 Occupied Top.png';
import CX 135 Occupied Bottom from '../../../public/images/
CX_135_Occupied_Bottom.png';
import CX 135 Occupied_Both from '../../../public/images/
CX 135 Occupied Both.png';
import CX_135_R_Occupied from '../../../public/images/
CX 135 R Occupied.png';
import CX_225 from '../../../public/images/CX_225.png';
import CX_225_Lined_Top from '../../../public/images/
CX_225_Lined_Top.png';
import CX_225_Lined_Bottom from '../../../public/images/
CX 225_Lined_Bottom.png';
import CX_225_Lined_Both from '../../../public/images/
CX_225_Lined_Both.png';
```

```
import CX 225 R from '../../../public/images/CX 225 R.png';
import CX_225_R_Lined from '../../../public/images/
CX 225 R Lined.png';
import CX 225 Lined Top Occupied Bottom from '../../public/
images/CX 225 Lined Top Occupied Bottom.png';
import CX_225_Occupied_Top_Lined_Bottom from '../../../public/
images/CX 225 Occupied Top Lined Bottom.png';
import CX 225 Occupied Top from '../../../public/images/
CX_225_Occupied_Top.png';
import CX_225_Occupied_Bottom from '../../../public/images/
CX 225 Occupied_Bottom.png';
import CX_225_Occupied_Both from '../../../public/images/
CX_225_Occupied_Both.png';
import CX_225_R_Occupied from '../../../public/images/
CX_225_R_Occupied.png';
import SW_U_E from '../../../public/images/SW_U_E.png';
import SW_U_E_Lined from '../../../public/images/SW_U_E_Lined.png';
import SW_U_E_Occupied from '../../../public/images/
SW U E Occupied.png';
import SW_U_E_R from '../../../public/images/SW_U_E_R.png';
import SW_U_E_R_Lined from '../../../public/images/
SW U E R Lined.png';
import SW_U_E_R_Occupied from '../../../public/images/
SW_U_E_R_Occupied.png';
// Signal Images
import SIG_W from '../../../public/images/SIG_W.png';
import SIG_W_Clear from '../../../public/images/SIG_W_Clear.png';
import SIG_W_Stop from '../../../public/images/SIG_W_Stop.png';
import SIG_E from '../../../public/images/SIG_E.png';
import SIG_E_Clear from '../../../public/images/SIG_E_Clear.png';
import SIG_E_Stop from '../../../public/images/SIG_E_Stop.png';
// Color Constants For Drawing Routes
const Empty = '#999999';
const Green = '#75fa4c';
const Red = '#eb3323';
/**
 * The React JSX Component Class for the BT Interlocking
 * This class is a JSX React Component for the BT Interlocking, this
will control all the UI for the comonent,
 * and the click events that will pass reference between the backend
and the user. This also controls drawing the
 * route drawings to show if a route(s) is setup in the interlocking
or if the route is occupied
 */
```

```
class BT extends Component {
    /**
     st @summary Object that holds the state or status information for
the component
     * @description This object holds all the information for the
interlocking that is required to display the routes
     * correctly Anything that has "this.props." is passed down from
the CTC interlocking class
    */
    state = {
        // Switch Status
        sw_1: this.props.status.sw_1,
        sw_3: this.props.status.sw_3,
        sw 5: this.props.status.sw 5,
        // Image File for the switch - Will change depending on route
        sw 1 src: CX 135.
        sw_3_src: CX_225,
        sw_5_src: SW_U_E,
        // Colors for tail tracks - Will change depending on route
        tail_1_w: Empty,
        tail_2_w: Empty,
        tail_1_e: Empty,
        tail_2_e: Empty,
        tail_3_e: Empty,
        // Image File for the signals - Will change depending on route
        sig 2w1_src: SIG_W,
        sig_2w2_src: SIG_W,
        sig_4w_src: SIG_W,
        sig 2e src: SIG E,
        sig_4e_src: SIG_E,
        // Information For Interlocking Routes
        occupied_1: this.props.status.occupied trk 1.
        occupied 2: this.props.status.occupied trk 2,
        route 1: this.props.status.routed 1,
        route 2: this.props.status.routed 2,
        routes: this.props.status.routes
    };
    /**
     * componentWillReceiveProps()
     * @summary Function that updates the state of the component The
data that is being changed is passed down from the CTC classes in the
simulation backend
     * @param nextProps, the new data to set the component state too
    componentWillReceiveProps(nextProps){
        this.setState({
            sw_1: nextProps.status.sw_1,
```

```
sw 3: nextProps.status.sw 3,
            sw 5: nextProps.status.sw 5,
            occupied 1: nextProps.status.occupied trk 1,
            occupied 2: nextProps.status.occupied trk 2,
            route 1: nextProps.status.routed 1,
            route 2: nextProps.status.routed 2,
            routes: nextProps.status.routes
        });
    // ---- END componentWillReceiveProps() ----
    /**
     * render()
     * @summary standard React function that draws the interlocking to
the screen
     */
    render() {
        // Clear all the drawings from the interlocking so if a train
clears the route is gone
        this.reset_drawings();
        // Set the switch images based off the state of each crossover
        this.set_switch_images();
        // Draw all the current routes in the interlocking
        this.set_route_drawings();
        // Returns the HTML to draw the interlocking and it's current
state to the screen
        return (
            <div>
                {/* Tags */}
                <div className="bt title">BT</div>
                <div className="bt_milepost">MP 14.2</div>
                {/* West Side Tail Tracks */}
                <div className="bt_1_west" style={{background:</pre>
this.state.tail 1 w}}></div>
                <div className="bt 2 west" style={{background:</pre>
this.state.tail_2_w}}></div>
                {/* Switches */}
                <div className="bt_SW_1"</pre>
onClick={this.props.throw_sw_1}><img src={this.state.sw_1_src}/></div>
                <div className="bt_SW_3"</pre>
onClick={this.props.throw_sw_3}><img src={this.state.sw_3_src}/></div>
                <div className="bt SW 5"</pre>
onClick={this.props.throw_sw_5}><img src={this.state.sw_5_src}/></div>
                {/* East Side Tail Tracks */}
                <div className="bt_1_east" style={{background:</pre>
this.state.tail_1_e}}></div>
                <div className="bt_2_east" style={{background:</pre>
this.state.tail_2_e}}></div>
```

```
<div className="bt_3_east" style={{background:</pre>
this.state.tail_3_e}}></div>
                {/* Signals */}
                <div className="bt_sig_2w-2"</pre>
onClick={this.props.click sig 2w2}><img src={this.state.sig 2w2 src}/
></div>
                <div className="bt sig 2w-1"</pre>
onClick={this.props.click sig 2w1}><img src={this.state.sig 2w1 src}/
></div>
                <div className="bt sig 4w"</pre>
onClick={this.props.click sig 4w}><img src={this.state.sig 4w src}/></
div>
                <div className="bt_sig_2e"</pre>
onClick={this.props.click_sig_2e}><img src={this.state.sig_2e_src}/></
div>
                <div className="bt_sig_4e"</pre>
onClick={this.props.click sig 4e}><img src={this.state.sig 4e src}/></
div>
            </div>
        );
    // ---- END render() ----
    /**
     * @summary Sets the drawing for the route through the
interlocking
     * @description Function takes what routes are currently set in
the Interlocking class and displays that route in the UI, the drawing
     * will change depending on if the interlocking is occupied or not
     */
    set_route_drawings() {
        let color_1 = Empty;
        let color 2 = Empty;
        // Setting the color of the tracks depending on if the
interlocking in occupied or not
        if (this.state.route_1) {
            color 1 = Green;
        }
        if (this.state.route 2) {
            color 2 = Green;
        }
        if (this.state.occupied_1) {
            color_1 = Red;
        if (this.state.occupied_2) {
            color_2 = Red;
        }
```

```
// Loop through all the routes
        for (let i = 0; i < this.state.routes.length; i++) {</pre>
            if (this.state.routes[i] === "W_1_1__|__3_ridgewood_bt" ||
this.state.routes[i] === "E_1_1_|_1_bt_pascack") {
                // Tail Tracks
                this.state.tail_1_e = color_1;
                this.state.tail 1 w = color 1;
                // The route is occupied
                if (this.state.occupied_1) {
                    // Switches
                    this.state.sw_5_src = SW_U_E_Occupied;
                    // Crossovers that could change based off Track #2
                    // Track #2 Routed
                    if (this.state.route_2) {
                        this.state.sw_1_src =
CX_135_Occupied_Top_Lined_Bottom;
                        this.state.sw_3_src =
CX_225_Occupied_Top_Lined_Bottom;
                    // Track #2 Occupied
                    else if (this.state.occupied_2) {
                        this.state.sw_1_src = CX_135_Occupied_Both;
                        this.state.sw_3_src = CX_225_Occupied_Both;
                    }
                    // Nothing Track #2
                    else {
                        this.state.sw_1_src = CX_135_Occupied_Top;
                        this.state.sw_3_src = CX_225_0ccupied_Top;
                    }
                    // Signals
                    this.state.sig 2w1 src = SIG W Stop;
                    this.state.sig_2w2_src = SIG_W_Stop;
                    this.state.sig_2e_src = SIG_E_Stop;
                }
                // The route is NOT occupied
                else {
                    // Switches
                    this.state.sw_5_src = SW_U_E_Lined;
                    // Crossovers that could change based off of Track
#2
                    // Track #2 Routed
                    if (this.state.route_2) {
                        this.state.sw_1_src = CX_135_Lined_Both;
                        this.state.sw_3_src = CX_225_Lined_Both;
                    // Track #2 Occupied
```

```
else if (this.state.occupied 2) {
                        this.state.sw_1_src =
CX_135_Lined_Top_Occupied_Bottom;
                        this.state.sw 3 src =
CX_225_Lined_Top_Occupied_Bottom;
                    // Nothing Track #2
                    else {
                        this.state.sw_1_src = CX_135_Lined_Top;
                        this.state.sw 3 src = CX 225 Lined Top;
                    }
                    // Signals
                    // West Bound Signals
                    if (this.state.routes[i] === "W_1_1_1__|
___3_ridgewood_bt") {
                        this.state.sig_2w1_src = SIG_W_Clear;
                        this.state.sig_2w2_src = SIG_W_Stop;
                        this.state.sig_2e_src = SIG_E_Stop;
                    }
                    // East Bound Signals
                    else {
                        this.state.sig_2w1_src = SIG_W_Stop;
                        this.state.sig_2w2_src = SIG_W_Stop;
                        this.state.sig_2e_src = SIG_E_Clear;
                    }
                }
            }
            else if (this.state.routes[i] === "W_3_1__|
__3_ridgewood_bt" || this.state.routes[i] === "E_1_3__|__3_bt_nysw") {
                // Tail Tracks
                this.state.tail_3_e = color_1;
                this.state.tail_1_w = color_1;
                // If The Route Is Occupied
                if (this.state.occupied_1) {
                    // Switches
                    this.state.sw_5_src = SW_U_E_R_Occupied;
                    // Crossovers that can change depending on the
other track
                    if (this.state.route 2) {
                        this.state.sw_1_src =
CX_135_Occupied_Top_Lined_Bottom;
                        this.state.sw_3_src =
CX_225_Occupied_Top_Lined_Bottom;
                    else if (this.state.occupied_2) {
                        this.state.sw_1_src = CX_135_Occupied_Both;
                        this.state.sw_3_src = CX_225_Occupied_Both;
```

```
}
                    else {
                        this.state.sw_1_src = CX_135_0ccupied_Top;
                        this.state.sw_3_src = CX_225_0ccupied_Top;
                    }
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Stop;
                    this.state.sig_2w2_src = SIG_W_Stop;
                    this.state.sig_2e_src = SIG_E_Stop;
                // The Route Is Not Occupied
                else {
                    // Switches
                    this.state.sw_5_src = SW_U_E_R_Lined;
                    // Crossovers that can change depending on the
other track
                    if (this.state.route_2) {
                        this.state.sw_1_src = CX_135_Lined_Both;
                        this.state.sw_3_src = CX_225_Lined_Both;
                    }
                    else if (this.state.occupied_2) {
                        this.state.sw_1_src =
CX_135_Lined_Top_Occupied_Bottom;
                        this.state.sw_3_src =
CX_225_Lined_Top_Occupied_Bottom;
                    else {
                        this.state.sw 1 src = CX 135 Lined Top;
                        this.state.sw_3_src = CX_225_Lined_Top;
                    }
                    // Signals
                    // West Bound Signals
                    if (this.state.routes[i] === "W_3_1__|
3 ridgewood bt") {
                        this.state.sig_2w1_src = SIG_W_Stop;
                        this state sig 2w2 src = SIG W Clear;
                        this.state.sig_2e_src = SIG_E_Stop;
                    }
                    // East Bound Signals
                    else {
                        this.state.sig_2w1_src = SIG_W_Stop;
                        this.state.sig_2w2_src = SIG_W_Stop;
                        this.state.sig_2e_src = SIG_E_Clear;
                    }
                }
            else if (this.state.routes[i] === "W_2_2__|
```

```
_4_ridgewood_bt" || this.state.routes[i] === "E_2_2__|
__2_bt_pascack") {
                // Tail Tracks
                this.state.tail_2_e = color_2;
                this.state.tail_2_w = color_2;
                // If the Route Is Occupied
                if (this.state.occupied 2) {
                    // Switches
                    // Crossovers that can change depending on the
other track
                    if (this.state.route_1) {
                        this.state.sw_1_src =
CX_135_Lined_Top_Occupied_Bottom;
                        this.state.sw_3_src =
CX_225_Lined_Top_Occupied_Bottom;
                    else if (this.state.occupied_1) {
                        this.state.sw_1_src = CX_135_Occupied_Both;
                        this.state.sw_3_src = CX_225_Occupied_Both;
                    }
                    else {
                        this.state.sw_1_src = CX_135_Occupied_Bottom;
                        this.state.sw_3_src = CX_225_Occupied_Bottom;
                    }
                    // Signals
                    this.state.sig_4w_src = SIG_W_Stop;
                    this.state.sig_4e_src = SIG_E_Stop;
                }
                // The Route In Not Occupied
                else {
                    // Switches
                    // Crossovers that can change depending on the
other track
                    if (this.state.route 1) {
                        this.state.sw_1_src = CX_135_Lined_Both;
                        this.state.sw_3_src = CX_225_Lined_Both;
                    else if (this.state.occupied 1) {
                        this.state.sw_1_src =
CX_135_Occupied_Top_Lined_Bottom;
                        this.state.sw_3_src =
CX_225_Occupied_Top_Lined_Bottom;
                    else {
                        this.state.sw_1_src = CX_135_Lined_Bottom;
                        this.state.sw_3_src = CX_225_Lined_Bottom;
                    }
```

```
// Signals
                    // West Bound Signals
                    if (this.state.routes[i] === "W_2_2__|
4 ridgewood bt") {
                        this.state.sig 4w src = SIG W Clear;
                        this.state.sig 4e src = SIG E Stop;
                    }
                    // East Bound Signals
                    else {
                        this.state.sig_4w_src = SIG_W_Stop;
                        this.state.sig_4e_src = SIG_E_Clear;
                    }
                }
            }
            else if (this.state.routes[i] === "W_1_2__|
__4_ridgewood_bt") {
                // Tail Tracks
                this.state.tail_1_e = color_1;
                this.state.tail_2_w = color_1;
                // The Route Is Occupied
                if (this.state.occupied_1) {
                    // Switches
                    this.state.sw_5_src = SW_U_E_Occupied;
                    this.state.sw_3_src = CX_225_R_Occupied;
                    this.state.sw_1_src = CX_135_Occupied_Bottom;
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Stop;
                    this.state.sig 2w2 src = SIG W Stop;
                    this.state.sig_4w_src = SIG_W_Stop;
                    this.state.sig_2e_src = SIG_E_Stop;
                    this.state.sig 4e src = SIG E Stop;
                }
                // The Route Is NOT Occupied
                else {
                    // Switches
                    this.state.sw_5_src = SW_U_E_Lined;
                    this.state.sw 3 src = CX 225 R Lined;
                    this.state.sw_1_src = CX_135_Lined_Bottom;
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Clear;
                    this.state.sig_2w2_src = SIG_W_Stop;
                    this.state.sig_4w_src = SIG_W_Stop;
                    this.state.sig_2e_src = SIG_E_Stop;
                    this.state.sig_4e_src = SIG_E_Stop;
                }
            }
            else if (this.state.routes[i] === "E_2_1__|
```

```
1 bt pascack") {
                // Tail Tracks
                this.state.tail_1_e = color_2;
                this.state.tail_2_w = color_2;
                // The Route Is Occupied
                if (this.state.occupied 2) {
                    // Switches
                    this.state.sw_5_src = SW_U_E_Occupied;
                    this.state.sw_3_src = CX_225_R_Occupied;
                    this.state.sw 1 src = CX 135 Occupied Bottom;
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Stop;
                    this.state.sig_2w2_src = SIG_W_Stop;
                    this.state.sig_4w_src = SIG_W_Stop;
                    this.state.sig 2e src = SIG E Stop;
                    this.state.sig_4e_src = SIG_E_Stop;
                }
                // The Route Is NOT Occupied
                else {
                    // Switches
                    this.state.sw_5_src = SW_U_E_Lined;
                    this.state.sw_3_src = CX_225_R_Lined;
                    this.state.sw_1_src = CX_135_Lined_Bottom;
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Stop;
                    this.state.sig_2w2_src = SIG_W_Stop;
                    this.state.sig 4w src = SIG W Stop;
                    this.state.sig_2e_src = SIG_E_Stop;
                    this.state.sig_4e_src = SIG_E_Clear;
                }
            }
            else if (this.state.routes[i] === "W_3_2__|
4 ridgewood bt") {
                // Tail Tracks
                this.state.tail_3_e = color_1;
                this.state.tail 2 w = color 1;
                // The Route Is Occupied
                if (this.state.occupied 1) {
                    // Switches
                    this.state.sw_5_src = SW_U_E_R_Occupied;
                    this.state.sw_3_src = CX_225_R_Occupied;
                    this.state.sw_1_src = CX_135_Occupied_Bottom;
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Stop;
                    this.state.sig_2w2_src = SIG_W_Stop;
```

```
this.state.sig 4w src = SIG W Stop;
        this.state.sig_2e_src = SIG_E_Stop;
        this.state.sig_4e_src = SIG_E_Stop;
    }
   // The Route Is NOT Occupied
    else {
        // Switches
        this.state.sw_5_src = SW_U_E_R_Lined;
        this.state.sw_3_src = CX_225_R_Lined;
        this.state.sw_1_src = CX_135_Lined_Bottom;
        // Signals
        this.state.sig_2w1_src = SIG_W_Stop;
        this.state.sig_2w2_src = SIG_W_Clear;
        this.state.sig_4w_src = SIG_W_Stop;
        this.state.sig_2e_src = SIG_E_Stop;
        this.state.sig_4e_src = SIG_E_Stop;
    }
}
else if (this.state.routes[i] === "E_2_3__|__3_bt_nysw") {
    // Tail Tracks
    this.state.tail_3_e = color_2;
    this.state.tail_2_w = color_2;
    // The Route Is Occupied
    if (this.state.occupied_2) {
        // Switches
        this.state.sw_5_src = SW_U_E_R_Occupied;
        this.state.sw_3_src = CX_225_R_Occupied;
        this.state.sw_1_src = CX_135_Occupied_Bottom;
        // Signals
        this.state.sig_2w1_src = SIG_W_Stop;
        this.state.sig 2w2 src = SIG W Stop;
        this.state.sig_4w_src = SIG_W_Stop;
        this.state.sig_2e_src = SIG_E_Stop;
        this.state.sig_4e_src = SIG_E_Stop;
    }
   // The Route Is NOT Occupied
   else {
        // Switches
        this.state.sw_5_src = SW_U_E_R_Lined;
        this.state.sw_3_src = CX_225_R_Lined;
        this.state.sw_1_src = CX_135_Lined_Bottom;
        // Signals
        this.state.sig_2w1_src = SIG_W_Stop;
        this.state.sig_2w2_src = SIG_W_Stop;
        this.state.sig_4w_src = SIG_W_Stop;
        this.state.sig_2e_src = SIG_E_Stop;
```

```
this.state.sig 4e src = SIG E Clear;
                }
            }
            else if (this.state.routes[i] === "W 2 1 |
3 ridgewood bt") {
                // Tail Tracks
                this.state.tail 2 e = color 2;
                this.state.tail_1_w = color_2;
                // The Route Is Occupied
                if (this.state.occupied 2) {
                    // Switches
                    this.state.sw_3_src = CX_225_Occupied_Bottom;
                    this.state.sw_1_src = CX_135_R_Occupied;
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Stop;
                    this.state.sig_2w2_src = SIG_W_Stop;
                    this.state.sig_4w_src = SIG_W_Stop;
                    this.state.sig_2e_src = SIG_E_Stop;
                    this.state.sig_4e_src = SIG_E_Stop;
                // The Route Is NOT Occupied
                else {
                    // Switches
                    this.state.sw_3_src = CX_225_Lined_Bottom;
                    this.state.sw_1_src = CX_135_R_Lined;
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Stop;
                    this.state.sig_2w2_src = SIG_W_Stop;
                    this.state.sig_4w_src = SIG_W_Clear;
                    this.state.sig_2e_src = SIG_E_Stop;
                    this.state.sig 4e src = SIG E Stop;
                }
            }
            else if (this.state.routes[i] === "E_1_2__|
__2_bt_pascack") {
                // Tail Tracks
                this.state.tail_2_e = color_1;
                this.state.tail_1_w = color_1;
                // The Route Is Occupied
                if (this.state.occupied_1) {
                    // Switches
                    this.state.sw_3_src = CX_225_Occupied_Bottom;
                    this.state.sw_1_src = CX_135_R_Occupied;
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Stop;
```

```
this.state.sig 2w2 src = SIG W Stop;
                    this.state.sig_4w_src = SIG_W_Stop;
                    this.state.sig_2e_src = SIG_E_Stop;
                    this.state.sig_4e_src = SIG_E_Stop;
                }
                // The Route Is NOT Occupied
                else {
                    // Switches
                    this.state.sw_3_src = CX_225_Lined_Bottom;
                    this.state.sw_1_src = CX_135_R_Lined;
                    // Signals
                    this.state.sig_2w1_src = SIG_W_Stop;
                    this.state.sig_2w2_src = SIG_W_Stop;
                    this.state.sig_4w_src = SIG_W_Stop;
                    this.state.sig_2e_src = SIG_E_Clear;
                    this.state.sig_4e_src = SIG_E_Stop;
                }
            }
        }
    // ---- END set_route_drawings() ----
    /**
     * set_switch_img()
     * @summary Changes image sources for the switches, depending on
switch status
     * @description This function uses the data passed in through
status from the CTC classes and
     * shows if the switches are reversed or not on the screen, by
changing the image
    * source files, to the correct .png file respectivly
    */
    set_switch_images() {
        // Set SW #1
        // SW #1 Reversed
        if (this.state.sw_1) {
            this.state.sw 1 src = CX 135 R;
        }
        // SW #1 Normal
        else {
            this.state.sw_1_src = CX_135;
        }
        // Set SW #3
        // SW #3 Reversed
        if (this.state.sw_3) {
            this.state.sw_3_src = CX_225_R;
        }
```

```
// SW #3 Normal
        else {
            this.state.sw_3_src = CX_225;
        // Set SW #5
        // SW #5 Reversed
        if (this.state.sw_5) {
            this.state.sw_5_src = SW_U_E_R;
        }
        // SW #5 Normal
        else {
            this.state.sw_5_src = SW_U_E;
    // ---- END set_switch_image() ----
     * @summary Function to reset the signal images and track colors
     * @description This function is need, because if the player was
to remove a route,
     * or when the train clears the interlocking nothing will clear
the route
     * the is displaying on the screen, even if it's gone in the
backend
     */
    reset_drawings() {
        this.state.tail_1_w = Empty;
        this.state.tail_2_w = Empty;
        this.state.tail_1_e = Empty;
        this.state.tail_2_e = Empty;
        this state tail 3 e = Empty;
        this.state.sig_2w1_src = SIG_W;
        this.state.sig_2w2_src = SIG_W;
        this.state.sig_4w_src = SIG_W;
        this.state.sig_2e_src = SIG_E;
        this.state.sig 4e src = SIG E;
    //--- END reset_drawings() ----
}
// Export the interlocking to be drawn on the screen
export default BT;
```