```
/**
 * @file ctc valley.js
 * @author Joey Damico
* @date September 25, 2019
 * @summary CTC Controller Class for the CP Central Valley
Interlocking
*/
// Color Constants For Drawing Routes
const Empty = '#999999';
const Lined = '#75fa4c':
const Occupied = '#eb3323';
/**
 * Class is the Backend for the CP Central Valley Interlocking This
class is what controlls the CP Central Valley Interlocking,
 * it is sort of like a backen, but is the controller, this is what
makes all the train movements possible, and the ReactJS Component
class
 * gets information from this class to display the correct status of
the interlocking on the screen
 * MEMBER VARIABLES
 * @member sw_1 -> Bool if Switch #1 is Reveresed or Not
 * @member sig_2w -> Bool if Signal #2w is Lined or Not
 * @member sig_2e -> Bool if Signal #2e is Lined or Not
 * @member sig_4e -> Bool if Signal #4e is Lined or Not
*
* @member route_w_trk_1 = The west bound route for track #1
 * @member route e trk 1 = The east bound route for track #1
 * @member route e trk 2 = The east bound route for track #2
 * @member time_occupied = The time the track was occupied, used to
know when to clear the route
 * @member int_occupied = Bool if the track is occupied or not
*/
class CTC_Valley {
    /**
     * constructor()
     * @summary The constructor for the CTC_Valley class
     * @description This will initialize all the member variables when
the program is started
     */
    constructor() {
        // Bools for the switches
        this.sw_21 = false;
        // Bools for the signals
```

```
this.sig 1w = false;
        this.sig_2w = false;
        this.sig_1e = false;
        // Track routes
        this route w trk 1 = null;
        this.route_w_trk_2 = null;
        this.route e trk 1 = null;
        // Used for routing and occupying the tracks
        this.int_occupied = false;
        this.time occupied = null;
    // ---- END constructor() ----
   /**
    * get_train_route()
    * @summary Returns the route for the train at a given track
    * @param direction, The direction the train is moving
    * @param track, The Track number of the train
    */
   get_train_route(direction, track) {
        if (direction === "WEST") {
            if (track === "1") {
                 return this.route_w_trk_1;
        }
        else if (track === "2") {
                 return this.route_w_trk_2;
        }
        }
        else {
        return this.route_e_trk_1;
    // ---- END get train route() ----
    /**
    * click_sig_1w()
    * @summary the function that is called when clicking the signal,
creates a route
    * @description When the function is called it will determine if a
route can be created,
    * and if so what the route is and sets it based off of the switch
status
    * @param next_block_1, The next block on Track #1
    click_sig_1w(next_block_1) {
        if (this.sw_21) {
            return;
```

```
}
        else {
            if (this.sig_1w) {
                this.route_w_trk_1 = null;
                this.sig 1w = false;
            else {
                if (next_block_1 === Occupied || next_block_1 ===
Lined) {
                    alert("Cannot Line Route Because Conflict With
Next Block"):
                    return;
                this.route_w_trk_1 = "W_1_1__|__1_hudson_valley";
                this.sig_1w = true;
            }
        }
    }
    // ---- END click_sig_1w() ----
     * click_sig_2w()
     * @summary the function that is called when clicking the signal,
creates a route
     * @description When the function is called it will determine if a
route can be created,
     * and if so what the route is and sets it based off of the switch
status
     * @param next_block_1, The next block on Track #1
    click_sig_2w(next_block_1) {
        if (!this.sw 21) {
            return;
        else {
            if (this.sig_2w) {
                this route w trk 2 = null;
                this.sig 2w = false;
            }
            else {
                if (next block 1 === Occupied || next block 1 ===
Lined) {
                    alert("Cannot Line Route Because Conflict With
Next Block");
                    return;
                }
                this.route_w_trk_2 = "W_2_1__|__1_hudson_valley";
                this.sig_2w = true;
```

```
}
        }
    // ---- END click sig 2w() ----
    /**
     * click sig 1e()
     * @summary the function that is called when clicking the signal,
creates a route
     * @description When the function is called it will determine if a
route can be created,
     * and if so what the route is and sets it based off of the switch
status
     * @param next_block_1, The next block on Track #1
     * @param next_block_2, The next block on Track #2
    click_sig_1e(next_block_1, next_block_2) {
        if (this.sw_21) {
            if (this.sig_1e) {
                this.route_e_trk_1 = null;
                this.sig_1e = false;
            }
            else {
                if (next_block_2 === Occupied || next_block_2 ===
Lined) {
                    alert("Cannot Line Route Because Conflict With
Next Block");
                    return;
                this.route_e_trk_1 = "E_1_2__|__2_valley_harriman";
                this.sig 1e = true;
            }
        }
        else {
            if (this.sig 1e) {
                this.route_e_trk_1 = null;
                this sig 1e = false;
            }
            else {
                if (next block 1 === Occupied || next block 1 ===
Lined) {
                    alert("Cannot Line Route Because Conflict With
Next Block");
                    return;
                this.route_e_trk_1 = "E_1_1__|__1_valley_harriman";
                this.sig 1e = true;
            }
```

```
}
    // ---- END click_sig_1e() ----
    /**
    * set occupied()
    * @summary Sets the track as occupied
    * @param n_state, The new state of the track
     * This was used to test, and never removed passing the state as a
paramemter, which is not needed anymore
    */
    set_occupied(n_state) {
        if (n_state === true || n_state === false) {
            this.int_occupied = n_state;
            this.time_occupied = new Date().getTime() / 1000;
        }
        else {
            console.log("ERROR");
        }
    // ---- END set_occupied() ----
    /**
     * can_clear()
     * @summary Checks if a track could be cleared, meaning a train is
no longer in the interlocking
     * @description Check the track if a train has been in the
interlocking for more then 4 seconds, if so it
     * clears that track
     */
    can clear() {
        // Get the current time
        let current_time = new Date().getTime() / 1000;
        if (current time - this.time occupied > 4 && current time -
this.time_occupied < 100000) {
            this.sig_1w = false;
            this.sig 2w = false;
            this.sig 1e = false;
            this.route_w_trk_1 = null;
            this route_w_trk_2 = null;
            this.route_e_trk_1 = null;
            this.int_occupied = false;
            this.time_occupied = null;
        }
    // ---- END can_clear() ----
```

```
/**
    * get_occupied()
    * @summary Getter for the int_occupied
    */
    get_occupied() {
        return this.int occupied;
    // ---- END get_occupied() ----
     * @summary Funtion to throw switch #21 in the interlocking
    * The function sets the status of the switch, whether it is is
the normal possition
     * of reversed, (True = Reversed / False = Normal)
     */
    throw_sw_21() {
        if (this.sw_21 === false) {
            this.sw 21 = true;
        else {
            this.sw_21 = false;
    }
    // ---- END throw_sw_21() ----
    /**
    * get_routes()
    * @summary Gets all the routes from the interlocking
    * @returns An Array holding every route variable from the
interlocking
    */
    get_routes() {
        let routes = [
            this.route_w_trk_1, this.route_w_trk_2,
            this route_e_trk_1
        ];
        return routes;
    // ---- END get routes() ----
    /**
     * get_interlocking_status()
    * @summary returns the status of the interlocking that would be
needed by the ReactJS Components
     * @description All the information that is returned here is what
```

```
is needed by the ReactJS Component
     * for the interlocking that is need to draw the interlocking to
the screen
     *
    * @returns Object with the status of the interlocking
    get_interlocking_status() {
        let status = {
            sw_21: this.sw_21,
            sw_32: this.sw_32,
            occupied: this.get_occupied(),
            routes: this.get_routes()
        }
        return status;
   // ---- END get_interlocking_status() ----
}
// This is required when using ReactJS
export default CTC_Valley;
```