```
/**
 * @file port.css
 * @author Joey Damico
 * @date September 25, 2019
 * @brief CSS Stylesheet for the CP Port Interlocking
 * Styles the divs tracks and other tags for the CP Port Interlocking
 */
@charset "UTF-8";
    /* Texts */
    .port_title {
        position: absolute;
        overflow: hidden;
        white-space: nowrap;
        top: 145px;
        left: 752px;
        font-size: 18px;
        color: #14cc00;
    }
    .port_milepost {
        position: absolute;
        overflow: hidden;
        white-space: nowrap;
        top: 165px;
        left: 756px;
        font-size: 14px;
        color: white;
    /* END Text */
    /* Switches */
    .port_SW_1 {
        position: absolute;
        z-index: 2;
        top: 199px;
        left: 770px;
        height: 38px;
        width: 38px;
        cursor: pointer;
    /* END Switches */
    /* Tail Tracks */
    .port_yard {
        position: absolute;
        top: 199px;
        left: 745px;
```

```
height: 7px;
    width: 25px;
    background: #999999;
}
.port_west {
    position: absolute;
    top: 230px;
    left: 745px;
    height: 7px;
    width: 25px;
    background: #999999;
}
.port_east {
    position: absolute;
    top: 230px;
    left: 808px;
    height: 7px;
    width: 25px;
    background: #999999;
}
/* END Tail Tracks */
/* Signals */
.port_sig_2w {
    position: absolute;
    top: 212px;
    left: 808px;
    height:8px;
    width: 19px;
    cursor: pointer;
}
.port_sig_2e-2 {
    position: absolute;
    top: 204px;
    left: 748px;
    height:8px;
    width: 19px;
    cursor: pointer;
}
.port_sig_2e-1 {
    position: absolute;
    top: 235px;
    left: 748px;
    height:8px;
    width: 19px;
    cursor: pointer;
```

```
}
/* END Signals */
```