```
/**
 * @file MainLineTracks.jsx
 * @author Joey Damico
 * @date September 25, 2019
 * @brief React JSX Component Class that is for The Tracks of the Main
Line
 *
 * Extends the React Component Class and is the UI part of the Main
Line Tracks,
 * this class controls all the drawings of routes, and also gives a
visual reprenstation
 * of that status of the interlocking
 */
// Import React Component
import React, { Component } from 'react';
// Import CSS style sheet
import '../../css/Main_Line/mainLine.css';
/**
 * The React JSX Component Class for the Tracks in the Main Line
portion
 *
 * This class is a JSX React Component for the Main Line Tracks, this
will control all the UI for the comonent,
 * showing what blocks are occupied by a train
class MainLineTracks extends Component {
    /**
     * State
     * @brief Object that holds the state or status information for
the component
     * This object holds all the information for the tracks that is
required to display the routes
     * correctly
     * Anything that has "this.props." is passed down from the CTC
interlocking class
     */
    state = {
        // Symbols
        symbol sterling sf 1: this.props.symbols.symbol sterling sf 1,
        symbol_sterling_hilburn_2:
this.props.symbols.symbol_sterling_hilburn_2,
        symbol_hilburn_sf_2: this.props.symbols.symbol_hilburn_sf_2,
        symbol_hilburn_yardWest:
this.props.symbols.symbol hilburn yardWest,
        symbol_hilburn_yardEast:
```

```
this.props.symbols.symbol hilburn yardEast,
        symbol_sf_wc_1: this.props.symbols.symbol_sf_wc_1,
        symbol_sf_wc_2: this.props.symbols.symbol_sf_wc_2,
        symbol wc yard: this.props.symbols.symbol wc yard,
        symbol wc ridgewood 1:
this.props.symbols.symbol_wc_ridgewood_1,
        symbol wc ridgewood 2:
this.props.symbols.symbol_wc_ridgewood_2,
        symbol_wc_ridgewood_3:
this.props.symbols.symbol_wc_ridgewood_3,
        // Second Row
        symbol_ridgewood_suscon_1:
this.props.symbols.symbol_ridgewood_suscon_1,
        symbol_ridgewood_suscon_2:
this.props.symbols.symbol_ridgewood_suscon_2,
        symbol_suscon_mill_1: this.props.symbols.symbol_suscon_mill_1,
        symbol_suscon_mill_2: this.props.symbols.symbol_suscon_mill_2,
        symbol_mill_westSecaucus_1:
this.props.symbols.symbol_mill_westSecaucus_1,
        symbol_mill_westSecaucus_2:
this.props.symbols.symbol_mill_westSecaucus_2,
        symbol_westSecaucus_laurel_1:
this.props.symbols.symbol_westSecaucus_laurel_1,
        symbol_westSecaucus_laurel_2:
this.props.symbols.symbol_westSecaucus_laurel_2,
        symbol_laurel_westEnd_1:
this.props.symbols.symbol_westEnd_laurel_1,
        symbol_laurel_westEnd_2:
this.props.symbols.symbol_westEnd_laurel_2,
        symbol laurel westEnd 3:
this.props.symbols.symbol_westEnd_laurel_3,
        symbol_laurel_westEnd_4:
this.props.symbols.symbol westEnd laurel 4,
        // Blocks
        westEnd_laurel_1: this.props.blocks.block_westEnd_laurel_1,
        westEnd_laurel_2: this.props.blocks.block_westEnd_laurel_2,
        westEnd laurel 3: this.props.blocks.block westEnd laurel 3,
        westEnd_laurel_4: this.props.blocks.block_westEnd_laurel_4,
        laurel westSecaucus 1:
this.props.blocks.block_laurel_westSecaucus_1,
        laurel_westSecaucus_2:
this.props.blocks.block_laurel_westSecaucus_2,
        mill_westSecaucus_1:
this.props.blocks.block_mill_westSecaucus_1,
        mill_westSecaucus_2:
this.props.blocks.block_mill_westSecaucus_2,
```

```
suscon mill 1: this.props.blocks.block suscon mill 1,
        suscon_mill_2: this.props.blocks.block_suscon_mill_2,
        ridgewood suscon 1:
this.props.blocks.block ridgewood suscon 1,
        ridgewood suscon 2:
this.props.blocks.block_ridgewood_suscon_2,
        wc ridgewood 3: this.props.blocks.block wc ridgewood 3,
        wc ridgewood 1: this.props.blocks.block wc ridgewood 1,
        wc_ridgewood_2: this.props.blocks.block_wc_ridgewood_2,
        sf_wc_1: this.props.blocks.block_sf_wc_1,
        sf_wc_2: this.props.blocks.block_sf_wc_2,
        hilburn sf: this.props.blocks.block hilburn sf,
        sterling_sf: this.props.blocks.block_sterling_sf,
        sterling_hilburn: this.props.blocks.block_sterling_hilburn,
        //Yard Leads
        hilburn_yard_west: this.props.blocks.block_hilburn_yard_west,
        hilburn_yard_east: this.props.blocks.block_hilburn_yard_east,
        wc_yard: this.props.blocks.block_wc_yard
    };
     * componentWillReceiveProps()
    * @brief Function that updates the state of the component
     * The data that is being changed is passed down from the CTC
classes in the simulation backend
     * @param nextProps, the new data to set the component state too
    componentWillReceiveProps(nextProps){
        this.setState({
            // Symbols
            // Symbols
            symbol sterling sf 1:
nextProps.symbols.symbol sterling sf 1,
            symbol sterling hilburn 2:
nextProps.symbols.symbol sterling hilburn 2,
            symbol hilburn sf 2:
nextProps.symbols.symbol_hilburn_sf_2,
            symbol_hilburn_yardWest:
nextProps.symbols.symbol_hilburn_yardWest,
            symbol hilburn yardEast:
nextProps.symbols.symbol_hilburn_yardEast,
```

```
symbol sf wc 1: nextProps.symbols.symbol sf wc 1,
            symbol sf wc 2: nextProps.symbols.symbol sf wc 2,
            symbol_wc_yard: nextProps.symbols.symbol_wc_yard,
            symbol wc ridgewood 1:
nextProps.symbols.symbol wc ridgewood 1,
            symbol wc ridgewood 2:
nextProps.symbols.symbol wc ridgewood 2,
            symbol wc ridgewood 3:
nextProps.symbols.symbol_wc_ridgewood_3,
            // Second Row
            symbol ridgewood suscon 1:
nextProps.symbols.symbol_ridgewood_suscon_1,
            symbol_ridgewood_suscon_2:
nextProps.symbols.symbol_ridgewood_suscon_2,
            symbol_suscon_mill_1:
nextProps.symbols.symbol_suscon_mill_1,
            symbol suscon mill 2:
nextProps.symbols.symbol_suscon_mill_2,
            symbol_mill_westSecaucus_1:
nextProps.symbols.symbol mill westSecaucus 1,
            symbol_mill_westSecaucus_2:
nextProps.symbols.symbol_mill_westSecaucus_2,
            symbol_westSecaucus_laurel_1:
nextProps.symbols.symbol_westSecaucus_laurel_1,
            symbol_westSecaucus_laurel_2:
nextProps.symbols.symbol_westSecaucus_laurel_2,
            symbol laurel westEnd 1:
nextProps.symbols.symbol_laurel_westEnd_1,
            symbol_laurel_westEnd_2:
nextProps.symbols.symbol laurel westEnd 2,
            symbol_laurel_westEnd_3:
nextProps.symbols.symbol_laurel_westEnd_3,
            symbol laurel westEnd 4:
nextProps.symbols.symbol laurel westEnd 4,
            // Blocks
            westEnd laurel 1: nextProps.blocks.block westEnd laurel 1,
            westEnd_laurel_2: nextProps.blocks.block_westEnd_laurel_2,
            westEnd laurel 3: nextProps.blocks.block westEnd laurel 3,
            westEnd laurel 4: nextProps.blocks.block westEnd laurel 4,
            laurel westSecaucus 1:
nextProps.blocks.block_laurel_westSecaucus_1,
            laurel westSecaucus 2:
nextProps.blocks.block_laurel_westSecaucus_2,
            mill_westSecaucus_1:
nextProps.blocks.block_mill_westSecaucus_1,
            mill westSecaucus 2:
nextProps.blocks.block_mill_westSecaucus_2,
```

```
suscon mill 1: nextProps.blocks.block suscon mill 1,
            suscon_mill_2: nextProps.blocks.block_suscon_mill_2,
            ridgewood suscon 1:
nextProps.blocks.block ridgewood suscon 1,
            ridgewood suscon 2:
nextProps.blocks.block_ridgewood_suscon_2,
            wc ridgewood 3: nextProps.blocks.block wc ridgewood 3,
            wc ridgewood 1: nextProps.blocks.block wc ridgewood 1,
            wc_ridgewood_2: nextProps.blocks.block_wc_ridgewood_2,
            sf_wc_1: nextProps.blocks.block_sf_wc_1,
            sf_wc_2: nextProps.blocks.block_sf_wc_2,
            hilburn sf: nextProps.blocks.block hilburn sf,
            sterling_sf: nextProps.blocks.block_sterling_sf,
            sterling_hilburn: nextProps.blocks.block_sterling_hilburn,
            //Yard Leads
            hilburn_yard_west:
nextProps.blocks.block_hilburn_yard_west,
            hilburn_yard_east:
nextProps.blocks.block_hilburn_yard_east,
            wc_yard: nextProps.blocks.block wc yard
        });
    // ---- END componentWillReceiveProps() ----
    /**
     * render()
    * @brief standard React function that draws the interlocking to
the screen
    */
    render() {
        return (
            <div>
                {/* Tags */}
                <div className="wc_yard_tag">Waldwick Yard</div>
                <div className="hilburn yard tag">Hilburn Yard</div>
                {/* Symbols */}
                {/* First Row */}
className="symbol_sterling_sf_1">{this.state.symbol_sterling_sf_1}</
div>
                <div
className="symbol_sterling_hilburn_2">{this.state.symbol_sterling_hilb
```

```
urn 2}</div>
                <div
className="symbol_hilburn_sf_2">{this.state.symbol_hilburn_sf_2}</div>
className="symbol_hilburn_yardWest">{this.state.symbol_hilburn_yardWes
t}</div>
                <div
className="symbol_hilburn_yardEast">{this.state.symbol_hilburn_yardEas
t}</div>
                <div
className="symbol sf wc 1">{this.state.symbol sf wc 1}</div>
                <div
className="symbol_sf_wc_2">{this.state.symbol_sf_wc_2}</div>
                <div
className="symbol_wc_yard">{this.state.symbol_wc_yard}</div>
                <div
className="symbol_wc_ridgewood_1">{this.state.symbol_wc_ridgewood_1}</
div>
                <div
className="symbol_wc_ridgewood_2">{this.state.symbol_wc_ridgewood_2}</
div>
                <div
className="symbol_wc_ridgewood_3">{this.state.symbol_wc_ridgewood_3}/
div>
                {/* Second Row */}
className="symbol_ridgewood_suscon_1">{this.state.symbol_ridgewood_sus
con_1}</div>
                <div
className="symbol_ridgewood_suscon_2">{this.state.symbol_ridgewood_sus
con 2}</div>
                <div
className="symbol_suscon_mill_1">{this.state.symbol_suscon_mill_1}</
div>
                <div
className="symbol suscon mill 2">{this.state.symbol suscon mill 2}</
className="symbol mill westSecaucus 1">{this.state.symbol mill westSec
aucus 1}</div>
                <div
className="symbol mill westSecaucus 2">{this.state.symbol mill westSec
aucus_2}</div>
                <div
className="symbol_westSecaucus_laurel_1">{this.state.symbol_westSecauc
us_laurel_1}</div>
className="symbol_westSecaucus_laurel_2">{this.state.symbol_westSecauc
us laurel 2}</div>
                <div
```

```
className="symbol laurel westEnd 4">{this.state.symbol laurel westEnd
3}</div>
className="symbol laurel westEnd 3">{this.state.symbol laurel westEnd
1}</div>
className="symbol laurel westEnd 1">{this.state.symbol laurel westEnd
2}</div>
                 <div
className="symbol_laurel_westEnd_2">{this.state.symbol_laurel_westEnd_
4}</div>
                 {/* First Row */}
                 {/* West End to Laurel */}
                <div className="m_westEnd_laurel_1"</pre>
style={{background: this.state.westEnd_laurel_2}}></div>
                <div className="m westEnd laurel 2"</pre>
style={{background: this.state.westEnd_laurel_4}}></div>
                 <div className="m_westEnd_laurel_3"</pre>
style={{background: this.state.westEnd_laurel_1}}></div>
                 <div className="m_westEnd_laurel_4"</pre>
style={{background: this.state.westEnd_laurel_3}}></div>
                {/* Laurel to West Secaucus */}
                 <div className="m_laurel_westSecaucus_1"</pre>
style={{background: this.state.laurel_westSecaucus_1}}></div>
                 <div className="m laurel westSecaucus 2"</pre>
style={{background: this.state.laurel_westSecaucus_2}}></div>
                 {/* West Secaucus To Mill */}
                 <div className="m westSecaucus mill 1"</pre>
style={{background: this.state.mill westSecaucus 1}}></div>
                 <div className="m westSecaucus mill 2"</pre>
style={{background: this.state.mill_westSecaucus_2}}></div>
                 {/* Mill to Suscon */}
                 <div className="m suscon mill 1" style={{background:</pre>
this.state.suscon mill 1}}></div>
                <div className="m suscon mill 2" style={{background:</pre>
this.state.suscon mill 2}}></div>
                 {/* Suscon to Ridgewood Junction */}
                 <div className="m_ridgewood_suscon_1"</pre>
style={{background: this.state.ridgewood suscon 1}}></div>
                 <div className="m_ridgewood_suscon_2"</pre>
style={{background: this.state.ridgewood_suscon_2}}></div>
                 {/* Ridgewood Junction to Screen */}
                <div className="m_screen_ridgewood_3"</pre>
style={{background: this.state.wc_ridgewood_3}}></div>
```

```
<div className="m screen ridgewood 1"</pre>
style={{background: this.state.wc_ridgewood_1}}></div>
                 <div className="m_screen_ridgewood_2"</pre>
style={{background: this.state.wc ridgewood 2}}></div>
                 {/* Second Row */}
                 {/* Screen to WC */}
                 <div className="m_wc_screen_3" style={{background:</pre>
this.state.wc_ridgewood_3}}></div>
                 <div className="m_wc_screen_1" style={{background:</pre>
this.state.wc_ridgewood_1}}></div>
                 <div className="m_wc_screen_2" style={{background:</pre>
this.state.wc_ridgewood_2}}></div>
                 <div className="m_wc_yard " style={{background:</pre>
this.state.wc yard}}></div>
                 {/* WC to SF */}
                 <div className="m_sf_wc_1" style={{background:</pre>
this.state.sf_wc_1}}></div>
                 <div className="m_sf_wc_2" style={{background:</pre>
this.state.sf_wc_2}}></div>
                 {/* SF to Hilburn */}
                 <div className="m_hilburn_sf" style={{background:</pre>
this.state.hilburn sf}}></div>
                 {/* Hilburn Yard */}
                 <div className="m hilburn yard west"</pre>
style={{background: this.state.hilburn yard west}}></div>
                 <div className="m_hilburn_yard_east"</pre>
style={{background: this.state.hilburn_yard_east}}></div>
                 {/* SF to Sterling [Track 1]*/}
                 <div className="m sterling sf 1" style={{background:</pre>
this.state.sterling sf}}></div>
                 {/* Hilburn to Sterling [Track 2] */}
                 <div className="m sterling hilburn 2"</pre>
style={{background: this.state.sterling_hilburn}}></div>
            </div>
        ):
    // ---- END render() ----
}
// Export the tracks to be drawn on the screen
export default MainLineTracks;
```