Solar Al appendix

Sun · Al · downloadable appendix

products

No adopted Solar aluminium abundance is available from this feed.

Highlighted Products

VIS

6.429 ± 0.081

±0.008 stat · ±0.081 syst

SET-AL_AGSS21 · 1D NLTE (Amarsi) · Kitt Peak (Kurucz 2005) · Reference Grade

red-optical

6.450 ± 0.083

±0.055 stat · ±0.063 syst

SET-AL_AGSS21 · 1D NLTE (Amarsi) · Kitt Peak (1984, molecfit) · Reference Grade

NIR

6.552 ± 0.144

±0.031 stat · ±0.140 syst

SET-AL_AGSS21 · 1D NLTE (Amarsi) · Kitt Peak (1984, molecfit) · Reference Grade


Line grades

Every product is measured on one of three grades of spectral lines and the grades are never mixed in one number.


Grade	What it means	This element
Reference Grade	lines from a published solar line set (Asplund et al. 2021 and similar), measured with the oscillator strengths the authors used	16 products -- SET-AL_AGSS21
Codex Grade	lines chosen by the Codex whose oscillator strength carries a published uncertainty (laboratory measurement, NIST accuracy class A-C, or the paper's own stated error), between 5% and 60% deep	14 products -- Al I · Codex-graded lines
Deep Grade	the same oscillator-strength rule on lines deeper than 60% -- stronger lines, more sensitive to damping and the model atmosphere	none for the Sun: every line in this grade is excluded as saturated or an outlier (see Excluded lines)

Error-bar Forest Plot

VIS — HARPS
A(Al) dex; axis 6.25–6.56

SET-AL_AGSS21 · 1D LTE Reference Grade · 2 lines		6.409 ±0.009 stat ±0.092 syst
SET-AL_AGSS21 · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.387 ±0.004 stat ±0.097 syst
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.403 ±0.003 stat ±0.096 syst
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.381 ±0.002 stat ±0.100 syst


VIS — IAG FTS
A(Al) dex; axis 6.25–6.56

SET-AL_AGSS21 · 1D LTE Reference Grade · 2 lines		6.447 ±0.001 stat ±0.082 syst
SET-AL_AGSS21 · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.425 ±0.006 stat ±0.087 syst
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.443 ±0.006 stat ±0.086 syst
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.420 ±0.011 stat ±0.091 syst

VIS — Kitt Peak (Kurucz 2005)
A(Al) dex; axis 6.25–6.56





SET-AL_AGSS21 · 1D LTE Reference Grade · 2 lines		6.451 ±0.002 stat ±0.075 syst
SET-AL_AGSS21 · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.429 ±0.008 stat ±0.081 syst
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.446 ±0.008 stat ±0.078 syst
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.423 ±0.014 stat ±0.083 syst

VIS — Kitt Peak (1984, molecfit)
A(Al) dex; axis 6.25–6.56


SET-AL_AGSS21 · 1D LTE Reference Grade · 2 lines		6.450 ±0.005 stat ±0.075 syst
SET-AL_AGSS21 · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.428 ±0.010 stat ±0.081 syst
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.450 ±0.006 stat ±0.073 syst
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.427 ±0.011 stat ±0.079 syst

VIS axis: 6.25 · 6.33 · 6.41 · 6.48 · 6.56 A(Al) dex

red-optical — IAG FTS
A(Al) dex; axis 6.27–6.55

SET-AL_AGSS21 · 1D LTE Reference Grade · 2 lines		6.423 ±0.005 stat ±0.097 syst
SET-AL_AGSS21 · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.406 ±0.010 stat ±0.101 syst
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.423 ±0.005 stat ±0.097 syst
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.406 ±0.010 stat ±0.101 syst

red-optical — Kitt Peak (1984, molecfit)
A(Al) dex; axis 6.27–6.55

SET-AL_AGSS21 · 1D LTE Reference Grade · 2 lines		6.467 ±0.050 stat ±0.055 syst
SET-AL_AGSS21 · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.450 ±0.055 stat ±0.063 syst
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.467 ±0.050 stat ±0.055 syst
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.450 ±0.055 stat ±0.063 syst

red-optical axis: 6.27 · 6.34 · 6.41 · 6.48 · 6.55 A(Al) dex

NIR — CRIRES+ Y (full arm)
A(Al) dex; axis 6.00–7.48

SET-AL_AGSS21 · 1D LTE Reference Grade · 1 line		6.747 ±0.700 stat ±0.219 syst
SET-AL_AGSS21 · 1D NLTE (Amarsi) Reference Grade · 1 line		6.732 ±0.700 stat ±0.221 syst

NIR — Kitt Peak (1984, molecfit)
A(Al) dex; axis 6.00–7.48

SET-AL_AGSS21 · 1D LTE Reference Grade · 2 lines		6.569 ±0.034 stat ±0.137 syst
SET-AL_AGSS21 · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.552 ±0.031 stat ±0.140 syst
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.569 ±0.034 stat ±0.137 syst
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.552 ±0.031 stat ±0.140 syst

NIR axis: 6.00 · 6.37 · 6.74 · 7.11 · 7.48 A(Al) dex

How to read this forest. Each row is one independent product, preserving its band, holding, engine, indicator and line set. Engines and indicator families are never averaged. Solid bars show the supplied statistical uncertainty; wireframes show the supplied systematic uncertainty. The statistical basis and any incomplete error budget remain attached to the row. Grades describe the supplied line-pool provenance, not

engine quality; evaluated theoretical CNO oscillator strengths are not relabelled as laboratory evidence. Quarantined, failed and unconstrained fits have no abundance mark. Experimental products remain explicitly not adopted. Literature references provide context, never tuning targets.

How this was measured

Every aluminium value on this page comes from fitting synthetic spectra to the observed solar spectrum, line by line or band by band, with the aluminium abundance as the free parameter. The synthesis includes the atomic lines and the molecular opacity in every window, so blended absorption is modelled rather than attributed to the line being measured. The continuum is placed locally around every line by comparing the observation with the synthesis on its own highest pixels, and ground-based spectra are telluric-corrected across their full range.

Each indicator is measured independently on each solar spectrum and reported separately; nothing is averaged across indicators or instruments. Where a 3D or NLTE correction is published for the lines, it is applied as its own product (1D-LTE, 1D-NLTE and 3D-NLTE are separate rows). Every value carries a full uncertainty budget: fit, line strengths, microturbulence, continuum, fit window, model atmosphere, telluric residual, and the spread between spectra, each measured by refitting with that one input changed. The headline at the top is the Asplund-grade product: a published line set, the most complete treatment, then the most lines.

Band	What was measured	Solar spectra	Treatments	Lines	Result A(Al)	Largest uncertainty terms (dex)
VIS	Al I · Codex-graded lines	HARPS, IAG FTS, Kitt Peak (1984, molecfit), Kitt Peak (Kurucz 2005)	1D-LTE, 1D-NLTE	2	6.381–6.427 (1D-NLTE)	line strengths (gf) 0.06, continuum placement 0.04
VIS	SET-AL_AGSS21	HARPS, IAG FTS, Kitt Peak (1984, molecfit), Kitt Peak (Kurucz 2005)	1D-LTE, 1D-NLTE	2	6.387–6.429 (1D-NLTE)	line strengths (gf) 0.06, continuum placement 0.04
red-optical	Al I · Codex-graded lines	IAG FTS, Kitt Peak (1984, molecfit)	1D-LTE, 1D-NLTE	2	6.406–6.450 (1D-NLTE)	fit / line-to-line scatter 0.06, line strengths (gf) 0.05
red-optical	SET-AL_AGSS21	IAG FTS, Kitt Peak (1984, molecfit)	1D-LTE, 1D-NLTE	2	6.406–6.450 (1D-NLTE)	fit / line-to-line scatter 0.06, line strengths (gf) 0.05
NIR	Al I · Codex-graded lines	Kitt Peak (1984, molecfit)	1D-LTE, 1D-NLTE	2	6.552 (1D-NLTE)	fit window 0.11, continuum placement 0.06
NIR	SET-AL_AGSS21	CRIRES+ Y (full arm), Kitt Peak (1984, molecfit)	1D-LTE, 1D-NLTE	1–2	6.552–6.732 (1D-NLTE)	fit window 0.11, continuum placement 0.06

Solar aluminium context

Aluminium is traced by Al I lines in the optical and near-infrared. The reference lines are the six Asplund et al. 2021 used (Nordlander & Lind 2017: 6696, 6698, 7835, 8912, 10768 and 10872 Å) with the oscillator strengths and uncertainties those authors adopted. Al I departs from LTE, so each spectrum also carries a non-LTE-corrected product; each set, spectrum and treatment remains a separate product.

Published line sets · gf uncertainty model · Methodology

Download the evidence

Download PDF — Solar Al appendix

Source feed — includes quarantined fit outputs, not adopted abundances

Complete product visibility audit

Shared website/PDF report

Reproducibility manifest

Complete references and product-to-source bindings

Reproducibility

Generated from the pinned science snapshot. Source commit
031609d6bca709891067b8e5ec9a1d6a6a36b487
Feed Al.json v1.67 · updated 2026-10-16T12:38:38Z
Generated 2026-10-17T12:28:41-06:00 (source commit timestamp)
Feed SHA-256 09b3bed9e91ec7f33ab4903c5bd78089abe4f87946052bba1bff91c864638978
Generator scripts/generate_cno_publication.py v1.0.0

Pinned scientific source

References / Data & Model Sources

Sources are separated by their role. Registered grid lineage and quarantined diagnostics do not imply an adopted abundance or an applied correction.

See the source notes for the distinction between reference lineage and the treatment actually recorded in each feed entry.

Science and provenance source notes

Solar abundance and indicator analyses. Solar Al comparison literature; not an adopted Codex abundance. Sources: [1], [2].

Solar abundance and indicator analyses. Published line set AL_AGSS21 (the line selection). Sources: [3].

Atomic data and gf authorities. Al I oscillator strengths of this pool, as the product's own uncertainty budget records them (with their lineage). Sources: [3].

Model and grid sources. Feed treatment: 1D-LTE synthesis (Turbospectrum); no NLTE/3D correction claimed. Sources: [4].

Model and grid sources. Feed treatment: 1D NLTE, per-line correction from the Amarsi 2020 GALAH departure grid via PySME (data/nlte_grids/Al_Amarsi2020_PySME.csv). Sources: [5].

Product-to-source index

NIR · CRIRES+ Y (full arm) · SET-AL_AGSS21 · 1D LTE · [1], [2], [3], [4] Al-products-3dced287aa93

NIR · CRIRES+ Y (full arm) · SET-AL_AGSS21 · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-6a4b66082042

NIR · Kitt Peak (1984, molecfit) · SET-AL_AGSS21 · 1D LTE · [1], [2], [3], [4] Al-products-e1f71442de77

NIR · Kitt Peak (1984, molecfit) · SET-AL_AGSS21 · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-9443d9b76f0f

NIR · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-2c817b8eea2e

NIR · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-fcec422376c8

VIS · HARPS · SET-AL_AGSS21 · 1D LTE · [1], [2], [3], [4] Al-products-49c83f2985f1

VIS · HARPS · SET-AL_AGSS21 · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-cfa1cc6e0651

VIS · HARPS · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-8d6674191138

VIS · HARPS · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-f02ef045fac9

VIS · IAG FTS · SET-AL_AGSS21 · 1D LTE · [1], [2], [3], [4] Al-products-0f1b0ce78149

VIS · IAG FTS · SET-AL_AGSS21 · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-b53b771ad05b

VIS · IAG FTS · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-5413d8634cb7

VIS · IAG FTS · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-eaef832d7490

VIS · Kitt Peak (Kurucz 2005) · SET-AL_AGSS21 · 1D LTE · [1], [2], [3], [4] Al-products-b526417c1fab

VIS · Kitt Peak (Kurucz 2005) · SET-AL_AGSS21 · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-45912dd2d4c8

VIS · Kitt Peak (Kurucz 2005) · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-fd94f2a34bc8

VIS · Kitt Peak (Kurucz 2005) · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-0ecd4c989e62

VIS · Kitt Peak (1984, molecfit) · SET-AL_AGSS21 · 1D LTE · [1], [2], [3], [4] Al-products-f1ad198137d1

VIS · Kitt Peak (1984, molecfit) · SET-AL_AGSS21 · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-e549e5560416

VIS · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-ed888010e686

VIS · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-4113208fe244

red-optical · IAG FTS · SET-AL_AGSS21 · 1D LTE · [1], [2], [3], [4] Al-products-5de0eeb4504d

red-optical · IAG FTS · SET-AL_AGSS21 · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-4bf5a2c2271c

red-optical · IAG FTS · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-368a6a5eb1f5

red-optical · IAG FTS · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-a86d8aaf060b

red-optical · Kitt Peak (1984, molecfit) · SET-AL_AGSS21 · 1D LTE · [1], [2], [3], [4] Al-products-b130e20bd3cc

red-optical · Kitt Peak (1984, molecfit) · SET-AL_AGSS21 · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-0d64d566a885

red-optical · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-512ac5762764

red-optical · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-1636173039ab

Complete applicable bibliography

Solar abundance and indicator analyses

[1] — Asplund, M.; Amarsi, A. M.; Grevesse, N. (2021). The chemical make-up of the Sun: A 2020 vision. A&A 653, A141 DOI: 10.1051/0004-6361/202140445. source record

[2] — Lodders, K.; Bergemann, M.; Palme, H. (2025). Solar System Elemental Abundances from the Solar Photosphere and CI-Chondrites. Space Science Reviews 221 DOI: 10.1007/s11214-025-01146-w. source record

[3] — Nordlander, T.; Lind, K. (2017). Non-LTE aluminium abundances in late-type stars. A&A 607, A75 DOI: 10.1051/0004-6361/201730427. source record

Model and grid sources

[4] — Gerber, J. M.; Magg, E.; Plez, B.; Bergemann, M.; Heiter, U.; Olander, T.; Hoppe, R. (2023). Non-LTE radiative transfer with Turbospectrum. A&A 669, A43 DOI: 10.1051/0004-6361/202243673. source record

[5] — Amarsi, A. M.; Lind, K.; Osorio, Y.; Nordlander, T.; Bergemann, M.; et al. (2020). The GALAH Survey: non-LTE departure coefficients for large spectroscopic surveys. A&A 642, A62 DOI: 10.1051/0004-6361/202038650. source record