Solar Al appendix

Sun · Al · downloadable appendix

Document	Solar Al appendix
Subject	Solar photospheric abundance appendix · Al
Author	Ryan Schmitt
Date	2026-10-28
Publisher	The Exoplanet Codex · exoplanetcodex.org
Version	feed v1.67
Source	science commit d00d21cb0a6f
Web	https://exoplanetcodex.org/systems/sol/elements/al/

Solar aluminium: 6.469 ± 0.034

Asplund, Amarsi & Grevesse 2021: 6.43 ± 0.03 · this measurement +0.039 dex

Measured the way Asplund, Amarsi & Grevesse (2021) measure it: the Asplund et al. 2021 line set (Nordlander & Lind 2017: the Al I lines of their Table A.1), 6 lines measured on one spectrum, each part weighted by its uncertainty.

Al I: 6.428 ± 0.033 · Kitt Peak (1984, molecfit) · VIS · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi)

Al I: 6.450 ± 0.063 · Kitt Peak (1984, molecfit) · red-optical · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi)

Al I: 6.552 ± 0.043 · Kitt Peak (1984, molecfit) · NIR · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi)

Highlighted Products

VIS

6.387 ± 0.030

Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · HARPS · Reference Grade

red-optical

6.406 ± 0.033

Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · IAG FTS · Reference Grade

NIR

6.552 ± 0.043

Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · Kitt Peak (1984, molecfit) · Reference Grade

Line grades



Every product is measured on one of three grades of spectral lines and the grades are never mixed in one number.

Grade	What it means	This element
Reference Grade	lines from a published solar line set (Asplund et al. 2021 and similar), measured with the oscillator strengths the authors used	16 products -- Al I · Asplund et al. 2021 lines
Codex Grade	lines chosen by the Codex whose oscillator strength carries a published uncertainty (laboratory measurement, NIST accuracy class A-C, or the paper's own stated error), between 5% and 60% deep	14 products -- Al I · Codex-graded lines


Grade	What it means	This element
Deep Grade	the same oscillator-strength rule on lines deeper than 60% -- stronger lines, more sensitive to damping and the model atmosphere	none for the Sun: every line in this grade is excluded as saturated or an outlier (see Excluded lines)

Error-bar Forest Plot


VIS — HARPS
A(Al) dex; axis 6.32–6.52

Al I · Asplund et al. 2021 lines · 1D LTE Reference Grade · 2 lines		6.409 ±0.032
Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.387 ±0.030
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.403 ±0.031
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.381 ±0.030

VIS — IAG FTS
A(Al) dex; axis 6.32–6.52

Al I · Asplund et al. 2021 lines · 1D LTE Reference Grade · 2 lines		6.447 ±0.031
Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.425 ±0.032
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.443 ±0.031
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.420 ±0.033

VIS — Kitt Peak (Kurucz 2005)
A(Al) dex; axis 6.32–6.52

Al I · Asplund et al. 2021 lines · 1D LTE Reference Grade · 2 lines		6.451 ±0.030
Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) Reference Grade · 2 lines		6.429 ±0.031
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines		6.446 ±0.032
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines		6.423 ±0.033

VIS — Kitt Peak (1984, molecfit)
A(Al) dex; axis 6.32–6.52

Al I · Asplund et al. 2021 lines · 1D LTE Reference Grade · 2 lines	6.450 ±0.031
Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) Reference Grade · 2 lines	6.428 ±0.033
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines	6.450 ±0.031
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines	6.427 ±0.032

VIS axis: 6.32 · 6.37 · 6.42 · 6.47 · 6.52 A(Al) dex

red-optical — IAG FTS
A(Al) dex; axis 6.34–6.56

Al I · Asplund et al. 2021 lines · 1D LTE Reference Grade · 2 lines	6.423 ±0.032
Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) Reference Grade · 2 lines	6.406 ±0.033
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines	6.423 ±0.032
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines	6.406 ±0.033

red-optical — Kitt Peak (1984, molecfit)
A(Al) dex; axis 6.34–6.56


Al I · Asplund et al. 2021 lines · 1D LTE Reference Grade · 2 lines	6.467 ±0.058
Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) Reference Grade · 2 lines	6.450 ±0.063
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines	6.467 ±0.058
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines	6.450 ±0.063

red-optical axis: 6.34 · 6.40 · 6.45 · 6.50 · 6.56 A(Al) dex

NIR — CRIRES+ Y (full arm)
A(Al) dex; axis 6.00–7.48

Al I · Asplund et al. 2021 lines · 1D LTE Reference Grade · 1 line	6.747 ±0.702
Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) Reference Grade · 1 line	6.732 ±0.702

NIR — Kitt Peak (1984, molecfit)
A(Al) dex; axis 6.00–7.48



Al I · Asplund et al. 2021 lines · 1D LTE Reference Grade · 2 lines	6.569 ±0.045
Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) Reference Grade · 2 lines	6.552 ±0.043
Al I · Codex-graded lines · 1D LTE Codex Grade · 2 lines	6.569 ±0.045
Al I · Codex-graded lines · 1D NLTE (Amarsi) Codex Grade · 2 lines	6.552 ±0.043

NIR axis: 6.00 · 6.37 · 6.74 · 7.11 · 7.48 A(Al) dex

How to read this forest. Each row is one independent product, preserving its band, holding, engine, indicator and line set. Engines and indicator families are never averaged. Each bar is the uncertainty as Asplund et al. 2021 quote it: line-to-line scatter, the 3D-model term and the NLTE term (at least 0.03 dex). Atomic-data and observational terms are not in the bar, as in Asplund; they stay in the full error budget attached to the row. Grades describe the supplied line-pool provenance, not engine quality; evaluated theoretical CNO oscillator strengths are not relabelled as laboratory evidence. Quarantined, failed and unconstrained fits have no abundance mark. Experimental products remain explicitly not adopted. Literature references provide context, never tuning targets.

How this was measured

Every aluminium value on this page comes from fitting synthetic spectra to the observed solar spectrum, line by line or band by band, with the aluminium abundance as the free parameter. The synthesis includes the atomic lines and the molecular opacity in every window, so blended absorption is modelled rather than attributed to the line being measured. The continuum is placed locally around every line by comparing the observation with the synthesis on its own highest pixels, and ground-based spectra are telluric-corrected across their full range.

Each indicator is measured independently on each solar spectrum and reported separately; nothing is averaged across indicators or instruments. Where a 3D or NLTE correction is published for the lines, it is applied as its own product (1D-LTE, 1D-NLTE and 3D-NLTE are separate rows). Every value carries a full uncertainty budget: fit, line strengths, microturbulence, continuum, fit window, model atmosphere, telluric residual, and the spread between spectra, each measured by refitting with that one input changed. The headline at the top is the Asplund-grade product: a published line set, the most complete treatment, then the most lines.

Band	What was measured	Solar spectra	Treatments	Lines	Result A(Al)	Largest uncertainty terms (dex)
VIS	Al I · Codex-graded lines	HARPS, IAG FTS, Kitt Peak (1984, molecfit), Kitt Peak (Kurucz 2005)	1D-LTE, 1D-NLTE	2	6.381–6.427 (1D-NLTE)	continuum placement 0.07, line strengths (gf) 0.06
VIS	Al I · Asplund et al. 2021 lines	HARPS, IAG FTS, Kitt Peak (1984, molecfit), Kitt Peak (Kurucz 2005)	1D-LTE, 1D-NLTE	2	6.387–6.429 (1D-NLTE)	continuum placement 0.07, line strengths (gf) 0.06
red-optical	Al I · Codex-graded lines	IAG FTS, Kitt Peak (1984, molecfit)	1D-LTE, 1D-NLTE	2	6.406–6.450 (1D-NLTE)	continuum placement 0.07, line strengths (gf) 0.05

Band	What was measured	Solar spectra	Treatments	Lines	Result A(Al)	Largest uncertainty terms (dex)
red-optical	Al I · Asplund et al. 2021 lines	IAG FTS, Kitt Peak (1984, molecfit)	1D-LTE, 1D-NLTE	2	6.406–6.450 (1D-NLTE)	continuum placement 0.07, line strengths (gf) 0.05
NIR	Al I · Codex-graded lines	Kitt Peak (1984, molecfit)	1D-LTE, 1D-NLTE	2	6.552 (1D-NLTE)	fit window 0.11, continuum placement 0.06
NIR	Al I · Asplund et al. 2021 lines	CRIRES+ Y (full arm), Kitt Peak (1984, molecfit)	1D-LTE, 1D-NLTE	1–2	6.552–6.732 (1D-NLTE)	fit window 0.11, continuum placement 0.06

Solar aluminium context

Aluminium is traced by Al I lines in the optical and near-infrared. The reference lines are the six Asplund et al. 2021 used (Nordlander & Lind 2017: 6696, 6698, 7835, 8912, 10768 and 10872 Å) with the oscillator strengths and uncertainties those authors adopted. Al I departs from LTE, so each spectrum also carries a non-LTE-corrected product; each set, spectrum and treatment remains a separate product.

Published line sets · gf uncertainty model · Methodology

Download the evidence

Download PDF — Solar Al appendix

Source feed — includes quarantined fit outputs, not adopted abundances

Complete product visibility audit

Shared website/PDF report

Reproducibility manifest

Complete references and product-to-source bindings

Reproducibility

Generated from the pinned science snapshot. Source commit d00d21cb0a6fa21d09513efd1520256ce66dc7d7
Feed Al.json v1.67 · updated 2026-10-16T12:38:38Z
Generated 2026-10-28T16:38:16-06:00 (source commit timestamp)
Feed SHA-256 62e198133029f2d56d1bdb1acddd8b36d57e3dfe52a1ebe09540911b0aec3040
Generator scripts/generate_cno_publication.py v1.0.0

Pinned scientific source

References / Data & Model Sources

Sources are separated by their role. Registered grid lineage and quarantined diagnostics do not imply an adopted abundance or an applied correction.

See the source notes for the distinction between reference lineage and the treatment actually recorded in each feed entry.

Science and provenance source notes

Solar abundance and indicator analyses. Solar Al comparison literature; not an adopted Codex abundance. Sources: [1], [2].

Solar abundance and indicator analyses. Published line set AL_AGSS21 (the line selection). Sources: [3].

Atomic data and gf authorities. Al I oscillator strengths of this pool, as the product's own uncertainty budget records them (with their lineage). Sources: [3].

Model and grid sources. Feed treatment: 1D-LTE synthesis (Turbospectrum); no NLTE/3D correction claimed. Sources: [4].

Model and grid sources. Feed treatment: 1D NLTE, per-line correction from the Amarsi 2020 GALAH departure grid via PySME (data/nlte_grids/Al_Amarsi2020_PySME.csv). Sources: [5].

Product-to-source index

NIR · CRIRES+ Y (full arm) · Al I · Asplund et al. 2021 lines · 1D LTE · [1], [2], [3], [4] Al-products-3dced287aa93

NIR · CRIRES+ Y (full arm) · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-6a4b66082042

NIR · Kitt Peak (1984, molecfit) · Al I · Asplund et al. 2021 lines · 1D LTE · [1], [2], [3], [4] Al-products-e1f71442de77

NIR · Kitt Peak (1984, molecfit) · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-9443d9b76f0f

NIR · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-2c817b8eea2e

NIR · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-fcec422376c8

VIS · HARPS · Al I · Asplund et al. 2021 lines · 1D LTE · [1], [2], [3], [4] Al-products-49c83f2985f1

VIS · HARPS · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-cfa1cc6e0651

VIS · HARPS · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-8d6674191138

VIS · HARPS · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-f02ef045fac9

VIS · IAG FTS · Al I · Asplund et al. 2021 lines · 1D LTE · [1], [2], [3], [4] Al-products-0f1b0ce78149

VIS · IAG FTS · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-b53b771ad05b

VIS · IAG FTS · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-5413d8634cb7

VIS · IAG FTS · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-eaef832d7490

VIS · Kitt Peak (Kurucz 2005) · Al I · Asplund et al. 2021 lines · 1D LTE · [1], [2], [3], [4] Al-products-b526417c1fab

VIS · Kitt Peak (Kurucz 2005) · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-45912dd2d4c8

VIS · Kitt Peak (Kurucz 2005) · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-fd94f2a34bc8

VIS · Kitt Peak (Kurucz 2005) · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-0ecd4c989e62

VIS · Kitt Peak (1984, molecfit) · Al I · Asplund et al. 2021 lines · 1D LTE · [1], [2], [3], [4] Al-products-f1ad198137d1

VIS · Kitt Peak (1984, molecfit) · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-e549e5560416

VIS · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-ed888010e686

VIS · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-4113208fe244

red-optical · IAG FTS · Al I · Asplund et al. 2021 lines · 1D LTE · [1], [2], [3], [4] Al-products-5de0eeb4504d

red-optical · IAG FTS · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-4bf5a2c2271c

red-optical · IAG FTS · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-368a6a5eb1f5

red-optical · IAG FTS · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-a86d8aaf060b

red-optical · Kitt Peak (1984, molecfit) · Al I · Asplund et al. 2021 lines · 1D LTE · [1], [2], [3], [4] Al-products-b130e20bd3cc

red-optical · Kitt Peak (1984, molecfit) · Al I · Asplund et al. 2021 lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-0d64d566a885

red-optical · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D LTE · [1], [2], [3], [4] Al-products-512ac5762764

red-optical · Kitt Peak (1984, molecfit) · Al I · Codex-graded lines · 1D NLTE (Amarsi) · [1], [2], [3], [5] Al-products-1636173039ab

Complete applicable bibliography

Solar abundance and indicator analyses

[1] — Asplund, M.; Amarsi, A. M.; Grevesse, N. (2021). The chemical make-up of the Sun: A 2020 vision. A&A 653, A141 DOI: 10.1051/0004-6361/202140445. source record

[2] — Lodders, K.; Bergemann, M.; Palme, H. (2025). Solar System Elemental Abundances from the Solar Photosphere and CI-Chondrites. Space Science Reviews 221 DOI: 10.1007/s11214-025-01146-w. source record

[3] — Nordlander, T.; Lind, K. (2017). Non-LTE aluminium abundances in late-type stars. A&A 607, A75 DOI: 10.1051/0004-6361/201730427. source record

Model and grid sources

[4] — Gerber, J. M.; Magg, E.; Plez, B.; Bergemann, M.; Heiter, U.; Olander, T.; Hoppe, R. (2023). Non-LTE radiative transfer with Turbospectrum. A&A 669, A43 DOI: 10.1051/0004-6361/202243673. source record

[5] — Amarsi, A. M.; Lind, K.; Osorio, Y.; Nordlander, T.; Bergemann, M.; et al. (2020). The GALAH Survey: non-LTE departure coefficients for large spectroscopic surveys. A&A 642, A62 DOI: 10.1051/0004-6361/202038650. source record