

Money Card — M0 V10 API Contract Gaps & Frozen Specifications Report

Document Status: Handover Ready & Frozen V1

Source of Truth: [\M0_Updated_V10_Developer2_Complete_API_Contract.pdf\](#)

Scope: Strict Contract Boundaries, Removals, and Clarifications for Developer 2

1. Executive Summary

This document certifies that the **M0 V10 API Contract Pack** contains **zero undefined endpoints** and full end-to-end schema integrity. All fields adhere strictly to M0 V10 rules. Any legacy or deprecated constructs from older M0 versions (V1–V9) have been permanently frozen and removed.

2. Explicit M0 V10 Removals & Clarifications (Strict Rules)

Item / Feature	Status in V10	Developer 2 Backend Implementation Directive	
<code>Plan.transaction_limit</code>	■ REMOVED	Plans do NOT contain transaction quota or limit fields. Transactions are unlimited per subscription tier. Do not define <code>transaction_limit</code> in Prisma/PostgreSQL or APIs.	
Monthly Transaction Count	■ ANALYTICS ONLY	Transaction count is aggregated on-the-fly for reporting and performance charts. It must never block POS, issue, recharge, or purchase transactions.	
<code>Product.tags</code>	■ REMOVED	The <code>tags</code> field is completely removed from the database schema, CSV columns, and API request/response payloads.	
<code>Product.category</code>	■■ MULTI-SELECT	<code>category</code> is a <code>string[]</code> (array of strings) in the API and JSON column / relation in Postgres. In CSV import, categories are pipe-delimited (e.g. `Veg`).	Fast Food`).
Product CSV Headers	■ 3 COLUMNS ONLY	Exactly <code>itemName,category,price</code> . No <code>tags</code> , <code>quantity</code> , or <code>branchId</code> columns. Selected branch context is sent via API query/body/path.	
Subscription Payment Gateways	■ REMOVED	No Razorpay/Stripe checkout or webhook endpoints for subscriptions. Org Admin submits <code>PlanChangeRequest</code> , Super Admin reviews/assigns plans and direct bank transfer records.	
Analytics Export Formats	■ PDF ONLY	<code>GET /api/v1/analytics/export?t=format=pdf</code> returns PDF only. Unified filter scope identical to the preview endpoint. No CSV/Excel exports for analytics.	
Formal Reports	■ PDF ONLY	<code>GET /api/v1/reports/:id/pdf</code> returns PDF only. No CSV/Excel/JSON downloads.	
View Analytics Button	■ REMOVED	Navigation to the <code>/analytics</code> page itself serves as the analytics view.	
Standalone (1 available) Badge	■ REMOVED	Available count is integrated directly into the Cards status filter buttons [<code>Available (X)</code>].	

3. Undefined Fields in M0 (Reported & Resolved)

Per M0 V10 contract directives, if any field was not specified in M0 V10, it is marked here:

1. Card Physical Barcode vs QR Token:

- *Status*: M0 Specified.
- *Resolution*: Cards have both `physicalCardNumber` (e.g. `MC-001`) and `qrToken` (opaque cryptographic hash). Both resolve deterministically to the Card entity.

2. User Portal Authentication:

- *Status*: M0 Specified.

- ***Resolution***: Public portal uses short-lived `sessionToken` returned by `POST /api/v1/public/sessions/access` or `POST /api/v1/public/cards/resolve`. Portal tokens cannot perform administrative or POS operations.

3. Tax & Discount Calculations:

- ***Status***: `UNDEFINED_IN_M0` (Omitted by Design in V1).
- ***Resolution***: Item price is the final gross price inclusive of any cafeteria taxes. No separate discount engine or tax line-item is required for V1 handover.

4. Permission Model Invariant (20 Frozen Codes)

Developer 2 must implement authorization checks using strictly the **20 frozen M0 permission codes**:

1. `CARD_VIEW`
2. `CARD_ISSUE`
3. `CARD_RETURN`
4. `CARD_BLOCK`
5. `CARD_UNBLOCK`
6. `RECHARGE`
7. `PURCHASE`
8. `REFUND`
9. `SESSION_VIEW`
10. `PRODUCT_VIEW`
11. `PRODUCT_MANAGE`
12. `INVENTORY_VIEW`
13. `INVENTORY_MANAGE`
14. `INVENTORY_IMPORT`
15. `VIEW_ANALYTICS`
16. `VIEW_REPORTS`
17. `STAFF_VIEW`
18. `STAFF_MANAGE`
19. `BRANCH_VIEW`
20. `BRANCH_MANAGE`

Roles:

- `SUPER_ADMIN`: Bypass all permission checks; access platform-wide admin endpoints.
- `ORG_ADMIN`: Organization owner; manages branches, staff, subscriptions, limit overrides.
- `STAFF`: Scoped by assigned branch IDs and explicit permission bitmask/array.