

CORGI ETF TRUST · N-PORT IN-HOUSE SERVICE

# Comprehensive Final Audit

What is prohibited, what is missing, where each gap must be fixed, and what remains before an independently built N-PORT filing can be released.

As of August 4, 2026 · Source-independent workflow

**Controlling rule:** no file, value, mapping, or pre-fill delivered by U.S. Bank may populate the in-house filing. Those artifacts are read-only comparison evidence.

# 1. Final conclusion

**No June 2026 output is release-eligible.** The repository's landed custody, EagleSTAR, prepared N-PORT, master workbooks, and derived per-fund files came from U.S. Bank-delivered material. They may be compared against independently generated output, but they cannot populate it.

The correct comparison is output-to-output after dates and fund identity are aligned. It is not a source merge. Numerical differences caused only by different report dates are not gaps. A gap is missing coverage, evidence, logic, or reconciliation in the in-house service.

# 2. Open input versus true blocker

| TERM             | MEANING                                                              | EXAMPLE                                                                | RELEASE EFFECT                                                          |
|------------------|----------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------------------------|
| Open input       | A required item has a defined entry or correction path.              | Enter netAssets in FundFields and cite the internal accounting source. | Filing is NOT READY until supplied; this is not an engineering blocker. |
| Validation error | An entered value or source fails a deterministic rule.               | The NAV equation fails or sourceAsOf is not period end.                | Correct the named workbook row or upstream file, then rebuild.          |
| True blocker     | No implemented input, calculation, or control can resolve the issue. | A local file path cannot authenticate source-system origin.            | Requires engineering or an accepted external control.                   |

**Key point:** “present” does not mean “usable.” A prohibited value must be removed and replaced through the named independent input path.

### 3. What the code does now

| CONTROL               | CURRENT BEHAVIOR                                                                                                                                                                                      | TRUTH / LIMITATION                                                                                                            |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Production build      | <code>nport build</code> reads canonical <code>fund_config.txt</code> , <code>filing_data.txt</code> , and <code>holdings.csv</code> only.                                                            | It no longer calls the U.S. Bank custodian or EagleSTAR parsers.                                                              |
| Input preparation     | <code>nport prepare</code> creates <code>filing_inputs.xlsx</code> with Bloomberg formulas and exact gap locations.                                                                                   | It does not call U.S. Bank or EagleSTAR.                                                                                      |
| Bloomberg population  | The operator opens <code>filing_inputs.xlsx</code> on a Bloomberg terminal and saves resolved formula results.                                                                                        | Blank or error results remain MISSING.                                                                                        |
| Final build           | <code>nport build --from-inputs</code> checks sources/fields, finalizes a clean bundle, builds XML, and validates it.                                                                                 | It prints each open input/error and writes nothing until the filing is ready.                                                 |
| CONTROL               | CURRENT BEHAVIOR                                                                                                                                                                                      | TRUTH / LIMITATION                                                                                                            |
| Legacy/write workflow | <code>masters</code> , <code>split</code> , <code>mergehumanreview</code> , <code>enrich</code> , <code>merge</code> , <code>new-filing</code> , and the master-specific commands exit with an error. | They either consume prohibited material or cannot authenticate independent origin.                                            |
| Reference comparison  | <code>nport compare-reference</code> is read-only.                                                                                                                                                    | It reports structural differences and never writes filing inputs.                                                             |
| Residual limitation   | Manifest checks use labels, paths, dates, hashes, and counts.                                                                                                                                         | They cannot prove origin if a prohibited file is deliberately moved and relabelled; authenticated connectors remain required. |

### 4. Complete tracked-item register

G-001 through G-012 now have implemented entry, correction, calculation, or validation paths. G-013 is retained only as a disclosed limitation and is outside the active remediation plan, per the operating decision.

**File-name rule:** the names below are expected internal naming templates, not claims that the files currently exist. Use the real source filename when different. An empty placeholder never resolves an input.

| ID / STATUS                                           | GAP / AFFECTED FIELDS                                                                                                                   | REQUIRED FILE TEMPLATES                                                                                              |
|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>G-001</b><br><b>OPEN INPUT</b>                     | <b>Independent position population</b><br>All Part C holdings, including GPTZ if the fund owns it                                       | data/intake/<period>/<fund>/positions.csv<br>clean bundle: holdings.csv                                              |
| <b>G-002</b><br><b>OPEN INPUT</b>                     | <b>Independent fund-accounting close</b><br>Assets, liabilities, net assets, balance-sheet items, gains, returns, and cash              | accounting_close.csv or accounting_close.pdf<br>clean bundle: filing_data.txt                                        |
| <b>G-003</b><br><b>PARTLY AUTOMATED INPUT</b>         | <b>Create/redeem flows</b><br>mon1/2/3 Sales, Redemption, and Reinvestment                                                              | create_redeem_orders.csv<br>reinvestment_support.csv (if applicable)                                                 |
| <b>G-004</b><br><b>OPEN INPUT</b>                     | <b>Fund policy and static data</b><br>Fiscal year-end, filing type, derivatives regime, applicability, identity, and signer fields      | fund_policy_record.pdf<br>fund_static_data.csv<br>clean bundle: fund_config.txt                                      |
| ID / STATUS                                           | GAP / AFFECTED FIELDS                                                                                                                   | REQUIRED FILE TEMPLATES                                                                                              |
| <b>G-005</b><br><b>ENGINEERED</b>                     | <b>Source manifest</b><br>Lineage for every accepted source                                                                             | filing_inputs.xlsx<br>clean bundle: source_manifest.csv                                                              |
| <b>G-006</b><br><b>ENGINEERED CONTROL</b>             | <b>Prohibited comparison inputs</b><br>U.S. Bank, EagleSTAR, prepared filings, legacy masters, and derived canonical files              | comparison only: data/custodian/*<br>data/fund_accounting/*<br>data/master/*.xlsx<br>legacy data/funds/* files       |
| <b>G-007</b><br><b>ENGINEERED</b>                     | <b>Manual input trace</b><br>Value/disposition, source, filing cutoff, and reason                                                       | filing_inputs.xlsx<br>field_provenance.csv<br>input_receipt.json                                                     |
| <b>G-008</b><br><b>CONDITIONAL OPEN INPUT</b>         | <b>Swap economics</b><br>Counterparty, LEI, notional, value, termination, and receive/pay leg terms                                     | swap_trade_export.csv<br>executed_swap_confirmations.pdf                                                             |
| ID / STATUS                                           | GAP / AFFECTED FIELDS                                                                                                                   | REQUIRED FILE TEMPLATES                                                                                              |
| <b>G-009</b><br><b>CONDITIONAL OPEN INPUT</b>         | <b>B.2.f / B.3 / B.5.c / B.9 / B.10</b><br>Cash outside C/D, risk metrics, monthly categories, derivatives exposure, or VaR             | cash_ledger.csv<br>risk_metrics.csv<br>rule_18f4_results.csv<br>var_backtesting.csv<br>monthly_return_categories.csv |
| <b>G-010</b><br><b>CONDITIONAL OPEN INPUT</b>         | <b>C.7 liquidity</b><br>liquidityClassificationJson and liquidityCircumstancesJson by holding                                           | liquidity_classifications.csv<br>liquidity_circumstances.csv (if applicable)                                         |
| <b>G-011</b><br><b>CONDITIONAL OPEN INPUT</b>         | <b>Option terms and delta</b><br>Delta, exercise terms, expiry, and underlying/reference identity                                       | option_trade_terms.csv<br>option_delta.csv                                                                           |
| <b>G-012</b><br><b>IMPLEMENTED INPUT + VALIDATION</b> | <b>Independent reconciliation</b><br>Position-to-GL, monthly flows, derivative totals when applicable, NAV equation, and position count | independent reconciliation evidence<br>filing_inputs.xlsx: ReconciliationInputs<br>clean bundle: reconciliation.csv  |
| ID / STATUS                                           | GAP / AFFECTED FIELDS                                                                                                                   | REQUIRED FILE TEMPLATES                                                                                              |
| <b>G-013</b><br><b>OUT OF ACTIVE SCOPE</b>            | <b>Origin assurance</b><br>Local files cannot prove a person did not manually copy and relabel a prohibited value                       | actual independent source files<br>input_receipt.json                                                                |

## Exact fix location and proof

| ID    | SHEET / ENTRY POINT                  | EXACT ACTION                                                                                                                                                                                                                             | OWNER                        | COMPLETION TEST                                                                             |
|-------|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------------|
| G-001 | CLI + Sources + HoldingFields        | prepare <fund> <period> --positions <independent.csv>; complete Sources[sourceId=POSITIONS]; then resolve HoldingFields[gapId starts G-001].                                                                                             | Operations                   | POSITIONS source row, period-end cutoff, hash, row count, and position-count reconciliation |
| G-002 | Sources + FundFields                 | Add Sources[sourceId=<accounting ID>]; fill FundFields[gapId starts G-002] columns proposedValue, sourceId, status, comment.                                                                                                             | Fund Accounting              | Each PROVIDED row cites the independent source; NAV equation passes                         |
| G-003 | CLI + Sources + FundFields           | Pass --orders to prepare; complete Sources[sourceId=ORDERS]; fill only unresolved FundFields[gapId starts G-003].                                                                                                                        | Capital Markets + Accounting | Accepted-order calculation, filing cutoff, and independent reconciliation                   |
| ID    | SHEET / ENTRY POINT                  | EXACT ACTION                                                                                                                                                                                                                             | OWNER                        | COMPLETION TEST                                                                             |
| G-004 | Sources + FundFields                 | Add the actual policy/static source row; fill FundFields[targetFile=fund_config.txt] proposedValue, sourceId, status, comment. currentValue is reference-only.                                                                           | Compliance / Legal           | Supported value, effective date, and internal policy reference                              |
| G-005 | Sources                              | For every used sourceId, complete dataset, sourceType, sourceSystem, sourcePath, sourceAsOf, comment. Build calculates blank file hash/count.                                                                                            | Operations                   | System, path, cutoff, hash, and count are complete                                          |
| G-006 | Sources + supplied paths             | Delete the prohibited Sources row/path and replace each dependent field sourceId with a real independent source. No replacement value is entered from comparison files.                                                                  | Engineering + Operations     | Prohibited-source check passes; legacy writers remain disabled                              |
| ID    | SHEET / ENTRY POINT                  | EXACT ACTION                                                                                                                                                                                                                             | OWNER                        | COMPLETION TEST                                                                             |
| G-007 | FundFields + HoldingFields + Sources | For each PROVIDED row, supply value and sourceId. For each NOT_APPLICABLE row, supply sourceId and factual comment.                                                                                                                      | Operations                   | Build reports zero open inputs/errors; input receipt hashes workbook and outputs            |
| G-008 | Sources + HoldingFields              | Add Sources[sourceId=<swap ID>]; fill HoldingFields[gapId starts G-008] for each swap recordKey.                                                                                                                                         | Derivatives Operations       | All required swap fields supported; valuation reconciles                                    |
| G-009 | Sources + FundFields                 | Add the actual accounting/risk Sources row; fill FundFields[gapId starts G-009] with PROVIDED or source-backed NOT_APPLICABLE.                                                                                                           | Accounting + Risk            | Fund policy determines applicability; preflight enforces applicable sections                |
| ID    | SHEET / ENTRY POINT                  | EXACT ACTION                                                                                                                                                                                                                             | OWNER                        | COMPLETION TEST                                                                             |
| G-010 | Sources + HoldingFields              | Add Sources[sourceId=<liquidity ID>]; fill HoldingFields[gapId starts G-010] for every applicable recordKey.                                                                                                                             | Liquidity Risk               | 100% applicable holding coverage and source evidence                                        |
| G-011 | Sources + HoldingFields              | Add Sources[sourceId=<option/risk ID>]; fill HoldingFields[gapId starts G-011] for each option recordKey.                                                                                                                                | Derivatives Risk             | Required option fields supported and validated                                              |
| G-012 | Sources + ReconciliationInputs       | Add each independent control source on Sources. In every generated ReconciliationInputs row enter controlValue, tolerance, sourceId, status, and comment. The control source must differ from the source supplying the filed-side value. | Accounting + Operations      | Every generated control is resolved and every build-calculated reconciliation row is PASS   |

| ID    | SHEET / ENTRY POINT | EXACT ACTION                                                                                                                           | OWNER                          | COMPLETION TEST                                                          |
|-------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------------------------------------------------|
| G-013 | No workbook field   | Nothing can be entered to prove origin technically. Use an authenticated connector or explicitly accepted external governance control. | <b>Operations + Compliance</b> | Documented independent origin; no claim that local code can prove origin |

## 5. Where a human enters values

**Implemented location:** data/funds/<fund>/filings/<period>/filing\_inputs.xlsx.

| SHEET      | ROW KEY                            | EDITABLE VALUES                          | COVERS                                          | RELEASE RULE                                |
|------------|------------------------------------|------------------------------------------|-------------------------------------------------|---------------------------------------------|
| Summary    | Fund + period                      | Nothing                                  | Scope, stop rule, and next command              | Read-only                                   |
| Bloomberg  | targetFile + recordKey + fieldName | Nothing; formulas calculate on terminal  | Returns and supported security/reference fields | Unresolved formulas remain MISSING          |
| GapGuide   | gapId                              | Read-only explanation                    | All 13 gaps and exact sheet                     | Navigation only                             |
| FundFields | targetFile + fieldName             | proposedValue, sourceId, status, comment | Fund config and filing-level values             | PROVIDED or source-backed<br>NOT_APPLICABLE |

| SHEET                | ROW KEY               | EDITABLE VALUES                                    | COVERS                                              | RELEASE RULE                                              |
|----------------------|-----------------------|----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------|
| HoldingFields        | recordKey + fieldName | Same four input columns                            | Holding exceptions                                  | Generated from independent positions                      |
| Sources              | sourceId              | System, path, sourceAsOf, comment                  | Evidence used by field rows                         | Hashes/counts are calculated; prohibited sources rejected |
| ReconciliationInputs | checkId               | controlValue, tolerance, sourceId, status, comment | Independent GL, flow, and derivative control totals | Control source must differ from filed-side source         |
| Reconciliation       | check                 | Nothing                                            | Calculated actual, expected, difference, and result | Generated in the clean bundle; every row must PASS        |

The workbook is generated for one fund and period from independent positions. Bloomberg formulas populate what Bloomberg supports; Sources records independent origin; FundFields and HoldingFields contain the remaining filing values and dispositions; ReconciliationInputs holds only independently sourced control totals and tolerances.

**Fund-configuration safeguard:** a displayed `currentValue` is reference-only. A `fund_config.txt` row requires an independently supported `proposedValue`; changing its status alone does not release it.

### What a human may and may not do

- May: enter a value supported by an independent source.
- May: mark a conditional field NOT\_APPLICABLE only with a source and factual reason.
- May not: invent a zero, N/A, policy choice, identifier, term, or classification.
- May not: cite or copy U.S. Bank, EagleSTAR, a prepared filing, or a file derived from them.
- May not: type the base position population into Excel; it must be supplied with `--positions`.

## 6. Correct operating sequence

| STEP         | ACTOR       | DETERMINISTIC ACTION                                                                                           | COMPLETION CONDITION                                        |
|--------------|-------------|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| 1. Intake    | Operations  | Place the actual independent positions file and optional orders file in the fund-period intake folder.         | Real files exist; their origin is independent of U.S. Bank. |
| 2. Prepare   | Operations  | <code>nport prepare &lt;fund&gt; &lt;period&gt; --positions &lt;file&gt; [--orders &lt;file&gt;]</code>        | <code>filing_inputs.xlsx</code> exists.                     |
| 3. Bloomberg | Operator    | Open <code>filing_inputs.xlsx</code> on a Bloomberg terminal; wait for formulas; save.                         | Bloomberg cells contain values or visible errors.           |
| 4. Complete  | Field owner | Complete Sources; resolve MISSING FundFields/HoldingFields; complete every generated ReconciliationInputs row. | No applicable input remains MISSING.                        |

| STEP       | ACTOR      | DETERMINISTIC ACTION                                                            | COMPLETION CONDITION                                                                 |
|------------|------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 5. Build   | Operations | <code>nport build &lt;fund&gt; &lt;period&gt; --from-inputs</code>              | Clean bundle and validated XML are written, or exact open inputs/errors are printed. |
| 6. Compare | Operator   | Optionally compare independent XML with U.S. Bank output on the same fund/date. | Comparison data is never merged back.                                                |

**All-fund operation:** repeat the sequence independently for every fund. FDRS is an example ticker, not a scope limitation.

**Field coverage:** the runbook contains a generated trace for all 170 accepted canonical fields: 30 fund-configuration fields, 56 filing-level fields, and 84 holding fields. It separates the actual current/legacy writer from the new independent input location.

## 7. What remains before release

The input, Bloomberg formula, source, provenance, reconciliation, and fail-closed build controls are implemented. What remains is operating data: the actual independent fund values, the independent reconciliation control totals, and policy-approved tolerances for each period. The build calculates the filed side, differences, and PASS/FAIL results. No U.S. Bank value may be used to fill an input. Until every applicable input and validation clears, the honest filing status is **NOT READY**.