



CORGI ETF TRUST / OPERATING DOCUMENT

N-PORT Final Runbook

The definitive monthly workflow: command, human action, output, and release gate

August 4, 2026 | Controlled operating copy

3

RECEIVED INPUT FOLDERS

2

BLOOMBERG WORKBOOKS

1

HUMAN-REVIEW WORKBOOK

8

CONTROLLED STAGES

Purpose and operating rule

This is the single operating document for the current in-house N-PORT pipeline. Follow the stages in order. A stage is complete only when its stated stop condition is clear. Never use a U.S. Bank-produced N-PORT file to populate the in-house filing; those files are comparison outputs only.

Before starting

Check	Human action	Pass condition
Working directory	Open PowerShell in C:\Users\damie\nportvalidation.	The prompt is at the repository root.
Period	Replace 2026-06 in every command when operating another filing period.	One period is used consistently from intake through XML.
Workbooks	Close security_master.xlsx, filing_master.xlsx, and the period review workbook before commands write them.	No workbook is locked by Excel.
Source boundary	Use only received custodian, EagleSTAR, and create/redeem inputs plus Bloomberg and supported human evidence.	No prepared custodian XML is used as a data writer.

Monthly inputs - no positions.csv

Do not create **positions.csv**. Put the files actually received into the three folders below. The masters command resolves a file from each folder and prints the exact selection before it writes anything.

Input	Folder	System role	Human check
Custodian positions	data/custodian/	Creates the holding population and supplies custody position and valuation fields.	Confirm the file belongs to the filing population and its as-of date matches the intended cutoff.
EagleSTAR	data/fund_accounting/	Writes fund-accounting totals, gains, liabilities, flows, and derivative unrealized amounts when present.	Confirm the package is complete and uses the intended accounting cutoff.
Create/redeem	data/orders/	Reconciliation control for EagleSTAR subscriptions and redemptions; never overwrites filing values.	Confirm order status and coverage through the same cutoff.
Bloomberg	Two master workbooks	Calculates formulas for supported returns, durations, and security-reference fields.	Refresh, wait, inspect formula errors, save, and close.
Human review	data/humanreview/<period>_review.xlsx	Carries residual security and derivative facts not supplied by automation.	Edit value columns only; never change row keys.

Front-to-end workflow

Run every command from the repository root in PowerShell. The explicit executable path below avoids activation and PATH ambiguity.

1

Preview the input selection

```
& ".\env\Scripts\nport.exe" masters 2026-06 --dry-run
```

Human: read the printed custodian, EagleSTAR, and create/redeem paths and dates. Stop if the wrong file, population, or cutoff is selected; correct the folder contents or pass an explicit supported path.

2

Build the two master workbooks

```
& ".\env\Scripts\nport.exe" masters 2026-06
```

Human: confirm the command completes and creates data\master\security_master.xlsx, data\master\filing_master.xlsx, and data\master\reconciliation_2026-06.csv. Do not continue after an error.

3

Let Bloomberg calculate

```
Open data\master\security_master.xlsx
Open data\master\filing_master.xlsx
```

Human: use Excel on a Bloomberg-enabled machine. In each workbook, wait for calculation to finish; inspect visible #N/A, #VALUE!, #REF!, or blank required results; then save as .xlsx and close both files.

4

Generate the residual review

```
& ".\env\Scripts\nport.exe" mergehumanreview 2026-06
```

Human: read the command's required-gap counts, then open data\humanreview\2026-06_review.xlsx. Fill supported value cells only. Save and close the workbook.

5

Apply the human entries

```
& ".\env\Scripts\nport.exe" mergehumanreview 2026-06
```

Human: confirm the command reports no required blanks and no unresolved swap/option reference. If it reports gaps, reopen the exact named sheet, correct those rows, save, close, and run this command again.

6

Clear the remaining status gates

```
Open data\humanreview\2026-06_review.xlsx
Review reconciliation and pipeline_status
```

Human: all issues are visible here. Enter policy/XML facts only in the editable sheets. For a read-only reconciliation or pipeline row, correct the named custodian, EagleSTAR, or create/redeem input, rerun masters, refresh Bloomberg, and rerun mergehumanreview.

7

Preview and write per-fund files

```
& ".\env\Scripts\nport.exe" split 2026-06 --dry-run  
& ".\env\Scripts\nport.exe" split 2026-06
```

Human: verify the previewed fund population, then run the write command. It projects the reviewed masters to data\funfs\l. Do not manually patch generated filing_data.txt, holdings.csv, derivatives.csv, or security_master.csv.

8

Preflight and build XML

```
& ".\env\Scripts\nport.exe" build --dry-run  
& ".\env\Scripts\nport.exe" build
```

Human: treat any input-validation, policy, reconciliation, XML-coverage, or XSD error as a stop. The first command validates without writing; run the second only after the dry run passes for the intended population.

Human-review workbook: exact edit instructions

The workbook is generated after custodian, EagleSTAR, create/redeem, and Bloomberg processing. It is the single human-review location. Navy/grey columns are identifiers or status; teal-header columns are human-editable. Red cells are required and blank; green cells are required and populated; blue cells are optional. Never edit row keys.

Sheet	Do not edit - row keys	Human-editable value columns	Required rule
fund_policy	fund	fiscalYearEndMMDD; derivativesRegimePolicy; liquidityRequired; cashB2fRequired; policyEffectiveFrom; policyEffectiveTo	First five are required for every fund. policyEffectiveTo may be blank for an open-ended policy. These values are applied to fund_config.txt on the next merge.
fund_risk	fund	cashNotReportedInCoRD; monthlyReturnCategoriesJson; derivExposurePct; derivCurrencyExposurePct; derivInterestRateExposurePct; derivDaysInExcess; medianDailyVarPct; medianVarRatioPct; backtestingExceptions	Required cells are determined only by fund_policy: B.2.f, B.9, or B.10 is not requested when the approved policy says it is inapplicable.
designated_index	ticker	indexName; indexIdentifier	Conditional. Confirm the prefilled value against the fund's approved prospectus/risk policy. N/A is allowed only when supported.
swap_counterparties	code	legalName; lei	Both are required for each listed counterparty. Use the executed legal-entity/trade record.
option_index	underlying	indexName; indexIdentifier	Both are required for each listed option underlying. Use the actual contract/reference instrument.
swap_legs	fund; swapTicker	recFixedOrFloating; recDesc; pmntFloatingRtIndex; pmntFloatingRtSpread; pmntRateTenor; pmntRateUnit	All six are required for each swap row. Use the executed confirmation. Enter 0 only when the actual spread is zero.
option_delta	fund; ticker	delta	N/A is schema-valid. Replace it only with a supported report-date delta; no source/as-of metadata is required for XML generation.
holding_liquidity	fund; ticker; cusip; name	liquidityClassificationJson; liquidityCircumstancesJson	Classification is required only for funds whose fund_policy liquidityRequired is Y. Circumstances are populated only when applicable.
invCountry	fund; ticker; cusip; name	invCountry	Required when the row exists. Enter a supported ISO two-letter country; do not infer from the issuer name.
isin	fund; ticker; cusip; name	isin	Optional. A blank may remain when another permitted identifier path is valid.
sus_review	fund; field	value; reason; confirmed	Current workflow does not make these columns a required release gate. Do not use this sheet to override another source.

Sheet	Do not edit - row keys	Human-editable value columns	Required rule
reconciliation	all columns	None - read-only	A REVIEW row is a source disagreement. Correct the relevant landed input and rerun masters; the workbook cannot overwrite the filed-side value.
pipeline_status	all columns	None - read-only	The resolution column names the command/input action. A BLOCKED row remains blocked until regeneration reports READY.

What mergehumanreview does

Run	System action	Human pass condition
First run	Refreshes every review sheet from the Bloomberg-populated masters and reconciliation report, preserving prior values on matching row keys.	Use the printed per-sheet counts and red cells to locate required blanks.
Second and later runs	Applies policy to each fund_config.txt, fund-risk values to filing_master.xlsx, and holding values to security_master.xlsx; read-only status is regenerated.	No required blanks, unresolved swap/option reference, or read-only BLOCKED status remains.

Reconciliation flags are different

A missing value is editable because the XML needs a human-supplied fact. A blocking status may be read-only because the pipeline detected a source disagreement or failed gate. Both appear in the same workbook. Do not convert a source mismatch into a manual filing override: correct the named input and regenerate.

Fund policy is now centralized

Enter the five required policy facts in fund_policy. On the next mergehumanreview run, the system writes populated values into the matching fund_config.txt and derives submissionType, repPdEnd, repPdDate, derivativesRegime, and conditional requirements. It never infers an absent policy value.

Release checklist

Gate	Human verification	Evidence/output	Stop when
Input selection	Selected files, population, and cutoff are correct.	masters --dry-run output	Any selected path or date is wrong.
Date alignment	Custody, accounting, orders, and report date support an apples-to-apples period conclusion.	Received file metadata and printed selection	Cutoffs are materially misaligned and no approved treatment exists.
Bloomberg	Both masters finished calculation and were saved/closed.	Literal values read on mergehumanreview	Required formulas remain errors or blank.
Human review	Every required review cell is supported and populated.	mergehumanreview gap report	Required gaps or unresolved swap/option references remain.
Reconciliation	Read-only REVIEW rows are cleared after source correction.	review workbook -> reconciliation	An unexplained filing-relevant difference remains.

Gate	Human verification	Evidence/output	Stop when
Policy/applicability	All required fund_policy cells are populated and applied.	review workbook -> fund_policy	A required policy fact or applicability decision is absent.
Fund population	The split preview contains the intended funds and no fixture accounts.	split --dry-run output	A fund is missing, duplicated, or unexpected.
XML and schema	Dry-run build and final build pass input and SEC XSD validation.	build output and output/_xml	Any validation or XSD error remains.
Release status	The output is deliberately TEST or LIVE under the approved release process.	root attributes in generated XML	The operator cannot prove the intended status.

Current 2026-06 facts - not a successful release

Known issue	Measured current state	Where it is resolved
Source freshness	Custody 06/25; EagleSTAR 06/24; orders through 06/24; report date 06/30.	Replace the files in the three intake folders with aligned period-end inputs, then rerun masters.
Human review	58 required pmntFloatingRtSpread cells are blank.	2026-06_review.xlsx -> swap_legs -> pmntFloatingRtSpread, using executed confirmations.
Reconciliation	258 REVIEW rows across 137 source identifiers; 72 of 304 quarter fund-side series still differ after aggregation.	Correct or replace the applicable custody, EagleSTAR, or order source; rerun masters.
Fund policy	0 of 105 production fund configurations contain all five required policy fields.	2026-06_review.xlsx -> fund_policy. Enter the five approved facts; rerun mergehumanreview.
Option delta	70 of 70 current option rows contain N/A.	2026-06_review.xlsx -> option_delta. N/A is schema-valid; replace only when a supported report-date delta is available.
Conditional B.2.f/B.9/B.10	Applicability cannot be determined until fund_policy is complete.	2026-06_review.xlsx -> fund_risk; required cells turn red after policy is populated and the merge is rerun.
Conditional C.7	1,996 holding rows have an entry location; applicability cannot be determined until fund_policy is complete.	2026-06_review.xlsx -> holding_liquidity; classification becomes required only for liquidityRequired=Y funds.
Fund coverage	104 XML files for 105 real custodian accounts; GPTZ is missing.	Resolve the GPTZ fund input/configuration path before split/build.
SEC XSD	0 of 104 existing TEST XML files pass; those files contain fundsDesignatedInfo without required medianDailyVarPct.	The current builder now guards varInfo on medianDailyVarPct. Resolve policy/B.10 inputs where applicable, rebuild all XML, and revalidate; do not release the stale files.

Therefore the current 2026-06 output is **NOT READY FOR LIVE**. This is a measured operating state, not a request for the human reviewer to invent replacement values.

One-fund diagnostic commands

Purpose	Exact command
Validate one fund's current input files	& ".\env\Scripts\inport.exe" validate fdrs 2026-06
Run policy/applicability preflight for one fund	& ".\env\Scripts\inport.exe" preflight fdrs 2026-06
Build one fund after all gates pass	& ".\env\Scripts\inport.exe" build fdrs 2026-06
Show the built-in workflow summary	& ".\env\Scripts\inport.exe" guide
Show all supported commands	& ".\env\Scripts\inport.exe" --help

Completion definition

The run is complete only when the selected input paths and cutoffs are correct, Bloomberg has been saved, required human-review cells are filled, filing-relevant reconciliation and policy/applicability gates are resolved, the intended fund population is projected, and every intended XML passes input validation and the loaded SEC XSD.

Field-level source trace

This appendix restores the detailed one-writer map. Every row is generated from the current repository source map and includes a live code anchor. Create/redeem is labeled as a control where applicable; prepared N-PORT XML is not a writer.

Verification: 73 rows: code anchor located for each; Bloomberg claims checked against BLOOMBERG_SPECS (10 cols) + risk sheet (4 cols); EagleSTAR claims checked against 17 writer keys; Human-review claims checked against 33 review value columns; Custodian claims checked against 67 transform-assigned keys; filing_master HEADER: 55 columns, 0 unmapped.

Fund identity

XML field(s)	Current writer	How populated	Code anchor
cik	fund_config.txt	Typed once when the fund launches	src/nport/config.py:241
seriesId	fund_config.txt	From the SEC series guide spreadsheet	src/nport/config.py:241
classId	fund_config.txt	From the SEC series guide spreadsheet	src/nport/config.py:241
seriesName	fund_config.txt	Typed once when the fund launches	src/nport/config.py:241

Fund identity - continued

XML field(s)	Current writer	How populated	Code anchor
seriesLei	fund_config.txt	Typed once (GLEIF-issued)	src/nport/config.py:241
regName / regCik / regLei	fund_config.txt	Trust-level, same for every fund	src/nport/config.py:241
regStreet1 ... regZip / regPhone	fund_config.txt	Trust address, set once	src/nport/config.py:241
signerName / signerTitle / signerOrg	fund_config.txt	Who signs the filing	src/nport/config.py:241

Holding identity

XML field(s)	Current writer	How populated	Code anchor
name	U.S. Bank custodian CSV	SecurityName, truncated to 30 chars	src/nport/custodian.py:248
title	U.S. Bank custodian CSV	SecurityName verbatim	src/nport/custodian.py:250
cusip	U.S. Bank custodian CSV	Copied via =custodian! cell reference; foreign CINS -> N/A	src/nport/custodian.py:674
ticker	U.S. Bank custodian CSV	StockTicker column	src/nport/custodian.py:229

Holding identity - continued

XML field(s)	Current writer	How populated	Code anchor
isin	Bloomberg workbook formula	=BDP(bbgid, "ID_ISIN")	src/nport/master_sheet.py:156
lei	Bloomberg workbook formula	=BDP(bbgid, "LEGAL_ENTITY_IDENTIFIER"); N/A if the issuer has none	src/nport/master_sheet.py:157
invCountry	Bloomberg workbook formula	=BDP(bbgid, "CNTRY_OF_DOMICILE") - no default, a blank is a real gap	src/nport/master_sheet.py:158

Position

XML field(s)	Current writer	How populated	Code anchor
balance	U.S. Bank custodian CSV	Shares / par from the custodian	src/nport/custodian.py:679
units	Tool constant	Set by holding type: NS shares, PA par, NC contracts	src/nport/custodian.py:680
curCd	Tool constant	USD - the book currency for every fund	src/nport/custodian.py:644
valUSD	U.S. Bank custodian CSV	MarketValue. Swaps override to the EagleSTAR mark-to-market	src/nport/custodian.py:645

Position - continued

XML field(s)	Current writer	How populated	Code anchor
valUSD (swaps)	Gmail export - EagleSTAR attachment	PVal Total Unreal G/L Base - the MTM, never the notional	src/nport/custodian.py:1084
pctVal	Derived	valUSD / the netAssets the filing reports (not the custodian's)	src/nport/custodian.py:1086
payoffProfile	U.S. Bank custodian CSV	Sign of the share count; for swaps the ticker's L/S code	src/nport/custodian.py:728
assetCat	Tool constant	Set by classification: EC / DBT / DE / STIV	src/nport/custodian.py:496

Position - continued

XML field(s)	Current writer	How populated	Code anchor
issuerCat	Tool constant	Set by classification: CORP / UST / RF / OTHER	src/nport/custodian.py:682
fairValLevel	Tool constant	1 for listed, 2 for derivatives	src/nport/custodian.py:683
isRestrictedSec / isCashCollateral / isNonCashCollateral / isLoanByFund	Tool constant	N for every ETF holding	src/nport/custodian.py:648

Debt (C.9)

XML field(s)	Current writer	How populated	Code anchor
maturityDt	Bloomberg workbook formula	=BDP(cusip Govt/Corp, "MATURITY")	src/nport/master_sheet.py:175
annualizedRt	Bloomberg workbook formula	=BDP(cusip Govt/Corp, "CPN")	src/nport/master_sheet.py:176
couponKind	Bloomberg workbook formula	=BDP(... "CPN_TYP"), mapped to the N-PORT enum	src/nport/master_sheet.py:177
isDefault / areIntrstPmntsInArrears / isPaidKind	Tool constant	N - no defaulted debt held	src/nport/custodian.py:763

Option

XML field(s)	Current writer	How populated	Code anchor
putOrCall	U.S. Bank custodian CSV	Parsed from the position name (trailing C / P)	src/nport/custodian.py:523
exercisePrice	U.S. Bank custodian CSV	Parsed from the position name (strike)	src/nport/custodian.py:700
expDt	U.S. Bank custodian CSV	Parsed from the position name (expiry)	src/nport/custodian.py:702
writtenOrPur	U.S. Bank custodian CSV	Sign of the contract count	src/nport/custodian.py:703

Option - continued

XML field(s)	Current writer	How populated	Code anchor
shareNo	Tool constant	N/A - index options are on an index, not a share count	src/nport/custodian.py:698
delta	Human-review workbook (seeded; reviewer not recorded)	option_delta sheet; N/A is schema-valid and may be replaced with a supported report-date value	src/nport/master_sheet.py:765
refIndexName / refIndexIdentifier	Human-review workbook (seeded; reviewer not recorded)	option_index sheet; currently seeded from a legacy map and applied at split	src/nport/master_sheet.py:795
counterpartyName / counterpartyLei	Tool constant	The Options Clearing Corporation - every listed/FLEX option clears through it	src/nport/custodian.py:94

Swap

XML field(s)	Current writer	How populated	Code anchor
swapFlag	Tool constant	Y for every TRS	src/nport/custodian.py:735
terminationDt	U.S. Bank custodian CSV	Parsed from the swap ticker (...-TRS-...)	src/nport/custodian.py:736
notionalAmt	U.S. Bank custodian CSV	MarketValue = shares x price - the contract size	src/nport/custodian.py:737
unrealizedAppr	Gmail export - EagleSTAR attachment	PVal Total Unreal G/L Base, matched on Primary Asset ID	src/nport/eaglestar.py:233

Swap - continued

XML field(s)	Current writer	How populated	Code anchor
counterpartyName / counterpartyLei	Human-review workbook (seeded; reviewer not recorded)	swap_counterparties sheet; currently seeded from the GLEIF legacy map	src/nport/master_sheet.py:782
recFixedOrFloating / recDesc	Human-review workbook (seeded; reviewer not recorded)	swap_legs sheet; currently prefilled from the TRS template and reference issuer	src/nport/master_sheet.py:767
pmntFloatingRtIndex / pmntFloatingRtSpread / pmntRateTenor / pmntRateUnit	Human-review workbook (seeded; reviewer not recorded)	swap_legs sheet; index, tenor, and unit are template seeds; spread remains blank for trade-confirm review	src/nport/master_sheet.py:767
refCusip	U.S. Bank custodian CSV	Leading segment of the swap ticker	src/nport/custodian.py:743

Swap - continued

XML field(s)	Current writer	How populated	Code anchor
refIsin / refTicker / refIssuerName / refIssueTitle	Bloomberg workbook formula	=BDP(refCusip Equity, ...) on the reference security	src/nport/master_sheet.py:194

Fund financials (B.1)

XML field(s)	Current writer	How populated	Code anchor
totAssets	Gmail export - EagleSTAR attachment	Trial Balance total assets	src/nport/eaglestar.py:309
totLiabs	Gmail export - EagleSTAR attachment	Trial Balance total liabilities	src/nport/eaglestar.py:311
netAssets	Gmail export - EagleSTAR attachment	Trial Balance net assets (overrides the custodian figure)	src/nport/eaglestar.py:313
amtPayOneYrOther	Gmail export - EagleSTAR attachment	Trial Balance payables	src/nport/eaglestar.py:306

Fund financials (B.1) - continued

XML field(s)	Current writer	How populated	Code anchor
assetsAttrMiscSec / assetsInvested / delayDeliv / standByCommit / liquidPref	Tool constant	0 - a genuine zero for a plain ETF, not a placeholder	src/nport/filing_master.py:75
amtPayOneYr* / amtPayAftOneYr* (other lines)	Tool constant	0 - no borrowings or affiliate payables	src/nport/filing_master.py:75

Returns (B.5)

XML field(s)	Current writer	How populated	Code anchor
rtn1 / rtn2 / rtn3	Bloomberg workbook formula	=BDP total return over each reporting month; N/A before inception	src/nport/filing_master.py:48

Gains (B.5)

XML field(s)	Current writer	How populated	Code anchor
netRealizedGainMon1-3	Gmail export - EagleSTAR attachment	Trial Balance month-end deltas	src/nport/eaglestar.py:302
netUnrealizedApprMon1-3	Gmail export - EagleSTAR attachment	Trial Balance month-end deltas	src/nport/eaglestar.py:303

Flows (B.2)

XML field(s)	Current writer	How populated	Code anchor
mon1-3Sales / mon1-3Redemption	Gmail export - EagleSTAR attachment	Trial Balance subscriptions/redemptions. AP order book cross-checks only	src/nport/eaglestar.py:339
mon1-3Sales / mon1-3Redemption (reconciliation only)	Create/redeem order export	ACCEPTED create/redeem Notional by month; compared with EagleSTAR but does not write the filing	src/nport/cli.py:1133
mon1-3Reinvestment	Tool constant	NO FEED. Not in an order book - needs the transfer agent	src/nport/filing_master.py:83

Risk (B.3)

XML field(s)	Current writer	How populated	Code anchor
durAdj / spreadDur	Bloomberg workbook formula	=BDP DUR_ADJ_MID / OAS_SPREAD_DUR_MID per debt holding	src/nport/filing_master.py:53
maturity / ratingSP	Bloomberg workbook formula	=BDP MATURITY / RTG_SP, bucketed by tenor	src/nport/filing_master.py:53

Index (B.6)

XML field(s)	Current writer	How populated	Code anchor
nameDesignatedIndex / indexIdentifier	Human-review workbook (seeded; reviewer not recorded)	designated_index sheet; currently seeded from legacy 497K mappings	src/nport/humanreview.py:98

Admin

XML field(s)	Current writer	How populated	Code anchor
submissionType / isFinalFiling / isNonCashCollateral	Tool constant	NPORT-P / N / N	src/nport/filing_master.py:65
liveTestFlag	Tool constant	TEST until you flip it; LIVE is gated on a clean reconciliation	src/nport/cli.py:1200
repPdEnd / repPdDate	Derived	Last calendar day of the filing period	src/nport/custodian.py:808
dateSigned	Derived	Set from the period; override in the workbook	src/nport/filing_master.py:118

Fund policy

XML field(s)	Current writer	How populated	Code anchor
fiscalYearEndMMDD / derivativesRegimePolicy / liquidityRequired / cashB2fRequired / policyEffectiveFrom / policyEffectiveTo	Human-review workbook (seeded; reviewer not recorded)	fund_policy sheet; populated values are written to the matching fund_config.txt and filing context is derived	src/nport/humanreview.py:528

Conditional sections

XML field(s)	Current writer	How populated	Code anchor
cashNotReportedInCOrd (B.2.f)	Human-review workbook (seeded; reviewer not recorded)	fund_risk sheet; required only when fund_policy cashB2fRequired is Y	src/nport/filing_master.py:446
monthlyReturnCategoriesJson (B.5.c)	Human-review workbook (seeded; reviewer not recorded)	fund_risk sheet; populated only when applicable and supported	src/nport/humanreview.py:129
derivativesRegime	Derived	Derived from the reviewed derivativesRegimePolicy for the fund and period	src/nport/policy.py:268
derivExposurePct / derivCurrencyExposurePct / derivInterestRateExposurePct / derivDaysInExcess (B.9)	Human-review workbook (seeded; reviewer not recorded)	fund_risk sheet; required only when reviewed fund policy is LIMITED	src/nport/humanreview.py:259

Conditional sections - continued

XML field(s)	Current writer	How populated	Code anchor
medianDailyVarPct / medianVarRatioPct / backtestingExceptions (B.10)	Human-review workbook (seeded; reviewer not recorded)	fund_risk sheet; required only for the applicable reviewed VaR regime	src/nport/humanreview.py:262
liquidityClassificationJson / liquidityCircumstancesJson (C.7)	Human-review workbook (seeded; reviewer not recorded)	holding_liquidity sheet; classification is required only when reviewed policy requires C.7	src/nport/master_sheet.py:766

Complete field inventory and measured coverage

This is the authoritative exhaustive trace for all 170 accepted FundConfig, FilingData, and Holding fields. Every row names its current writer/source and the exact parser-to-XML-emitter code path. Coverage is measured from 105 production fund directories and 1,996 current holding rows. A populated value proves presence only - not correctness, freshness, applicability, or approval.

Fund configuration

Field	Current writer/source and code path	Applies when	Observed state	Required human action
cik	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:51	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
ccc	fund_config.txt (current); EDGAR filer administrator Code: src/nport/config.py:241 -> src/nport/builder.py:51	Every filing	16/105 blank or placeholder; values not printed	Filer administrator verifies the credential is active; Operations confirms no plaintext copy enters the release bundle
regName	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
regFileNumber	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes

Fund configuration - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
regCik	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
regLei	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
regStreet1	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
regStreet2	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes

Fund configuration - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
regCity	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
regState	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
regCountry	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
regZipOrPostalCode	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes

Fund configuration - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
regPhone	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
seriesName	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies identifiers against approved internal records
seriesId	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:51	Every filing	104/105 populated	Fund Administration verifies identifiers against approved internal records
seriesLei	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	105/105 populated	Fund Administration verifies identifiers against approved internal records

Fund configuration - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
classId	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:51	Every filing	105/105 populated	Fund Administration verifies identifiers against approved internal records
signerOrg	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:638	Every filing	105/105 populated	Legal/Compliance confirms signer authority for the report date
signerName	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:638	Every filing	105/105 populated	Legal/Compliance confirms signer authority for the report date
signerTitle	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:638	Every filing	105/105 populated	Legal/Compliance confirms signer authority for the report date

Fund configuration - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
fiscalYearEnd MMDD	Human-review workbook fund_policy sheet Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Reviewer enters the approved internal fund-policy fact; blank required cells block release
derivativesRe gimePolicy	Human-review workbook fund_policy sheet Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Reviewer enters the approved internal fund-policy fact; blank required cells block release
liquidityRequir ed	Human-review workbook fund_policy sheet Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Reviewer enters the approved internal fund-policy fact; blank required cells block release
cashB2fRequir ed	Human-review workbook fund_policy sheet Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Reviewer enters the approved internal fund-policy fact; blank required cells block release

Fund configuration - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
policyEffective From	Human-review workbook fund_policy sheet Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Reviewer enters the approved internal fund-policy fact; blank required cells block release
policyEffective To	Human-review workbook fund_policy sheet Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Reviewer enters the approved internal fund-policy fact; blank required cells block release
policyApprove dBy	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
policyApprove dAt	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes

Fund configuration - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
policySourceR ef	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes
requiredSourc es	fund_config.txt (current static value) Code: src/nport/config.py:241 -> src/nport/builder.py:82	Every filing	0/105 populated	Fund Administration verifies the value and Compliance approves unresolved identity changes

Filing-level data

Field	Current writer/source and code path	Applies when	Observed state	Required human action
submissionType	Human-review workbook fund_policy sheet Code: src/nport/config.py:246 -> src/nport/builder.py:51	Every filing unless inapplicable	105/105 populated	Reviewer supplies approved policy; the tool does not infer a missing value
liveTestFlag	Filing Operations and authorized signer workflow Code: src/nport/config.py:246 -> src/nport/builder.py:51	Every filing unless inapplicable	105/105 populated	Authorized reviewer confirms final status, signature date, and TEST-to-LIVE promotion
repPdEnd	Human-review workbook fund_policy sheet Code: src/nport/config.py:246 -> src/nport/builder.py:82	Every filing unless inapplicable	105/105 populated	Reviewer supplies approved policy; the tool does not infer a missing value
repPdDate	Human-review workbook fund_policy sheet Code: src/nport/config.py:246 -> src/nport/builder.py:82	Every filing unless inapplicable	105/105 populated	Reviewer supplies approved policy; the tool does not infer a missing value

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
isFinalFiling	Filing Operations and authorized signer workflow Code: src/nport/config.py:246 -> src/nport/builder.py:82	Every filing unless inapplicable	105/105 populated	Authorized reviewer confirms final status, signature date, and TEST-to-LIVE promotion
dateSigned	Filing Operations and authorized signer workflow Code: src/nport/config.py:246 -> src/nport/builder.py:638	Every filing unless inapplicable	105/105 populated	Authorized reviewer confirms final status, signature date, and TEST-to-LIVE promotion
totAssets	Gmail export - U.S. Bank EagleSTAR Trial Balance; custodian fallback Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies attachment cutoff, entity mapping, totals, and reconciliation
totLiabs	Gmail export - U.S. Bank EagleSTAR Trial Balance; custodian fallback Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies attachment cutoff, entity mapping, totals, and reconciliation

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
netAssets	Gmail export - U.S. Bank EagleSTAR Trial Balance; custodian fallback Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies attachment cutoff, entity mapping, totals, and reconciliation
assetsAttrMiscSec	Gmail export - U.S. Bank EagleSTAR Trial Balance; custodian fallback Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies attachment cutoff, entity mapping, totals, and reconciliation
assetsInvested	Gmail export - U.S. Bank EagleSTAR Trial Balance; custodian fallback Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies attachment cutoff, entity mapping, totals, and reconciliation
amtPayOneYrBanksBorr	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
amtPayOneYrCtrlComp	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
amtPayOneYrOthAffil	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
amtPayOneYrOther	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
amtPayAftOneYrBanksBorr	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
amtPayAftOneYrCtrldComp	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
amtPayAftOneYrOthAffil	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
amtPayAftOneYrOther	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
delayDeliv	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
standByCommit	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
liquidPref	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
isNonCashCollateral	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
rtn1	Bloomberg formula in filing_master.xlsx Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Reviewer opens/saves on Bloomberg terminal and verifies dates and fund scope

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
rtn2	Bloomberg formula in filing_master.xlsx Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Reviewer opens/saves on Bloomberg terminal and verifies dates and fund scope
rtn3	Bloomberg formula in filing_master.xlsx Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Reviewer opens/saves on Bloomberg terminal and verifies dates and fund scope
netRealizedGainMon1	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
netUnrealizedApprMon1	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
netRealizedGainMon2	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
netUnrealizedApprMon2	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
netRealizedGainMon3	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption
netUnrealizedApprMon3	Gmail export - U.S. Bank EagleSTAR Trial Balance, or tool constant where identified Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting verifies which values came from the attachment versus a coded assumption

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
mon1Sales	Gmail export - EagleSTAR Trial Balance Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting resolves the accounting-versus-order-book reconciliation
mon1Redemption	Gmail export - EagleSTAR Trial Balance Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting resolves the accounting-versus-order-book reconciliation
mon1Reinvestment	No current feed; filing_master.py supplies N/A Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Transfer Agent/Fund Accounting supplies evidence or approves not applicable
mon2Sales	Gmail export - EagleSTAR Trial Balance Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting resolves the accounting-versus-order-book reconciliation

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
mon2Redemption	Gmail export - EagleSTAR Trial Balance Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting resolves the accounting-versus-order-book reconciliation
mon2Reinvestment	No current feed; filing_master.py supplies N/A Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Transfer Agent/Fund Accounting supplies evidence or approves not applicable
mon3Sales	Gmail export - EagleSTAR Trial Balance Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting resolves the accounting-versus-order-book reconciliation
mon3Redemption	Gmail export - EagleSTAR Trial Balance Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Fund Accounting resolves the accounting-versus-order-book reconciliation

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
mon3Reinvestment	No current feed; filing_master.py supplies N/A Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Transfer Agent/Fund Accounting supplies evidence or approves not applicable
nameDesignatedIndex	Human-review workbook designated_index sheet (legacy 497K seed) Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Reviewer verifies the seed against the current filing; current workbook does not record reviewer identity
indexIdentifier	Human-review workbook designated_index sheet (legacy 497K seed) Code: src/nport/config.py:246 -> src/nport/builder.py:114	Every filing unless inapplicable	105/105 populated	Reviewer verifies the seed against the current filing; current workbook does not record reviewer identity
curMetricsJson	Bloomberg formulas plus U.S. Bank custodian market value Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	24/105 populated	Risk reviewer verifies Bloomberg calculation and aggregation

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
creditSprdRiskIgJson	Bloomberg formulas plus U.S. Bank custodian market value Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	24/105 populated	Risk reviewer verifies Bloomberg calculation and aggregation
creditSprdRiskNonigJson	Bloomberg formulas plus U.S. Bank custodian market value Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	24/105 populated	Risk reviewer verifies Bloomberg calculation and aggregation
cashNotReportedInCoRD	Human-review workbook fund_risk sheet when applicable Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Fund Accounting enters the supported calculation; blank required cells block release
monthlyReturnCategoriesJson	Human-review workbook fund_risk sheet when applicable Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Fund Accounting enters the supported calculation; blank required cells block release

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
derivativesRegime	Human-review workbook fund_policy sheet Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Reviewer supplies approved policy; the tool does not infer a missing value
derivExposurePct	Human-review workbook fund_risk sheet when applicable Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Derivatives Risk supplies the applicable calculation
derivCurrencyExposurePct	Human-review workbook fund_risk sheet when applicable Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Derivatives Risk supplies the applicable calculation
derivInterestRateExposurePct	Human-review workbook fund_risk sheet when applicable Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Derivatives Risk supplies the applicable calculation

Filing-level data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
derivDaysInExcess	Human-review workbook fund_risk sheet when applicable Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Derivatives Risk supplies the applicable calculation
medianDailyVarPct	Human-review workbook fund_risk sheet when applicable Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Derivatives Risk supplies the applicable calculation
medianVarRatioPct	Human-review workbook fund_risk sheet when applicable Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Derivatives Risk supplies the applicable calculation
backtestingExpectations	Human-review workbook fund_risk sheet when applicable Code: src/nport/config.py:246 -> src/nport/builder.py:114	Policy/regime conditional	0/105 populated	Derivatives Risk supplies the applicable calculation

Holding and derivative data

Field	Current writer/source and code path	Applies when	Observed state	Required human action
name	U.S. Bank custodian CSV SecurityName Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations verifies truncation and name exceptions
lei	Bloomberg formula for supported cash securities; tool/human-review exception route Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Reviewer saves on Bloomberg and verifies every exception or review-workbook value
title	U.S. Bank custodian CSV SecurityName Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations verifies truncation and name exceptions
cusip	U.S. Bank custodian CSV Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations verifies exceptions; never invent an identifier or balance

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
isin	Bloomberg formula for supported cash securities; tool/human-review exception route Code: src/nport/config.py:318 -> src/nport/builder.py:324	Optional when supported	1867/1867 populated	Reviewer saves on Bloomberg and verifies every exception or review-workbook value
ticker	U.S. Bank custodian CSV Code: src/nport/config.py:318 -> src/nport/builder.py:324	Optional when supported	1359/1359 populated	Operations verifies exceptions; never invent an identifier or balance
balance	U.S. Bank custodian CSV Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations verifies exceptions; never invent an identifier or balance
units	Tool classification from the custodian holding type Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations verifies the classified holding type

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
curCd	Tool constant USD for the current book Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations confirms the current fund book and contract currency
valUSD	Custodian market value; EagleSTAR PVal for swaps Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Fund Accounting verifies cutoff, match coverage, and valuation reconciliation
pctVal	Derived from valUSD and filed netAssets Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Fund Accounting verifies the denominator and total
payoffProfile	Derived from custodian position sign or parsed swap direction Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations verifies directional exceptions

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
assetCat	Tool classification from the U.S. Bank custodian position Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations verifies exceptional classifications
issuerCat	Tool classification from the U.S. Bank custodian position Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations verifies exceptional classifications
invCountry	Bloomberg formula for supported cash securities; tool/human-review exception route Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Reviewer saves on Bloomberg and verifies every exception or review-workbook value
isRestrictedSec	Tool constant N in the current adapter Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations must confirm the coded assumption for every applicable holding

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
fairValLevel	Tool classification from the U.S. Bank custodian position Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations verifies exceptional classifications
isCashCollateral	Tool constant N in the current adapter Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations must confirm the coded assumption for every applicable holding
isNonCashCollateral	Tool constant N in the current adapter Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations must confirm the coded assumption for every applicable holding
isLoanByFund	Tool constant N in the current adapter Code: src/nport/config.py:318 -> src/nport/builder.py:324	Always	1996/1996 populated	Operations must confirm the coded assumption for every applicable holding

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
issuerConditionalDesc	Tool constant N/A for current swaps; no general OTHER-issuer feed Code: src/nport/config.py:318 -> src/nport/builder.py:324	issuerCat==OTHER	58/58 populated	Operations documents any non-swap OTHER issuer before release
assetConditionalDesc	No current automated writer Code: src/nport/config.py:318 -> src/nport/builder.py:324	assetCat==OTHER	No currently applicable rows	Operations must supply evidence when the field becomes applicable; never infer it
otherDesc	Tool-derived identifier for current options and swaps Code: src/nport/config.py:318 -> src/nport/builder.py:324	Optional when supported	128/128 populated	Operations verifies the identifier and exceptional OTHER routes
otherValue	Tool-derived identifier for current options and swaps Code: src/nport/config.py:318 -> src/nport/builder.py:324	Optional when supported	128/128 populated	Operations verifies the identifier and exceptional OTHER routes

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
exchangeRt	No current automated writer Code: src/nport/config.py:318 -> src/nport/builder.py:324	non-USD currency	No currently applicable rows	Operations must supply evidence when the field becomes applicable; never infer it
maturityDt	Bloomberg formula in security_master.xlsx Code: src/nport/config.py:318 -> src/nport/builder.py:438	debt security	637/637 populated	Reviewer saves on Bloomberg terminal and verifies terms
couponKind	Bloomberg formula in security_master.xlsx Code: src/nport/config.py:318 -> src/nport/builder.py:438	maturityDt set	637/637 populated	Reviewer saves on Bloomberg terminal and verifies terms
annualizedRt	Bloomberg formula in security_master.xlsx Code: src/nport/config.py:318 -> src/nport/builder.py:438	maturityDt set	637/637 populated	Reviewer saves on Bloomberg terminal and verifies terms

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
isDefault	Tool constant in custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:438	maturityDt set	637/637 populated	Human reviewer must confirm the coded assumption is true for every applicable debt position
areIntrstPmnts InArRs	Tool constant in custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:438	maturityDt set	637/637 populated	Human reviewer must confirm the coded assumption is true for every applicable debt position
isPaidKind	Tool constant in custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:438	maturityDt set	637/637 populated	Human reviewer must confirm the coded assumption is true for every applicable debt position
derivCat	U.S. Bank custodian CSV plus tool classification Code: src/nport/config.py:318 -> src/nport/builder.py:450	derivative holding	128/128 populated	Derivatives Operations verifies the classification

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
counterpartyName	GLEIF-seeded human-review workbook for swaps; tool OCC constant for options Code: src/nport/config.py:318 -> src/nport/builder.py:450	derivCat set	128/128 populated	Reviewer verifies seeded swap counterparties and the applicable route
counterpartyLei	GLEIF-seeded human-review workbook for swaps; tool OCC constant for options Code: src/nport/config.py:318 -> src/nport/builder.py:450	derivCat set	128/128 populated	Reviewer verifies seeded swap counterparties and the applicable route
unrealizedArr	Gmail export - U.S. Bank EagleSTAR PVal attachment Code: src/nport/config.py:318 -> src/nport/builder.py:450	derivCat set	128/128 populated	Fund Accounting verifies the 2026-06-24 PVal cutoff and match coverage
putOrCall	U.S. Bank custodian CSV Code: src/nport/config.py:318 -> src/nport/builder.py:462	derivCat in OPT/SWO/WAR	70/70 populated	Derivatives Operations verifies parsed contract terms

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
writtenOrPur	U.S. Bank custodian CSV Code: src/nport/config.py:318 -> src/nport/builder.py:462	derivCat in OPT/SWO/WAR	70/70 populated	Derivatives Operations verifies parsed contract terms
shareNo	Tool constant derived for current index options Code: src/nport/config.py:318 -> src/nport/builder.py:462	Optional when supported	70/70 populated	Derivatives Operations verifies the contract convention
exercisePrice	U.S. Bank custodian CSV Code: src/nport/config.py:318 -> src/nport/builder.py:462	derivCat in OPT/SWO/WAR	70/70 populated	Derivatives Operations verifies parsed contract terms
exercisePriceCurCd	Tool constant derived for current index options Code: src/nport/config.py:318 -> src/nport/builder.py:462	Optional when supported	70/70 populated	Derivatives Operations verifies the contract convention

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
expDt	U.S. Bank custodian CSV Code: src/nport/config.py:318 -> src/nport/builder.py:462	derivCat in OPT/SWO/WAR	70/70 populated	Derivatives Operations verifies parsed contract terms
delta	Human-review workbook option_delta sheet Code: src/nport/config.py:318 -> src/nport/builder.py:462	derivCat in OPT/SWO/WAR	70/70 populated	Risk reviewer enters a report-date delta when one is available and applicable
refInstType	Tool classification from the custodian derivative Code: src/nport/config.py:318 -> src/nport/builder.py:555	Optional when supported	128/128 populated	Derivatives Operations verifies the reference-instrument type
refIndexName	Human-review workbook option_index sheet (legacy-map seed) Code: src/nport/config.py:318 -> src/nport/builder.py:555	refInstType==in dexBasket	70/70 populated	Reviewer verifies the seed from evidence; current workbook does not record reviewer identity

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
refIndexIdentifier	Human-review workbook option_index sheet (legacy-map seed) Code: src/nport/config.py:318 -> src/nport/builder.py:555	refInstType==in dexBasket	70/70 populated	Reviewer verifies the seed from evidence; current workbook does not record reviewer identity
refIssuerName	Bloomberg formula for the reference security; custodian SecurityName seeds swap issuer/title Code: src/nport/config.py:318 -> src/nport/builder.py:555	refInstType==otherRefInst	58/58 populated	Reviewer saves on Bloomberg and verifies the result or supported fallback
refIssueTitle	Bloomberg formula for the reference security; custodian SecurityName seeds swap issuer/title Code: src/nport/config.py:318 -> src/nport/builder.py:555	refInstType==otherRefInst	58/58 populated	Reviewer saves on Bloomberg and verifies the result or supported fallback
refCusip	U.S. Bank custodian CSV Code: src/nport/config.py:318 -> src/nport/builder.py:555	Optional when supported	58/58 populated	Reviewer verifies the reference instrument

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
reflsin	Bloomberg formula for the reference security; custodian SecurityName seeds swap issuer/title Code: src/nport/config.py:318 -> src/nport/builder.py:555	Optional when supported	58/58 populated	Reviewer saves on Bloomberg and verifies the result or supported fallback
refTicker	Bloomberg formula for the reference security; custodian SecurityName seeds swap issuer/title Code: src/nport/config.py:318 -> src/nport/builder.py:555	Optional when supported	58/58 populated	Reviewer saves on Bloomberg and verifies the result or supported fallback
swapFlag	U.S. Bank custodian position transformed by custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:481	derivCat==SWP	58/58 populated	Derivatives Operations verifies the parsed economics against the executed confirmation
terminationDt	U.S. Bank custodian position transformed by custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:481	derivCat==SWP	58/58 populated	Derivatives Operations verifies the parsed economics against the executed confirmation

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
upfrontPmnt	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value
pmntCurCd	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value
upfrontRcpt	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value
rcptCurCd	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
notionalAmt	U.S. Bank custodian position transformed by custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:481	derivCat==SWP	58/58 populated	Derivatives Operations verifies the parsed economics against the executed confirmation
swapCurCd	U.S. Bank custodian position transformed by custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	58/58 populated	Derivatives Operations verifies the parsed economics against the executed confirmation
recFixedOrFloating	Human-review workbook swap_legs Code: src/nport/config.py:318 -> src/nport/builder.py:481	derivCat==SWP	58/58 populated	Derivatives Operations enters the executed-confirm value; the workbook does not accept other swap-leg columns
recFixedRt	No current automated or human-review writer Code: src/nport/config.py:318 -> src/nport/builder.py:481	recFixedOrFloating==Fixed	No currently applicable rows	If the contract shape changes, engineering must add a supported input route before release

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
recFloatingRtlIndex	No current automated or human-review writer Code: src/nport/config.py:318 -> src/nport/builder.py:481	recFixedOrFloating==Floating	No currently applicable rows	If the contract shape changes, engineering must add a supported input route before release
recFloatingRtSpread	No current automated or human-review writer Code: src/nport/config.py:318 -> src/nport/builder.py:481	recFixedOrFloating==Floating	No currently applicable rows	If the contract shape changes, engineering must add a supported input route before release
recPmntAmt	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value
recCurCd	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
recRateTenor	No current automated or human-review writer Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	If the contract shape changes, engineering must add a supported input route before release
recRateUnit	No current automated or human-review writer Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	If the contract shape changes, engineering must add a supported input route before release
recResetDt	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value
recResetUnit	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
recDesc	Human-review workbook swap_legs Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	58/58 populated	Derivatives Operations enters the executed-confirm value; the workbook does not accept other swap-leg columns
pmntDesc	No current automated or human-review writer Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	If the contract shape changes, engineering must add a supported input route before release
pmntFixedOrFloating	U.S. Bank custodian position transformed by custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:481	derivCat==SWP	58/58 populated	Derivatives Operations verifies the parsed economics against the executed confirmation
pmntFixedRt	No current automated or human-review writer Code: src/nport/config.py:318 -> src/nport/builder.py:481	pmntFixedOrFloating==Fixed	No currently applicable rows	If the contract shape changes, engineering must add a supported input route before release

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
pmntFloatingRtlIndex	Human-review workbook swap_legs Code: src/nport/config.py:318 -> src/nport/builder.py:481	pmntFixedOrFloating==Floating	58/58 populated	Derivatives Operations enters the executed-confirm value; the workbook does not accept other swap-leg columns
pmntFloatingRtSpread	Human-review workbook swap_legs Code: src/nport/config.py:318 -> src/nport/builder.py:481	pmntFixedOrFloating==Floating	0/58 populated	Derivatives Operations enters the executed-confirm value; the workbook does not accept other swap-leg columns
pmntPmntAmt	U.S. Bank custodian position transformed by custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	58/58 populated	Derivatives Operations verifies the parsed economics against the executed confirmation
pmntCurCdLeg	U.S. Bank custodian position transformed by custodian.py Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	58/58 populated	Derivatives Operations verifies the parsed economics against the executed confirmation

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
pmntRateTenor	Human-review workbook swap_legs Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	58/58 populated	Derivatives Operations enters the executed-confirm value; the workbook does not accept other swap-leg columns
pmntRateUnit	Human-review workbook swap_legs Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	58/58 populated	Derivatives Operations enters the executed-confirm value; the workbook does not accept other swap-leg columns
pmntResetDt	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value
pmntResetUnit	No current input writer; explicit XML-builder fallback Code: src/nport/config.py:318 -> src/nport/builder.py:481	Optional when supported	No currently applicable rows	Derivatives Operations confirms the fallback is factually correct or supplies a supported upstream value

Holding and derivative data - continued

Field	Current writer/source and code path	Applies when	Observed state	Required human action
payoffProfDeriv	No current automated or human-review writer Code: src/nport/config.py:318 -> src/nport/builder.py:505	derivCat in FWD/FUT	No currently applicable rows	Engineering must add a supported source route before this field becomes applicable
otherDerivDesc	No current automated or human-review writer Code: src/nport/config.py:318 -> src/nport/builder.py:526	derivCat==OTH	No currently applicable rows	Engineering must add a supported source route before this field becomes applicable
liquidityClassificationJson	Human-review workbook holding_liquidity sheet when applicable Code: src/nport/config.py:318 -> src/nport/builder.py:408	fund policy requires C.7	0/1996 populated; applicability awaits policy	Liquidity Risk enters the supported C.7 JSON when fund_policy requires it
liquidityCircumstancesJson	Human-review workbook holding_liquidity sheet when applicable Code: src/nport/config.py:318 -> src/nport/builder.py:408	Optional when supported	0/1996 populated; applicability awaits policy	Liquidity Risk enters the supported C.7 JSON when fund_policy requires it

How to read the inventory

State	Meaning	Action
Populated	A nonblank current value exists. It may include N/A.	Verify source, cutoff, method, and support for N/A.
Blank - applicable	A required or conditional value is absent.	Supply the factual value or supported inapplicable decision.
Applicability unresolved	Approved policy is missing.	Resolve policy before population or release.
Optional	The form does not always require the field.	Populate only when supported; never invent it.