

CORGI ETF TRUST · N-PORT IN-HOUSE SERVICE

Comprehensive Final Audit

What is prohibited, what is missing, where each gap must be fixed, and what remains before an independently built N-PORT filing can be released.

As of August 4, 2026 · Source-independent workflow

Controlling rule: no file, value, mapping, or pre-fill delivered by U.S. Bank may populate the in-house filing. Those artifacts are read-only comparison evidence.

1. Final conclusion

No June 2026 output is release-eligible. The repository's landed custody, EagleSTAR, prepared N-PORT, master workbooks, and derived per-fund files came from U.S. Bank-delivered material. They may be compared against independently generated output, but they cannot populate it.

The correct comparison is output-to-output after dates and fund identity are aligned. It is not a source merge. Numerical differences caused only by different report dates are not gaps. A gap is missing coverage, evidence, logic, or reconciliation in the in-house service.

2. Open input versus true blocker

TERM	MEANING	EXAMPLE	RELEASE EFFECT
Open input	A required item has a defined entry or correction path.	Enter netAssets in FundFields and cite the internal accounting source.	Filing is NOT READY until supplied; this is not an engineering blocker.
Validation error	An entered value or source fails a deterministic rule.	The NAV equation fails or sourceAsOf is not period end.	Correct the named workbook row or upstream file, then rebuild.
True blocker	No implemented input, calculation, or control can resolve the issue.	A local file path cannot authenticate source-system origin.	Requires engineering or an accepted external control.

Key point: “present” does not mean “usable.” A prohibited value must be removed and replaced through the named independent input path.

3. What the code does now

CONTROL	CURRENT BEHAVIOR	TRUTH / LIMITATION
Production build	<code>nport build</code> reads canonical <code>fund_config.txt</code> , <code>filing_data.txt</code> , and <code>holdings.csv</code> only.	It no longer calls the U.S. Bank custodian or EagleSTAR parsers.
Input preparation	<code>nport prepare</code> creates <code>filing_inputs.xlsx</code> with Bloomberg formulas and exact gap locations.	It does not call U.S. Bank or EagleSTAR.
Bloomberg population	The operator opens <code>filing_inputs.xlsx</code> on a Bloomberg terminal and saves resolved formula results.	Blank or error results remain MISSING.
Final build	<code>nport build --from-inputs</code> checks sources/fields, finalizes a clean bundle, builds XML, and validates it.	It prints each open input/error and writes nothing until the filing is ready.

CONTROL	CURRENT BEHAVIOR	TRUTH / LIMITATION
Legacy/write workflow	<code>masters</code> , <code>split</code> , <code>mergehumanreview</code> , <code>enrich</code> , <code>merge</code> , <code>new-filing</code> , and the master-specific commands exit with an error.	They either consume prohibited material or cannot authenticate independent origin.
Reference comparison	<code>nport compare-reference</code> is read-only.	It reports structural differences and never writes filing inputs.
Residual limitation	Manifest checks use labels, paths, dates, hashes, and counts.	They cannot prove origin if a prohibited file is deliberately moved and relabelled; authenticated connectors remain required.

4. Complete tracked-item register

G-001 through G-012 now have implemented entry, correction, calculation, or validation paths. G-013 is retained only as a disclosed limitation and is outside the active remediation plan, per the operating decision.

One review workspace: every correctable item is resolved in `filing_inputs.xlsx`. Upstream evidence keeps its real filename and is registered once on `Sources`; it is not another review template.

ID / STATUS	WHAT MUST BE RESOLVED	SINGLE REVIEW DESTINATION
G-001 OPEN INPUT	Independent position population All Part C holdings, including GPTZ if the fund owns it	filing_inputs.xlsx CLI + Sources + HoldingFields
G-002 OPEN INPUT	Independent fund-accounting close Assets, liabilities, net assets, balance-sheet items, gains, returns, and cash	filing_inputs.xlsx Sources + FundFields
G-003 PARTLY AUTOMATED INPUT	Create/redeem flows mon1/2/3 Sales, Redemption, and Reinvestment	filing_inputs.xlsx CLI + Sources + FundFields
G-004 OPEN INPUT	Fund policy and static data Fiscal year-end, filing type, derivatives regime, applicability, identity, and signer fields	filing_inputs.xlsx Sources + FundFields
ID / STATUS	WHAT MUST BE RESOLVED	SINGLE REVIEW DESTINATION
G-005 ENGINEERED	Source manifest Lineage for every accepted source	filing_inputs.xlsx Sources
G-006 ENGINEERED CONTROL	Prohibited comparison inputs U.S. Bank, EagleSTAR, prepared filings, legacy masters, and derived canonical files	filing_inputs.xlsx Sources + supplied paths
G-007 ENGINEERED	Manual input trace Value/disposition, source, filing cutoff, and reason	filing_inputs.xlsx FundFields + HoldingFields + Sources
G-008 CONDITIONAL OPEN INPUT	Swap economics Counterparty, LEI, notional, value, termination, and receive/pay leg terms	filing_inputs.xlsx Sources + HoldingFields
ID / STATUS	WHAT MUST BE RESOLVED	SINGLE REVIEW DESTINATION
G-009 CONDITIONAL OPEN INPUT	B.2.f / B.3 / B.5.c / B.9 / B.10 Cash outside C/D, risk metrics, monthly categories, derivatives exposure, or VaR	filing_inputs.xlsx Sources + FundFields
G-010 CONDITIONAL OPEN INPUT	C.7 liquidity liquidityClassificationJson and liquidityCircumstancesJson by holding	filing_inputs.xlsx Sources + HoldingFields
G-011 CONDITIONAL OPEN INPUT	Option terms and delta Delta, exercise terms, expiry, and underlying/reference identity	filing_inputs.xlsx Sources + HoldingFields
G-012 IMPLEMENTED INPUT + VALIDATION	Independent reconciliation Position-to-GL, monthly flows, derivative totals when applicable, NAV equation, and position count	filing_inputs.xlsx Sources + ReconciliationInputs
ID / STATUS	WHAT MUST BE RESOLVED	SINGLE REVIEW DESTINATION
G-013 OUT OF ACTIVE SCOPE	Origin assurance Local files cannot prove a person did not manually copy and relabel a prohibited value	No workbook field

Exact fix location and proof

ID	SHEET / ENTRY POINT	EXACT ACTION	OWNER	COMPLETION TEST
G-001	CLI + Sources + HoldingFields	prepare <fund> <period> --positions <independent.csv>; complete Sources[sourceId=POSITIONS]; then resolve HoldingFields[gapId starts G-001].	Operations	POSITIONS source row, period-end cutoff, hash, row count, and position-count reconciliation
G-002	Sources + FundFields	Add Sources[sourceId=<accounting ID>]; fill FundFields[gapId starts G-002] columns proposedValue, sourceId, status, comment.	Fund Accounting	Each PROVIDED row cites the independent source; NAV equation passes
G-003	CLI + Sources + FundFields	Pass --orders to prepare; complete Sources[sourceId=ORDERS]; fill only unresolved FundFields[gapId starts G-003].	Capital Markets + Accounting	Accepted-order calculation, filing cutoff, and independent reconciliation
ID	SHEET / ENTRY POINT	EXACT ACTION	OWNER	COMPLETION TEST
G-004	Sources + FundFields	Add the actual policy/static source row; fill FundFields[targetFile=fund_config.txt] proposedValue, sourceId, status, comment. currentValue is reference-only.	Compliance / Legal	Supported value, effective date, and internal policy reference
G-005	Sources	For every used sourceId, complete dataset, sourceType, sourceSystem, sourcePath, sourceAsOf, comment. Build calculates blank file hash/count.	Operations	System, path, cutoff, hash, and count are complete
G-006	Sources + supplied paths	Delete the prohibited Sources row/path and replace each dependent field sourceId with a real independent source. No replacement value is entered from comparison files.	Engineering + Operations	Prohibited-source check passes; legacy writers remain disabled
ID	SHEET / ENTRY POINT	EXACT ACTION	OWNER	COMPLETION TEST
G-007	FundFields + HoldingFields + Sources	For each PROVIDED row, supply value and sourceId. For each NOT_APPLICABLE row, supply sourceId and factual comment.	Operations	Build reports zero open inputs/errors; input receipt hashes workbook and outputs
G-008	Sources + HoldingFields	Add Sources[sourceId=<swap ID>]; fill HoldingFields[gapId starts G-008] for each swap recordKey.	Derivatives Operations	All required swap fields supported; valuation reconciles
G-009	Sources + FundFields	Add the actual accounting/risk Sources row; fill FundFields[gapId starts G-009] with PROVIDED or source-backed NOT_APPLICABLE.	Accounting + Risk	Fund policy determines applicability; preflight enforces applicable sections
ID	SHEET / ENTRY POINT	EXACT ACTION	OWNER	COMPLETION TEST
G-010	Sources + HoldingFields	Add Sources[sourceId=<liquidity ID>]; fill HoldingFields[gapId starts G-010] for every applicable recordKey.	Liquidity Risk	100% applicable holding coverage and source evidence
G-011	Sources + HoldingFields	Add Sources[sourceId=<option/risk ID>]; fill HoldingFields[gapId starts G-011] for each option recordKey.	Derivatives Risk	Required option fields supported and validated
G-012	Sources + ReconciliationInputs	Add each independent control source on Sources. In every generated ReconciliationInputs row enter controlValue, tolerance, sourceId, status, and comment. The control source must differ from the source supplying the filed-side value.	Accounting + Operations	Every generated control is resolved and every build-calculated reconciliation row is PASS

ID	SHEET / ENTRY POINT	EXACT ACTION	OWNER	COMPLETION TEST
G-013	No workbook field	Nothing can be entered to prove origin technically. Use an authenticated connector or explicitly accepted external governance control.	Operations + Compliance	Documented independent origin; no claim that local code can prove origin

5. Where a human enters values

Implemented location: data/funds/<fund>/filings/<period>/filing_inputs.xlsx.

SHEET	ROW KEY	EDITABLE VALUES	COVERS	RELEASE RULE
Summary	Fund + period	Nothing	Scope, stop rule, and next command	Read-only
Bloomberg	targetFile + recordKey + fieldName	Nothing; formulas calculate on terminal	Returns and supported security/reference fields	Unresolved formulas remain MISSING
GapGuide	gapId	Read-only explanation	All 13 gaps and exact sheet	Navigation only
FundFields	targetFile + fieldName	proposedValue, sourceId, status, comment	Fund config and filing-level values	PROVIDED or source-backed NOT_APPLICABLE

SHEET	ROW KEY	EDITABLE VALUES	COVERS	RELEASE RULE
HoldingFields	recordKey + fieldName	Same four input columns	Holding exceptions	Generated from independent positions
Sources	sourceId	System, path, sourceAsOf, comment	Evidence used by field rows	Hashes/counts are calculated; prohibited sources rejected
ReconciliationInputs	checkId	controlValue, tolerance, sourceId, status, comment	Independent GL, flow, and derivative control totals	Control source must differ from filed-side source
Reconciliation	check	Nothing	Calculated actual, expected, difference, and result	Generated in the clean bundle; every row must PASS

The workbook is generated for one fund and period from independent positions. Bloomberg formulas populate what Bloomberg supports; Sources records independent origin; FundFields and HoldingFields contain the remaining filing values and dispositions; ReconciliationInputs holds only independently sourced control totals and tolerances.

Fund-configuration safeguard: a displayed `currentValue` is reference-only. A `fund_config.txt` row requires an independently supported `proposedValue`; changing its status alone does not release it.

What a human may and may not do

- May: enter a value supported by an independent source.
- May: mark a conditional field NOT_APPLICABLE only with a source and factual reason.
- May not: invent a zero, N/A, policy choice, identifier, term, or classification.
- May not: cite or copy U.S. Bank, EagleSTAR, a prepared filing, or a file derived from them.
- May not: type the base position population into Excel; it must be supplied with `--positions`.

6. Correct operating sequence

STEP	ACTOR	DETERMINISTIC ACTION	COMPLETION CONDITION
1. Intake	Operations	Place the actual independent positions file and optional orders file in the fund-period intake folder.	Real files exist; their origin is independent of U.S. Bank.
2. Prepare	Operations	<code>nport prepare <fund> <period> --positions <file> [--orders <file>]</code>	<code>filing_inputs.xlsx</code> exists.
3. Bloomberg	Operator	Open <code>filing_inputs.xlsx</code> on a Bloomberg terminal; wait for formulas; save.	Bloomberg cells contain values or visible errors.
4. Complete	Field owner	Complete Sources; resolve MISSING FundFields/HoldingFields; complete every generated ReconciliationInputs row.	No applicable input remains MISSING.

STEP	ACTOR	DETERMINISTIC ACTION	COMPLETION CONDITION
5. Build	Operations	<code>nport build <fund> <period> --from-inputs</code>	Clean bundle and validated XML are written, or exact open inputs/errors are printed.
6. Compare	Operator	Optionally compare independent XML with U.S. Bank output on the same fund/date.	Comparison data is never merged back.

All-fund operation: repeat the sequence independently for every fund. FDRS is an example ticker, not a scope limitation.

Field coverage: the runbook contains a generated trace for all 170 accepted canonical fields: 30 fund-configuration fields, 56 filing-level fields, and 84 holding fields. It separates the actual current/legacy writer from the new independent input location.

7. What remains before release

The input, Bloomberg formula, source, provenance, reconciliation, and fail-closed build controls are implemented. What remains is operating data: the actual independent fund values, the independent reconciliation control totals, and policy-approved tolerances for each period. The build calculates the filed side, differences, and PASS/FAIL results. No U.S. Bank value may be used to fill an input. Until every applicable input and validation clears, the honest filing status is **NOT READY**.