

Comprehensive Final Audit

What is prohibited, what is missing, where each gap must be fixed, and what remains before an independently built N-PORT filing can be released.

As of August 4, 2026 · Source-independent workflow

Controlling rule: no file, value, mapping, or pre-fill delivered by U.S. Bank may populate the in-house filing. Those artifacts are read-only comparison evidence.

1. Final conclusion

No June 2026 output is release-eligible. The repository's landed custody, EagleSTAR, prepared N-PORT, master workbooks, and derived per-fund files came from U.S. Bank-delivered material. They may be compared against independently generated output, but they cannot populate it.

The correct comparison is output-to-output after dates and fund identity are aligned. It is not a source merge. Numerical differences caused only by different report dates are not gaps. A gap is missing coverage, evidence, logic, or reconciliation in the in-house service.

What actually matters: (1) fields serialized into XML, (2) policy/applicability inputs that decide which XML is emitted, and (3) reconciliation controls that test whether filed values are accurate. Source metadata does not appear in XML and is not a release gate.

2. Open input versus true blocker

Term	Meaning	Example	Release effect
Open input	A required XML value or policy decision has a defined entry path.	Enter netAssets in FundFields.	Filing is NOT READY until supplied; this is not an engineering blocker.
Validation error	An entered value or calculated relationship fails a deterministic rule.	The NAV equation fails or a required XML field has invalid format.	Correct the named workbook row or upstream file, then rebuild.
True blocker	No implemented input, calculation, or control can resolve the issue.	A local file path cannot authenticate source-system origin.	Requires engineering or an accepted external control.

Key point: “present” does not mean “usable.” A prohibited value must be removed and replaced through the named independent input path.

3. What the code does now

Control	Current behavior	Truth / limitation
Production build	<code>nport build</code> reads canonical <code>fund_config.txt</code> , <code>filing_data.txt</code> , and <code>holdings.csv</code> only.	It no longer calls the U.S. Bank custodian or EagleSTAR parsers.
Input preparation	<code>nport prepare</code> creates <code>filing_inputs.xlsx</code> with Bloomberg formulas and exact gap locations.	It does not call U.S. Bank or EagleSTAR.
Bloomberg population	The operator opens <code>filing_inputs.xlsx</code> on a Bloomberg terminal and saves resolved formula results.	Blank or error results remain MISSING.
Final build	<code>nport build --from-inputs</code> checks XML fields, applicability, and reconciliation; finalizes a clean bundle; builds and validates XML.	It prints each open input/error and writes nothing until the filing is ready.

Control	Current behavior	Truth / limitation
Legacy/write workflow	<code>masters</code> , <code>split</code> , <code>mergehumanreview</code> , <code>enrich</code> , <code>merge</code> , <code>new-filing</code> , and the master-specific commands exit with an error.	They either consume prohibited material or cannot authenticate independent origin.
Reference comparison	<code>nport compare-reference</code> is read-only.	It reports structural differences and never writes filing inputs.
Provenance sidecars	Sources, <code>source_manifest.csv</code> , <code>field_provenance.csv</code> , and <code>input_receipt.json</code> may be retained for diagnostics.	They do not change XML content and do not block generation.

4. Post-automation human entry queue

Automation handoff: run `prepare`, open/save the workbook on Bloomberg, then work only in `filing_inputs.xlsx`. Filter `FundFields` and `HoldingFields` to MISSING. Work only the values, policy decisions, and reconciliation controls listed below. Do not complete Sources for XML release.

Sheet	Rows to work	What the reviewer types	What the system owns
-------	--------------	-------------------------	----------------------

FundFields	Filter status = MISSING	PROVIDED: proposedValue when no automated value exists, plus status. NOT_APPLICABLE: status and factual comment; leave proposedValue blank. sourceId is optional.	For targetFile=fund_config.txt, proposedValue is required whenever the field applies; currentValue is reference-only.
HoldingFields	Filter status = MISSING	PROVIDED: status; add proposedValue only when currentValue is blank or must be corrected. NOT_APPLICABLE: status and factual comment. sourceId is optional.	Enter only rows generated for the supplied positions. Do not add holdings or invent missing rows.
Sheet	Rows to work	What the reviewer types	What the system owns
ReconciliationInputs	Every generated checkId	PROVIDED: controlValue, tolerance, status, comment. A flow may be NOT_APPLICABLE only when its filed flow is N/A; then enter status and factual comment. sourceId is optional.	Never type actualBasis or the filed-side actual. Build calculates the actual and difference.
Sources	Optional only	Nothing is required for XML. Automation retains technical paths needed to reload supplied files; optional sourceId notes may be added for diagnostics.	Source labels, paths, hashes, counts, and as-of dates never serialize into N-PORT XML.

Exact field names that may remain after automation

Queue	When the reviewer acts	fieldName / checkId
Fund configuration - identity/static	Every generated row is a human confirmation from independent evidence	cik, ccc, regName, regFileNumber, regCik, regLei, regStreet1, regStreet2, regCity, regState, regCountry, regZipOrPostalCode, regPhone, seriesName, seriesId, seriesLei, classId, signerOrg, signerName, signerTitle
Fund configuration - policy	Confirm from the current policy record. policyEffectiveTo may remain blank when the policy is open-ended.	fiscalYearEndMMDD, derivativesRegimePolicy, liquidityRequired, cashB2fRequired, policyEffectiveFrom, policyEffectiveTo
Queue	When the reviewer acts	fieldName / checkId
Filing - accounting, signer, and core values	Enter only rows still MISSING	isFinalFiling, dateSigned, totAssets, totLiabs, netAssets, assetsAttrMiscSec, assetsInvested, amtPayOneYrBanksBorr, amtPayOneYrCtrlComp, amtPayOneYrOthAffil, amtPayOneYrOther, amtPayAftOneYrBanksBorr, amtPayAftOneYrCtrlComp, amtPayAftOneYrOthAffil, amtPayAftOneYrOther, delayDeliv, standByCommit, liquidPref, isNonCashCollateral, netRealizedGainMon1, netUnrealizedApprMon1, netRealizedGainMon2, netUnrealizedApprMon2, netRealizedGainMon3, netUnrealizedApprMon3, nameDesignatedIndex, indexIdentifier

Filing - monthly returns	Bloomberg normally populates these; enter only if still MISSING and another independent source supports them	rtn1, rtn2, rtn3
--------------------------	--	------------------

Queue	When the reviewer acts	fieldName / checkId
Filing - create/redeem flows	Orders may populate these; enter only the rows still MISSING	mon1Sales, mon1Redemption, mon1Reinvestment, mon2Sales, mon2Redemption, mon2Reinvestment, mon3Sales, mon3Redemption, mon3Reinvestment
Filing - conditional risk sections	Enter PROVIDED when applicable, or NOT_APPLICABLE with a factual comment when policy says the section does not apply	curMetricsJson, creditSprdRiskIgJson, creditSprdRiskNonigJson, cashNotReportedInCoRD, monthlyReturnCategoriesJson, derivExposurePct, derivCurrencyExposurePct, derivInterestRateExposurePct, derivDaysInExcess, medianDailyVarPct, medianVarRatioPct, backtestingExceptions

Queue	When the reviewer acts	fieldName / checkId
Holdings	The exact queue is dynamic: every generated HoldingFields row whose status remains MISSING. fieldName and recordKey identify exactly what and which holding.	Possible fields are listed by condition in the runbook's exhaustive holding trace; no hidden holding inputs exist.
Reconciliation	Every generated ReconciliationInputs check	POSITIONS_TO_GL, FLOW:mon1Sales, FLOW:mon1Redemption, FLOW:mon1Reinvestment, FLOW:mon2Sales, FLOW:mon2Redemption, FLOW:mon2Reinvestment, FLOW:mon3Sales, FLOW:mon3Redemption, FLOW:mon3Reinvestment, DERIVATIVE_MARKET_VALUE (when generated), DERIVATIVE_UNREALIZED (when generated)

Do not edit: Summary, Bloomberg formulas, GapGuide, Reconciliation, gapId, targetFile, recordKey, fieldName, currentValue, actualBasis, SYSTEM_DERIVED rows, or SYSTEM_CONTROL rows.

Permitted blanks: policyEffectiveTo may stay blank for an open-ended policy; nameDesignatedIndex and indexIdentifier are required only for relative VaR; holding isin and ticker may remain blank when another permitted identifier path is valid.

5. Complete tracked-item register

G-001 through G-012 now have implemented entry, correction, calculation, or validation paths. G-013 is retained only as a disclosed limitation and is outside the active remediation plan, per the operating decision.

One review workspace: every correctable value, disposition, and reconciliation input is resolved in `filing_inputs.xlsx`. The reviewer does not complete Sources to release XML.

ID / status	What must be resolved	Single review destination
-------------	-----------------------	---------------------------

G-001 OPEN INPUT	Position population All Part C holdings	filing_inputs.xlsx CLI + HoldingFields
G-002 OPEN INPUT	Fund-accounting values Assets, liabilities, net assets, balance-sheet items, gains, returns, and cash	filing_inputs.xlsx FundFields
G-003 PARTLY AUTOMATED INPUT	Create/redeem flows Monthly sales, redemptions, and reinvestments	filing_inputs.xlsx CLI + FundFields
G-004 OPEN INPUT	Policy and static data Fiscal year-end, derivatives regime, applicability, identity, and signer fields	filing_inputs.xlsx FundFields
ID / status	What must be resolved	Single review destination
G-005 OPTIONAL	Source manifest Diagnostic provenance only; no XML element	filing_inputs.xlsx Sources
G-006 INPUT BOUNDARY	Prohibited comparison inputs U.S. Bank, EagleSTAR, and prepared filing outputs	filing_inputs.xlsx CLI + optional Sources
G-007 OPTIONAL	Manual provenance sourceld and provenance sidecars; no XML element	filing_inputs.xlsx FundFields + HoldingFields
G-008 CONDITIONAL OPEN INPUT	Swap economics Counterparty, LEI, notional, value, termination, and leg terms	filing_inputs.xlsx HoldingFields
ID / status	What must be resolved	Single review destination
G-009 CONDITIONAL OPEN INPUT	B.2.f / B.3 / B.5.c / B.9 / B.10 Cash outside C/D, risk metrics, monthly categories, derivatives exposure, or VaR	filing_inputs.xlsx FundFields
G-010 CONDITIONAL OPEN INPUT	C.7 liquidity Liquidity classification/circumstances by holding	filing_inputs.xlsx HoldingFields
G-011 CONDITIONAL OPEN INPUT	Option terms and delta Delta, exercise terms, expiry, and reference identity	filing_inputs.xlsx HoldingFields
G-012 ACCURACY GATE	Reconciliation Position-to-GL, monthly flows, derivative totals, and NAV equation	filing_inputs.xlsx ReconciliationInputs
ID / status	What must be resolved	Single review destination
G-013 OUT OF ACTIVE SCOPE	Origin assurance Source metadata cannot authenticate origin and does not affect XML	No workbook entry

Exact fix location and proof

ID	Sheet / entry point	Exact action	Owner	Completion test
G-001	CLI + HoldingFields	prepare <fund> <period> --positions <independent.csv>; then resolve MISSING HoldingFields rows.	Operations	The file loads and every required holding value validates

G-002	FundFields	Filter gapId G-002; enter proposedValue and status. Use a factual comment for NOT_APPLICABLE.	Fund Accounting	Every applicable XML value is present and the NAV equation passes
G-003	CLI + FundFields	Pass --orders to prepare; enter only unresolved G-003 proposedValue/ status rows.	Capital Markets + Accounting	Every applicable flow value is present and reconciles

ID	Sheet / entry point	Exact action	Owner	Completion test
G-004	FundFields	For targetFile=fund_config.txt enter proposedValue/ status; policyEffectiveTo may be blank if open-ended.	Compliance / Legal	Every XML-impacting policy/static value validates
G-005	Sources	No reviewer entry is required for XML release.	None	Never blocks XML generation
G-006	CLI + optional Sources	Remove any prohibited supplied path/reference. Never copy comparison values into the workbook.	Engineering + Operations	No prohibited comparison output is used as an input

ID	Sheet / entry point	Exact action	Owner	Completion test
G-007	FundFields + HoldingFields	No sourceId is required. For NOT_APPLICABLE, enter only a factual comment plus status.	None	Never blocks XML generation
G-008	HoldingFields	Filter gapId G-008 and enter proposedValue/ status for each named recordKey.	Derivatives Operations	All required swap XML fields validate and valuation reconciles
G-009	FundFields	Filter gapId G-009; enter proposedValue/status or factual NOT_APPLICABLE comment.	Accounting + Risk	Policy determines applicability; every applicable XML section validates

ID	Sheet / entry point	Exact action	Owner	Completion test
G-010	HoldingFields	Filter gapId G-010 and enter proposedValue/ status for each named recordKey.	Liquidity Risk	Every applicable holding has valid C.7 XML content
G-011	HoldingFields	Filter gapId G-011 and enter proposedValue/ status for each named recordKey.	Derivatives Risk	Every required option XML field validates
G-012	ReconciliationInputs	Enter controlValue, tolerance, status, and comment. sourceId is optional. Build calculates actual and difference.	Accounting + Operations	Every calculated difference is within tolerance

ID	Sheet / entry point	Exact action	Owner	Completion test
-----------	----------------------------	---------------------	--------------	------------------------

G-013	No workbook entry	No action in this workflow.	None	Does not gate XML generation
-------	-------------------	-----------------------------	------	------------------------------

6. Workbook map

Implemented location: `data/funds/<fund>/filings/<period>/filing_inputs.xlsx`.

Sheet	Row key	Editable values	Covers	Release rule
Summary	Fund + period	Nothing	Scope, stop rule, and next command	Read-only
Bloomberg	targetFile + recordKey + fieldName	Nothing; formulas calculate on terminal	Returns and supported security/reference fields	Unresolved formulas remain MISSING
GapGuide	gapId	Read-only explanation	All 13 gaps and exact sheet	Navigation only
FundFields	targetFile + fieldName	PROVIDED: proposedValue if needed + status. N/A: status + factual comment. sourceId optional	Fund config and filing-level XML values	Candidate rows have status MISSING

Sheet	Row key	Editable values	Covers	Release rule
HoldingFields	recordKey + fieldName	PROVIDED: status + proposedValue only to supply/correct. N/A: status + factual comment. sourceId optional	Holding XML exceptions	Only generated candidate rows
Sources	sourceId	No required human entry; optional trace only	Diagnostic sidecars and technical intake paths	Does not gate XML
ReconciliationInputs	checkId	controlValue, tolerance, status, comment; sourceId optional	Control totals used to test filed values	Every generated difference must be within tolerance
Reconciliation	check	Nothing	Calculated actual, expected, difference, and result	Generated in the clean bundle; every row must PASS

The workbook is generated for one fund and period from independent positions. Bloomberg formulas populate supported values; FundFields and HoldingFields contain remaining XML values and applicability decisions; ReconciliationInputs contains control totals and tolerances. Sources is optional trace metadata.

Fund-configuration safeguard: a displayed `currentValue` is reference-only. A `fund_config.txt` row requires an independently supported `proposedValue`; changing its status alone does not release it.

What a human may and may not do

- May: enter an independently known value in the named row.
- May: mark a conditional field NOT_APPLICABLE only with a factual reason.
- May not: invent a zero, N/A, policy choice, identifier, term, or classification.
- May not: copy U.S. Bank, EagleSTAR, or prepared-filing values into an input.
- May not: type the base position population into Excel; supply it with `--positions`.

7. Correct operating sequence

Step	Actor	Deterministic action	Completion condition
1. Intake	Operations	Place the actual independent positions file and optional orders file in the fund-period intake folder.	Real files exist; their origin is independent of U.S. Bank.
2. Prepare	Operations	<code>nport prepare <fund> <period> --positions <file> [--orders <file>]</code>	filing_inputs.xlsx exists.
3. Bloomberg	Operator	Open filing_inputs.xlsx on a Bloomberg terminal; wait for formulas; save.	Bloomberg cells contain values or visible errors.
4. Complete	Field owner	Resolve MISSING FundFields/HoldingFields and every generated ReconciliationInputs row. Ignore Sources unless optional tracing is desired.	No applicable XML input remains MISSING and reconciliations pass.

Step	Actor	Deterministic action	Completion condition
5. Build	Operations	<code>nport build <fund> <period> --from-inputs</code>	Clean bundle and validated XML are written, or exact open inputs/errors are printed.
6. Compare	Operator	Optionally compare independent XML with U.S. Bank output on the same fund/date.	Comparison data is never merged back.

All-fund operation: repeat the sequence independently for every fund. FDRS is an example ticker, not a scope limitation.

Field coverage: the runbook contains a generated trace for all 170 accepted canonical fields: 30 fund-configuration fields, 56 filing-level fields, and 84 holding fields. It separates the actual current/legacy writer from the new independent input location.

8. What remains before release

The input workbook, Bloomberg formulas, applicability rules, reconciliation, and fail-closed build are implemented. What remains is operating data: the actual fund/holding values that enter XML, the policy choices that determine applicable sections, and reconciliation control totals/tolerances. Source metadata is optional. No U.S. Bank value may be used to fill an input. Until every applicable value and validation clears, the honest filing status is **NOT READY**.

Generated from the repository field contracts and source controls on 2026-08-04.