Script for basic configuration capture from bash CLI

This is a script for execution at the bash CLI expert shell level, while not connected to Gaia web UI, that creates a set of output files with basic configuration data about the system where it is run, either management (SMS or MDM) or gateway. The script uses basic bash shell and Gaia clish commands to harvest data that may be relevant for later use in restoring configuration or duplicating setup.

There is no claim this information collected is complete for a restore, but is a work in progress, and may improve in the future to add more information.

This script does not replace important disaster recovery operations like Check Point Snapshot, Backup, Migrate, or mds_backup; but augments the collection of data for easy re-use, documentation, or configuration check.

This script and others are located natively and updated regularly on GitHub under the main Check Point Gaia Bash scripts efforts.


Check Point Gaia Bash scripts repository:

<u>GitHub - mybasementcloud/check_point_gaia_bash_scripts: Various bash scripts for Check Point Software Technologies Gaia ...</u>

Direct link to configuration capture script and history:
check_point_gaia_bash_scripts · GitHub

This script has been tested and utilized with Check Point releases R77, R77.30, R80, R80.10 with no difference in operation based on Jumbo Hotfix Implementation.


The script creates a number of files and also will create a set of file folders and subfolders in the folder [directory] where it is executed.



Folders created:

- Folder "home.backup": this folder will contain a copy of the executing user's home folder content for recovery and backup, which is useful if there have been customizations made to those files. This folder is updated with the contents from the executing user's home folder each time the script is executed [from the same location]
- Folder "host_data" : this folder is the primary repository for the data collected during execution, and also will include it's own copy of the user's home folder
 - o Date-Time-Group folder for execution time results, based on YYYY-MM-DD-Time format with 24 hour time (Hour-Minute-Second) and time zone, for easy sorting and review.
 - "home" folder for at time copy of executing user's home folder

host data folder content:



This folder contains the sub-folder based on the execution time and date, represented by a Date-Time-Group named folder. The content of that Date-Time-Group folder is a folder for the executing user's home folder at time of execution, and the following files:

o 00-OS-XX.rules

This file is a copy of the 00-OS-XX.rules file located in "/etc/udev/rules.d/", that contains information about the interface names associated to a physical interface. This is useful for OpenServers, where adding hardware can change the association based on how the underlying Linux OS sees the interfaces from a hardware perspective, so having this original data can help restore configuration.

- config_yourhostname_<gaia-os-version>_<date-time-group-of-execution_YYYY-MM-DD-HHMMSSTZ>
 - Gaia clish configuration at time of execution. Useful to rebuild the system or for information that can be used in copy-paste operations for re-using settings easily via script.
- yourhostname_<gaia-os-version>_arp_<date-time-group-of-execution_YYYY-MM-DD-HHMMSSTZ>.txt
 Dump of the current arp table at bash.
- yourhostname_<gaia-os-version>_basic_information_<date-time-group-of-execution_YYYY-MM-DD-HHMMSSTZ>T.txt
 Basic system information like current memory and disk utilization. This information may expand in future versions.
- yourhostname_<gaia-os-version>_cplic_<date-time-group-of-execution_YYYY-MM-DD-HHMMSSTZ>.txt
 Dump of the Check Point licensing information at time of execution.
- yourhostname_<gaia-os-version>_dmidecode_<date-time-group-of-execution_YYYY-MM-DD-HHMMSSTZ>.txt
 Dump of the dmidecode information at time of execution.
- yourhostname_<gaia-os-version>_fwaccel-statistics_<date-time-group-of-execution_YYYY-MM-DD-HHMMSSTZ>.txt
 Dump of SecurXL statistics and information, useful to check if acceleration is impacted by rule based or if there are interesting trends or issues.
- yourhostname_<gaia-os-version>_ifconfig_<date-time-group-of-execution_YYYY-MM-DD-HHMMSSTZ>.txt
 Dump of bash interface configuration.
- yourhostname_<gaia-os-version>_interface-naming-rules_<date-time-group-ofexecution_YYYY-MM-DD-HHMMSSTZ>.txt
 Dump of interface naming rules found in "/etc/udev/rules.d/00-OS-XX.rules" as an addition to the copied file.
- yourhostname_<gaia-os-version>_route_<date-time-group-of-execution_YYYY-MM-DD-HHMMSSTZ>.txt
 Dump of bash level route information.
- yourhostname_<gaia-os-version>_versions_<date-time-group-of-execution_YYYY-MM-DD-HHMMSSTZ>.txt
 Dump of current version information from the different potential version sources for the installed system.

Future releases may update or change the information above, and the best source for the most current version is on GitHub:

<u>check_point_gaia_bash_scripts/config_capture at master - mybasementcloud/check_point_gaia_bash_scripts - GitHub</u>