

Change Theme Language Java 7



```
1  import java.io.*;
2  import java.util.*;
3
4  public class Solution {
5      public static void main(String[] args) {
6          Scanner sc = new Scanner(System.in);
7          int lineNumber = 1;
8
9          while (sc.hasNext()) {
10             String line = sc.nextLine();
11             System.out.println(lineNumber + " " + line);
12             lineNumber++;
13         }
14
15         sc.close();
16     }
17 }
18
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✓ Sample Test case 0

```
1 Hello world
2 I am a file
3 Read me until end-of-file.
```

Your Output (stdout)

```
1 1 Hello world
2 2 I am a file
3 3 Read me until end-of-file.
```

Expected Output

[Download](#)

```
1 1 Hello world
2 2 I am a file
3 3 Read me until end-of-file.
```

Activate Windows
Go to Settings to activate Windows.

```
1  ✓ import java.util.*;
2  import java.security.*;
3  public class Solution {
4      public static void main(String[] args) {
5
6          DoNotTerminate.forbidExit();
7
8          try {
9              Scanner in = new Scanner(System.in);
10             int n = in.nextInt();
11             in.close();
12             //String s=???; Complete this line below
13
14             String s = Integer.toString(n);
15
16             > ...
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all test cases.

Sample Test case 0

Input (stdin)

1	100
---	-----

Your Output (stdout)

1	Good job
---	----------

Expected Output

1	Good job
---	----------

Activate V

```
1 import java.util.*;
2 import java.text.*;
3
4 public class Solution {
5
6     public static void main(String[] args) {
7         Scanner scanner = new Scanner(System.in);
8         double payment = scanner.nextDouble();
9         scanner.close();
10
11         NumberFormat usFormat = NumberFormat.getCurrencyInstance(Locale.US);
12         NumberFormat indiaFormat = NumberFormat.getCurrencyInstance(new Locale("en", "IN"));
13         NumberFormat chinaFormat = NumberFormat.getCurrencyInstance(Locale.CHINA);
14         NumberFormat franceFormat = NumberFormat.getCurrencyInstance(Locale.FRANCE);
15
16         String us = usFormat.format(payment);
17         String india = indiaFormat.format(payment);
18         String china = chinaFormat.format(payment);
19         String france = franceFormat.format(payment);
20
21         System.out.println("US: " + us);
22         System.out.println("India: " + india);
23         System.out.println("China: " + china);
24         System.out.println("France: " + france);
25     }
26 }
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✓ Sample Test case 0

Your Output (stdout)

```
1 US: $12,324.13
2 India: Rs.12,324.13
3 China: ¥ 12,324.13
4 France: 12 324,13 €
```

Expected Output

```
1 US: $12,324.13
2 India: Rs.12,324.13
3 China: ¥ 12,324.13
4 France: 12 324,13 €
```

Download

```
-
2
3
4 import java.util.*;
5
6 public class test {
7     public static void main(String[] args) {
8
9         Scanner in = new Scanner(System.in);
10
11         int n = in.nextInt();
12         int m = in.nextInt();
13
14         Deque<Integer> deque = new ArrayDeque<Integer>();
15         HashMap<Integer, Integer> map = new HashMap<Integer, Integer>();
16
17         int max = 0;
18
19         for (int i = 0; i < n; i++) {
20
21             int num = in.nextInt();
22
23             deque.addLast(num);
24
25             if (map.containsKey(num)) {
26                 map.put(num, map.get(num) + 1);
27             } else {
28                 map.put(num, 1);
29             }
30
31             if (deque.size() > m) {
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✔ Sample Test case 0

Input (stdin)

Download

```
1 6 3
2 5 3 5 2 3 2
```

Your Output (stdout)

```
1 3
```

Expected Output

Download

```
1 3
```

```
1  import java.io.*;
2  import java.util.*;
3  import java.text.*;
4  import java.math.*;
5  import java.util.regex.*;
6
7  public class Solution {
8
9      public static void main(String[] args) {
10         Scanner sc = new Scanner(System.in);
11
12         int N = sc.nextInt();
13         int M = sc.nextInt();
14
15         BitSet B1 = new BitSet(N);
16         BitSet B2 = new BitSet(N);
17
18         for (int i = 0; i < M; i++) { ...
19             }
20     }
21 }
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✔ Sample Test case 0

Input (stdin)

```
1 5 4
2 AND 1 2
3 SET 1 4
4 FLIP 2 2
5 OR 2 1
```

Your Output (stdout)

```
1 0 0
2 1 0
3 1 1
4 1 2
```

Download

```
13 > for (int i = 0; i < M; i++) { ...
14 }
15 }
16 }
```

Line: 7 Col: 24

Submit Code



Congrats!

You have earned your 4th star.

Continue





You have earned 20,000 points!

You are now 100 points away from the gold level for your java

Congratulations

You solved this challenge. Would you like to challenge your friends?



Next Challenge