Damisola Ogunleye - GRC-C26-09-EU-019

Date: September 23,2026

Assignment:

Part 1 - System Information


Step 1 – Who am I and where am I?

Username – (whoami) : kali

Hostname – (hostname): kali

Current working directory


(pwd): /home/kali




Step 2 – Operating System & Hardware Info

Linux kernel version (uname –a):


6.19.1.4+kali-amd64




Total RAM (free –h): 5.3 GiB




CPU information (lscpu)

C 

Available disk space on main partition (df –h): 59 GB



System uptime (uptime): about 33 minutes


1 2 3 4
19:10
Home
File System
Trash
Ddamisola
documents
backup.txt
kali@kali: ~
Session Actions Edit View Help
(kali㉿kali)-[~]
$ uptime
19:10:02 up 33 min, 1 user, load average: 0.00, 0.03, 0.06
(kali㉿kali)-[~]
$

Part 2 – Basic Network Connectivity Test


Step 1 –Ping a Known IP Address

Command: ping –c 2 8.8.8.8

Average round-trip time:9.960 ms

Packet loss: 0%

Result: The Kali VM successfully reached 8.8.8.8, confirming network connectivity.



Step 2 – Ping a Domain Name

Command ping -c 4 google.com

IP address google.com resolved to:142.250.114.138

Average round-trip time: 9.588 ms

Packet loss: 0%

Comparison with 8.8.8.8: The round-trip time was very similar. The average for 8.8.8.8 was 9.960 ms, while the average for google.com was 9.588 ms. Small differences are normal because network response times can vary.

What does –c mean? The –c option means count, and 4 tells Kali to send exactly 4 ping packets before stopping automatically.

