

gfw_whitelist

The GFW whitelist of AutoProxy format.

gfw_whitelist URL: https://raw.githubusercontent.com/neko-dev/gfw_whitelist/master/gfw_whitelist.txt

Usage of gfw_whitelist

SwitchyOmega

Install [SwitchyOmega](#) Chrome extension.

Create a Switch Profile, Default use the proxy profile, add a rule list(AutoProxy format) and fill the gfw_whitelist URL . Rule list rules use the Direct profile.

New Profile



Profile name

The name of the profile must not be empty.

Please select the type of the profile:

☐ Proxy Profile

Tunneling traffic through proxy servers.

☒ Switch Profile

Applying different profiles automatically on various conditions such as domains or patterns. You can also import rules published online for easier switching. (Replaces AutoSwitch mode + Rule List.)

☐ PAC Profile

Choosing proxies using an online/local PAC script.






You will only need this if you have a PAC script or a URL to it. Don't try to create one unless you have knowledge about PAC.

☐ Virtual Profile

A virtual profile can act as any of the other profiles on demand. It works well with SwitchProfile, allowing you to change the result of multiple conditions by one click.

Cancel

Create

+ Add condition			
	<input checked="" type="checkbox"/> Rule list rules	(Any request matching the rule list below)	<div>  [Direct] </div> <div>  </div>
	Default		<div>  Shadowsocks </div> <div>  </div>

Rule List Config

Rule List Format ☐ Switchy ☒ AutoProxy

Rule List URL 

The rule list will be updated from this URL. If it is left blank, the following text will be parsed instead.

 Download Profile Now

Rule List Text

Rule list downloaded at Jan 23, 2017 9:21:37 PM:

Usage of AutoProxy-Editor.jar

`java -jar AutoProxy-Editor.jar` to add domains.

AutoProxy Rules

This tools can help you to edit AutoProxy file.

Use 'add' to add a domain.

Use 'remove' to remove a domain.

Use 'show' to show the list.

Use 'load' to load autoproxy file from disk.

Use 'save' to save autoproxy file to disk.

Use 'help' to show this help message.

You can use 'help [command]' to show help message for that command.

Usage of commit.jar

`java -jar commit.jar` to to commit the `gfw_whitelist` in a formal format.

Source: https://github.com/Omico/gfw_whitelist-CommitTool