Measuring Risk

QUANTITATIVE RISK MANAGEMENT IN PYTHON

Jamsheed Shorish
CEO, Shorish Research

datacamp

The Loss Distribution

- **Forex Example:**
  - Portfolio value in U.S. dollars is USD **100**
  - Risk factor = 🇪🇺 / 🇺🇸 exchange rate
  - Portfolio value in EURO if 1 🇪🇺 = 1 🇺🇸: USD **100** x EUR 1 / USD 1 = EUR 100.
  - Portfolio value in EURO if **r** 🇪🇺 = 1 🇺🇸: = USD **100** x EUR **r** / 1 USD = EUR 100 x **r**
  - **Loss** = EUR 100 - EUR 100 x **r** = EUR 100 x (1 - **r**)

- **Loss distribution:** Random realizations of **r** => **distribution** of portfolio losses *in the future*



Maximum loss

- What is the maximum loss of a portfolio?
- Losses cannot be bounded with 100% certainty
- **Confidence Level**: replace 100% certainty with *likelihood* of upper bound
- Can express questions like "What is the maximum loss that would take place 95% of the time?"
  - Here the confidence level is **95%.**

Value at Risk (VaR)

- **VaR**: statistic measuring **maximum portfolio loss** at a particular confidence level
- Typical confidence levels: **95%**, **99%**, and **99.5%** (usually represented as decimals)
- **Forex Example**: If 95% of the time EUR / USD exchange rate is *at least* 0.40, then:
  - portfolio value is *at least* USD **100** x 0.40 EUR / USD = EUR **40**,
  - portofio loss is *at most* EUR **40** - EUR **100** = EUR **60**,
  - so the 95% **VaR** is EUR **60**.



Conditional Value at Risk (CVaR)

- **CVaR**: measures expected loss *given* a minimum loss equal to the VaR
- Equals **expected value** of the *tail* of the loss distribution:
  - $$\text{CVaR}(\alpha) := \frac{1}{1-\alpha}\mathbb{E}\int_{\text{VaR}(\alpha)}^{\bar{x}} x f(x) dx,$$
  - $f(\cdot)$ = loss distribution pdf
  - $\bar{x}$ = upper bound of the loss (can be infinity)
  - $\text{VaR}(\alpha)$ = VaR at the α confidence level.

- **Forex Example:**
  - **95% CVaR** = expected loss for 5% of cases when portfolio value *smaller* than EUR 40



Deriving the VaR

1. Specify confidence level, e.g. 95% (0.95)
2. Create Series of `loss` observations
3. Compute `loss.quantile()` at specified confidence level
4. VaR = computed `.quantile()` at desired confidence level
5. `scipy.stats` loss distribution: percent point function `.ppf()` can also be used

```
loss = pd.Series(observations)
VaR_95 = loss.quantile(0.95)
print("VaR_95 = ", VaR_95)
```

```
Var_95 = 1.61928341572540888
```

Deriving the CVaR

1. Specify confidence level, e.g. 95% (0.95)
2. Create or use sample from loss distribution
3. Compute VaR at a specified confidence level, e.g. 0.95.
4. Compute CVaR as expected loss (Normal distribution: `scipy.stats.norm.expect()` does this).

```
losses = pd.Series(scipy.stats.norm.rvs(size=1000))
VaR_95 = scipy.stats.norm.ppf(0.95)
CVaR_95 = (1/(1 - 0.95))*scipy.stats.norm.expect(lambda x: x, lb = VaR_95)
print("CVaR_95 = ", CVaR_95)
```

```
CVaR_95 = 2.153595332530393
```

Visualizing the VaR

- Loss distribution histogram for 1000 draws from N(1,3)



Visualizing the VaR

- Loss distribution histogram for 1000 draws from N(1,3)
  - VaR_{95} = 5.72, i.e. VaR at 95% confidence



Visualizing the VaR

- Loss distribution histogram for 1000 draws from N(1,3)
  - VaR_{95} = 5.72, i.e. VaR at 95% confidence
  - VaR_{99} = 7.81, i.e. VaR at 99% confidence



Visualizing the VaR

- Loss distribution histogram for 1000 draws from N(1,3)
  - VaR_{95} = 5.72, i.e. VaR at 95% confidence
  - VaR_{99} = 7.81, i.e. VaR at 99% confidence
  - $\text{VaR}_{99.5}$ = 8.78, i.e. VaR at 99.5% confidence
- The VaR measure *increases* as the confidence level *rises*



Let's practice!

QUANTITATIVE RISK MANAGEMENT IN PYTHON

Risk exposure and loss

QUANTITATIVE RISK MANAGEMENT IN PYTHON

Jamsheed Shorish
Computational Economist

datacamp

A vacation analogy

- Hotel reservations for vacation
- Pay in advance, before stay
  - Low room rate
  - **Non-refundable**: cancellation fee = 100% of room rate
- Pay after arrival
  - High room rate
  - **Partially refundable**: cancellation fee of 20% of room rate

Deciding between options

- What determines your decision?
  1. Chance of negative shock: illness, travel disruption, weather
     - **Probability of loss**
  2. Loss associated with shock: amount or conditional amount
     - e.g. **VaR, CVaR**
  3. Desire to avoid shock: personal feeling
     - **Risk tolerance**



Risk exposure and VaR

- **Risk exposure**: probability of loss x loss measure
  - Loss measure: e.g. VaR
- **10% chance of canceling vacation**: P(Illness) = 0.10
- **Non-refundable**:
  - Total non-refundable hotel cost: **€ 500**
  - VaR at 90% confidence level: **€ 500**
- **Partially refundable**:
  - Refundable hotel cost: **€ 550**
  - VaR at 90% confidence level: 20% cancellation fee x € 550 = € 110

Calculating risk exposure

- **Non-refundable exposure** ("nr"):
  - P(illness) x $\mathrm{VaR}_{0.90}^{\mathrm{nr}}$ = 0.10 x € 500 = € 50.
- **Partially refundable exposure** ("pr"):
  - P(illness) x $\mathrm{VaR}_{0.90}^{\mathrm{pr}}$ = 0.10 x € 110 = € 11.
- **Difference in risk exposure**: € 50 - € 11 = € 39.
- **Total price difference between offers**: € 550 - € 500 = € 50.
- *Risk tolerance*: is paying € 50 *more* worth **avoiding** € 39 of additional exposure?

Risk tolerance and risk appetite

- **Risk-neutral**: only expected values matter
  - € 39 < € 50 $\Rightarrow$ prefer **non-refundable** option
- **Risk-averse**: uncertainty itself carries a cost
  - € 39 < € 50 $\Rightarrow$ prefer **partially refundable** option
- Enterprise/institutional risk management: preferences as ***risk appetite***
- Individual investors: preferences as ***risk tolerance***

Loss distribution - discrete

- Risk exposure *depends upon* loss distribution (probability of loss)
- **Vacation example**: 2 outcomes from random risk factor



Loss distribution - continuous

- Risk exposure *depends upon* loss distribution (probability of loss)
- **Vacation example**: 2 outcomes from random risk factor
- More generally: *continuous* loss distribution
  - **Normal distribution**: good for large samples



Loss distribution - continuous

- Risk exposure *depends upon* loss distribution (probability of loss)
- **Vacation example**: 2 outcomes from random risk factor
- More generally: *continuous* loss distribution
  - **Normal distribution**: good for large samples
  - **Student's t-distribution**: good for smaller samples



Primer: Student's t-distribution

- Also referred to as **T** distribution
- Has "fatter" tails than Normal for small samples
  - Similar to portfolio returns/losses
- As sample size grows, **T** converges to Normal distribution



T distribution in Python

- Example: compute 95% VaR from T distribution
  - Import `t` distribution from `scipy.stats`
  - Fit `portfolio_loss` data using `t.fit()`

```
from scipy.stats import t
params = t.fit(portfolio_losses)
```



T distribution in Python

- Example: compute 95% VaR from T distribution
  - Import `t` distribution from `scipy.stats`
  - Fit `portfolio_loss` data using `t.fit()`
  - Compute percent point function with `.ppf()` to find VaR

```
from scipy.stats import t
params = t.fit(portfolio_losses)
VaR_95 = t.ppf(0.95, *params)
```



Degrees of freedom

- **Degrees of freedom** (df): number of independent observations
- *Small df*: "fat tailed" T distribution
- *Large df*: Normal distribution

```
x = np.linspace(-3, 3, 100)
plt.plot(x, t.pdf(x, df = 2))
plt.plot(x, t.pdf(x, df = 5))
plt.plot(x, t.pdf(x, df = 30))
```



Let's practice!

QUANTITATIVE RISK MANAGEMENT IN PYTHON

Risk management using VaR & CVaR

QUANTITATIVE RISK MANAGEMENT IN PYTHON

Jamsheed Shorish
Computational Economist

datacamp

Risk management via modern portfolio theory

- **Efficient Portfolio**
  - Portfolio weights maximize return given risk level
- **Efficient Frontier:** locus of (risk, return) points generated by different efficient portfolios
  - Each point = portfolio weight optimization
- Creation of efficient portfolio/frontier: *Modern Portfolio Theory*



Incorporating Value at Risk into MPT

- **Modern Portfolio Theory** (MPT): "mean-variance" optimization
  - Highest expected return
  - Risk level (volatility) is given
  - *Objective function*: expected return
- **VaR/CVaR**: measure risk over distribution of *loss*
- Adapt MPT to optimize over *loss distribution* vs. expected return

A new objective: minimize CVaR

- Change objective of portfolio optimization
  - ***mean-variance objective***: maximize expected mean return
  - ***CVaR* objective**: minimize expected conditional loss at a given confidence level
- **Example:** Loss distribution
  - **VaR**: maximum loss with 95% confidence
  - Optimization: portfolio weights **minimizing** CVaR
  - **CVaR**: expected loss given *at least* VaR loss (worst 5% of cases)
- Find lowest expected loss in worst 100% - 95% = 5% of possible outcomes

The risk management problem

- Select optimal portfolio weights $w^{\star}$ as solution to

$$\min_{w} \frac{1}{1-\alpha} \mathbb{E} \int_{\text{VaR}(\alpha)}^{\infty} x(w) f(x(w)) dx$$

with

$$\sum_{i} w_i = 1$$

- Recall: $f(x)$ = probability density function of portfolio ***loss***
- PyPortfolioOpt: select minimization of CVaR as new objective

CVaR minimization using PyPortfolioOpt

- Create an `EfficientCVaR` object with asset returns `returns`
- Compute optimal portfolio weights using `.min_cvar()` method

```
ec = pypfopt.efficient_frontier.EfficientCVaR(None, returns)
optimal_weights = ec.min_cvar()
```

Mean-variance vs. CVaR risk management

- Mean-variance minimum volatility portfolio, 2005-2010 investment bank assets

```
ef = EfficientFrontier(None, e_cov)
min_vol_weights = ef.min_volatility()
print(min_vol_weights)
```

```
{'Citibank': 0.0,
 'Morgan Stanley': 5.0784330940519306e-18,
 'Goldman Sachs': 0.6280157234640608,
 'J.P. Morgan': 0.3719842765359393}
```

Mean-variance vs. CVaR risk management

- CVaR-minimizing portfolio, 2005-2010 investment bank assets

```
ec = pypfopt.efficient_frontier.EfficientCVaR(None, returns)
min_cvar_weights = ec.min_cvar()
print(min_cvar_weights)
```

```
{'Citibank': 0.0,
 'Morgan Stanley': 0.0,
 'Goldman Sachs': 0.669324359403484,
 'J.P. Morgan': 0.330675640596502 6}
```

Let's practice!

QUANTITATIVE RISK MANAGEMENT IN PYTHON

Portfolio hedging: offsetting risk

QUANTITATIVE RISK MANAGEMENT IN PYTHON

Jamsheed Shorish
Computational Economist

datacamp

Portfolio stability

- **VaR/CVaR**: potential portfolio loss for given confidence level
- **Portfolio optimization**: 'best' portfolio weights
  - *But volatility is still present!*
- **Institutional investors**: *stability* of portfolio against volatile changes
  - **Pension funds**: c. USD **20 trillion**

Rainy days, sunny days

- **Investment portfolio:** sunglasses company
  - **Risk factor:** weather

Rainy days, sunny days

- **Investment portfolio:** sunglasses company
  - **Risk factor:** weather (**rain**)
  - More rain => lower company value
  - Lower company value => lower stock price
  - Lower stock price => *lower portfolio value*

Rainy days, sunny days

- **Investment portfolio:** sunglasses company
  - **Risk factor:** weather (**rain**)
  - More rain => lower company value
  - Lower company value => lower stock price
  - Lower stock price => *lower portfolio value*
- **Second opportunity:** umbrella company
  - More rain => **more** value!

Rainy days, sunny days

- **Investment portfolio:** sunglasses company
  - **Risk factor:** weather (**rain**)
  - More rain => lower company value
  - Lower company value => lower stock price
  - Lower stock price => *lower portfolio value*
- Second opportunity: umbrella company
  - More rain => **more** value!
- Portfolio: sunglasses **&** umbrellas, *more stable*
  - Volatility of rain is *offset*

Hedging

- **Hedging**: offset volatility with another asset
- Crucial for institutional investor risk management
- Additional return stream moving *opposite* to portfolio
- Used in pension funds, ForEx, futures, derivatives...
  - 2019: hedge fund market c. USD **3.6 trillion**

Hedge instruments: options

- **Derivative**: hedge instrument
- **European option**: very popular derivative
  - European **call** option: right (not obligation) to purchase stock at fixed price X on date M
  - European **put** option: right (not obligation) to sell stock at fixed price X on date M
  - Stock = "underlying" of the option
    - Current market price S = *spot price*
  - X = *strike price*
  - M = *maturity date*

Black-Scholes option pricing

- Option value changes when price of underlying changes => can be used to **hedge risk**
- Need to ***value*** option: requires assumptions about market, underlying, interest rate, etc.
- **Black-Scholes** option pricing formula: Fisher Black & Nobel Laureate Myron Scholes (1973)
  - Requires for each time t:
    - spot price S
    - strike price X
    - time to maturity $T := M - t$
    - risk-free interest rate r
    - volatility of underlying returns σ (standard deviation)

[1] Black, F. and M. Scholes (1973). "The Pricing of Options and Corporate Liabilities", Journal of Political Economy vol 81 no. 3, pp. 637–654.{{3}}

Black-Scholes formula assumptions

- Market structure
  - Efficient markets
  - No transactions costs
  - Risk-free interest rate
- Underlying stock
  - No dividends
  - Normally distributed returns
- Online calculator: **https://www.math.drexel.edu/~pg/fin/VanillaCalculator.html**
- Python function `black_scholes()` : source code link available in the exercises

Computing the Black-Scholes option value

- Black-Scholes option pricing formula `black_scholes()`
- Required parameters: S, X, T (in fractions of a year), r, σ
- Use the desired `option_type` ('call' or 'put')

```
S = 70; X = 80; T = 0.5; r = 0.02; sigma = 0.2
option_value = black_scholes(S, X, T, r, sigma, option_type = "put")
print(option_value)
```

```
10.31222171237868
```

Hedging a stock position with an option

- Hedge stock with European put option: underlying is same as stock in portfolio
- Spot price S falls ($\Delta S < 0$) => option value V rises ($\Delta V > 0$)
- *Delta* of an option: $\Delta := \frac{\partial V}{\partial S}$
- Hedge one share with $\frac{1}{\Delta}$ options
- **Delta neutral**: $\Delta S + \frac{\Delta V}{\Delta} = 0$; stock is hedged!
- Python function `bs_delta()` : computes the option delta
  - Link to source available in the exercises

Let's practice!

QUANTITATIVE RISK MANAGEMENT IN PYTHON